Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



The 119th Year of Thorburts Seeds

ESTABLISHED 1802


1920



J.M.Thorburn & Co.

53 BARCLAY STREET THROUGH TO 54 PARK PLACE

New York City





DON'T be a slave to the uncertainty of supply and the high prices of "shippedin" vegetables this spring. Your own back

yard is a veritable gold mine while these essential fresh foods are selling at record-breaking prices. Let us help you have health-building vegetables of full flavored freshness this season—at a fraction of the shopkeeper's prices.

We want you to know THORBURN SEEDS—to test the healthful pleasure and economy of cultivating your own vegetables. That's why we're making this "Get Acquainted" offer of one of our famous COLLECTIONS of VEGETABLE SEEDS for small Gardens.

Collection "A"

\$1.50 (INCLUDING FREE DELIVERY IN U. S.)

1 pkt. Beans, Refugee Green-Pod.

1 pkt. Beans, Golden Wax.

ı pkt. Beet, Egyptian.

1 pkt. Cabbage, Early Wakefield.

I pkt. Carrot, Half-Long.

1/21b. Corn, Early Bantam.

1 pkt. Cucumber, Improved

White Spine.

1 pkt. Kohlrabi.

1 pkt. Leek, Best Flag.

1 pkt. Lettuce, Big Boston.

1 pkt. Onion, White Globe.

1 pkt. Parsley, Extra Curled.

½lb. Peas, Thorburn's Extra-

Early Market.

1 pkt. Radish, Scarlet Turnip.

1 pkt. Spinach, Viroflay.

1 pkt. Turnip, Snowball.

Victory Collection

\$1.00 (INCLUDING FREE DELIVERY IN U. S.)

One packet each.

Green Beans. Wax Beans.

Beets.

Carrot.

Lettuce.
Onion.

Parsley.
Peas.

Radish.

Spinach.
Turnip.
Swiss Chard.

Golden Bantam Corn.

THORBURN SEEDS are the pick of the World's best—seeds that combine hardiness, fertility and vigor that assure best results—that produce the biggest, firmest, crispest, best-flavored vegetables.

For other Collections for larger Gardens, ranging from \$4 to \$36, see pages 4 and 5 of this Catalogue

1802-1920

119TH ANNUAL SEED CATALOGUE OF J. M. THORBURN & COMPANY



ECAUSE a business seldom lives long unless it obtains and retains the good-will of its patrons, age and continuous successful commerce are of more significance than the mere passing of years. High ideals are essential to long life and continued good reputation, particularly in the seed business, in which so much depends not only upon ideals but upon their diligent pursuit in the matters of reliability, purity, and good service.

That we have kept both the quality of our merchandise and of our dealing in the front rank during nearly four generations in the life of men is

indicative both of our high aims and of the value of cumulative experience.

Thus, in the beginning of the 119th year of our continuous existence as seedsmen, the Thorburn name stands not only for experience and knowledge in seed-growing, but for that fair dealing which makes transactions with us both safe and pleasant. Retaining our old customers on the basis of our service, we seek new friends also upon the same and single basis of "a square deal" as to reliability in merchandise and in methods.

It has always been our effort to make this catalogue truly representative and helpful. The descriptions are carefully revised and kept completely accurate, and the concise cultural directions are intended to guide the planter to success. Additional information, impracticable to present here without unduly increasing the bulk of the catalogue, is available from our long and extensive experience and will be cheerfully supplied upon request. We are now preparing

Convenient Leaflets Upon the Culture

of each vegetable, which will be furnished to our customers for the asking, at any time.

In these times of disturbed and congested transportation, and in connection with the shortage of many seed crops in America and abroad, it is an advantage, both to the seedsman and the planter to have early orders. If, therefore, our friends will make known their wants promptly upon receipt of this catalogue, we can with more certainty make shipment at the proper time. Planting at the most favorable season for successful results may thus be assured. Always, however, we meet the wishes of our customers to the best of our ability, whatever be the time of ordering. Likewise, in the midst of the existing price-soaring conditions, we keep our prices at the lowest point consistent with the exceptional quality we maintain and the necessary cost of handling.

In addition to asking our friends to read carefully the next page preparatory to making up their orders, we call attention to the fact that our seed supplies come from many parts of the world and that sometimes it seems best to send out such portions of orders as may be at the moment available, forwarding the remainder later upon receipt. Please, therefore, await our advice or the invoice before writing us about items not received.

CONTENTS

For Itemized Index, see pp. 130-132

| | PAGE | PAGE |
|----------------------------------|--------|-------------------------------------|
| Novelties | 6-8 | Forage, Economical and Miscel- |
| Collections, Vegetable Seeds | 4, 5 | LANEOUS SEEDS |
| " FLOWER SEEDS | 62 | Tree, Shrub and Fruit Seeds 59-61 |
| Vegetable Seeds | 9-42 | FLOWER SEEDS 63–107 |
| Herbs | 43 | PALM SEEDS 108 |
| TOBACCO SEEDS, BIRD SEEDS, ESCU- | .0 | Ornamental Grasses 108 |
| LENT PLANTS AND ROOTS | 44 | Bulbs and Roots 109-117 |
| Books | 45, 46 | INSECTICIDES AND REMEDIES FOR |
| GRASS SEEDS FOR ALL PURPOSES . | 47-53 | PLANT DISEASES 117-119 |
| CLOVERS, VARIOUS | 54 | FERTILIZERS 119, 120 |
| FIELD CORN AND OTHER CEREALS. | 55 | Tools and Garden Requisites 121-129 |
| | 00 | |

Orders. Orders should be written on our order sheet or on a blank sheet separate from letter, preferably in ink, and, to receive prompt attention, should be directed to the firm and not to Office or Express Money Order, Bank Check or Bank Bills.

Prices. The prices quoted are net, and do not include free transit, except for seeds in packets, ounces, or quarter-pounds, on which we pay postage or expressage anywhere in the United States.

Seeds by Mail or Express. If wanted by mail in the United States, add postage according to zone rate, as per table below, except for seeds ordered by the packet, ounce, or quarter-pound, which we will mail free. By special arrangement with the express companies, we can ship seeds and bulbs at a reduction of about 25 per cent from the regular rates. In view of the greater safety, it will be found best to send parcels of 15 pounds or over by express, as packages are apt to get crushed in the mail. Seeds may be sent C. O. D. when 25 per cent of the amount is remitted with order. Potatoes, onion sets, or other perishable articles, fertilizers or insecticides cannot be sent C.O.D.

| | Parcel-Post Zone Rates WITHIN THE UNITED STATES | ıst lb. | Additional lb. or |
|------------------|---|-------------|-------------------|
| Zone | | or fraction | |
| ıst | 50 miles of New York City | \$0 05 | \$0 OI |
| $^{2}\mathrm{d}$ | 50 to 150 miles of New York City | 05 | OI |
| 3d | 150 to 300 miles of New York City | | 02 |
| 4th | 300 to 600 miles of New York City | | 04 |
| 5th | 600 to 1,000 miles of New York City | | 06 |
| 6th | 1,000 to 1,400 miles of New York City | | 08 |
| 7th | 1,400 to 1,800 miles of New York City | 11 | 10 |
| 8th | 1,800 and over miles of New York City | 12 | 12 |

Maximum weight, 70 pounds to 1st, 2d and 3d Zones, and 50 pounds from the 4th Zone upward. Postage to Canada 12 cents per pound, or fraction thereof, maximum weight, 4 pounds 6 ounces.

Name, Address, Etc. We beg our correspondents to give us on each order the correct name and address; also to indicate very precisely the means of carriage which they prefer, mail, express or freight, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we ourselves shall of course choose the most advantageous and convenient means.

Cultural Directions. These apply to the climate of New York and vicinity. For more northern and southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners.

Warranties

Seeds of best quality will sometimes fail through improper treatment. Thus, a small seed may be sown so deeply that the young plant cannot reach the surface. More failures result from disregard of the conditions necessary to germination than from inferiority of the seeds used.

These conditions are: A proper temperature, sufficient moisture and free access of air. Besides these, the cient moisture and free access of air. Besides these, the soil must be in proper condition and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perich from this cause alone. perish from this cause alone.

Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45 degrees, but if Melons and other seeds of that family, Bush or Pole Beans, and other plants of subtropical origin are sown under the same conditions, they will be ant to decay, as for their same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60 degrees. For this reason many seeds fail yearly from

too early sowing.

The second condition, proper moisture, is likely to be violated by an excess rather than by too small a portion. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil.

In germination, complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it forms roots below ground and leaves above, and is able to sustain itself.

ground and leaves above, and is able to sustain itself.

Besides these conditions affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind may check their growth or destroy them altogether.

In addition, there are numerous insects, both below and above ground, that may attack the plants, some of them being so small that they often destroy a crop before they are discovered.

We may also mention the well-known tendency of many


We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the Yellow-Podded Wax Beans becoming green, the Yellow and White Celery becoming more or less green, dwarf Peas becoming running sorts, etc.

J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs, or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

J. M. THORBURN & CO.

53 Barclay Street, through to 54 Park Place, New York

All communications should be addressed to the company Telephone Nos. 6445 and 6446 Barclay. Private Exchange connecting all departments



Entrance to Our Trial Grounds

DIRECTIONS FOR THE CULTIVATION OF VEGETABLES

TO SECURE a good crop of vegetables, three things are necessary, viz., a suitable soil, pure seed and clean culture. The exposure for a vegetable-garden should be south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being about the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile, but if possible, a location should be selected naturally dry and free from surface water.

A dark-colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsoiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding vegetable mold from the woods. To produce the best results, the vegetable garden should have at least I foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, sufficiently far off, afford a valuable protection on the north and west.

If for any reason you think your soil is not right, consult your experiment station if necessary.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Pota-

toes, Onions and a few other things may form exceptions to this rule. Every year the beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. From seeds sown in drills, larger crops from a given surface are grown, and cultivation is simple and comparatively easy. The space between the drills, and other special information, is given in the body of this catalogue; the least distance is named, in order to economize space; it might be increased in some cases to advantage. The ground should be frequently hoed, to kill the weeds and to keep the soil mellow; and the proper time to hoe is just when the weeds appear above the ground.

Much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Eggplants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of this company at the proper time, the expense and labor of a hotbed may be dispensed with, especially on small places.

To prepare a coldframe. The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw, or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 to 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well

DIRECTIONS FOR THE CULTIVATION OF VEGETABLES, continued

established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the scil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 to 10 days later. The young plants will be ready to transplant in about 25 to 30 days. During the cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cab-

bage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes they are in a forward state for setting out early crops. Seeds of Cabbage, Cauli-flower, Lettuce, and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

DIRECTIONS FOR MAKING A HOTBED

N the vicinity of New York, from the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Use fresh horse manure, and add to this, if possible, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that

fermentation will proceed.

In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain until the second fermentation commences. Make a pit 21/2 feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be located in a dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3 x 6 feet, and one or two sashes will give early plants enough for a small family. The frame of the bed should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Crosspieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames.

When everything is ready, the manure is placed | wider on all sides than the frame.

in the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes and keep the pit closed until the heat arises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of 6 to 8 inches. Try the heat by plunging a thermometer into the manure.

The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back.
Water with tepid water whenever necessary, and

during cold nights and snowstorms keep covered with mats or board shutters. Tomatoes, Peppers and Eggplants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. Hotbeds may be made on the surface of the ground, if the manure extends a foot

Collections of Vegetable Seeds

Only the choicest varieties are put into the assortments, and they are picked out so as to give a continuous supply of vegetables from your garden all season.

The amount charged for these collections is considerably less than you would pay for the individual

seeds, on account of the fact that we are able to put them up during the slack winter months.

Owing to this, we cannot permit any alterations in the varieties, and the reduced price will not be allowed unless the collection is taken in full and without change.

Collection No. 1, \$4 Including free delivery in the United States

Gotten up for a family of two or three persons. It is a rather complete list of varieties.

```
Beans, Early Valentine.
                                                     \frac{1}{2} lb. Corn, Stowell's Evergreen.
                                                                                                        1 pkt. Melon, Water, Black Spanish
ı lb.
                   Golden Wax.
                                                     I pkt. Cucumber, Improved White
                                                                                                                  Onion, White Globe.
"Large Red Globe.
                                                                                                         Ι
Ι
        Beet, Egyptian. "Globe.
                                                                 Spine.
                                                                                                         Ι
I OZ.
                                                                                                         Parsley, Extra Curled.Ib. Peas, Thorburn's Extra-
                                                             Eggplant, Im
York Purple.
                                                                               Improved New
Ι
                                                     Ι
ı pkt. Cabbage, Early Wakefield.
                                                             Kohlrabi, Early White.
Leek, Best Flag.
                                                                                                                              Early Market.
                                                     Ι
                                                                                                         Wrinkled, our selection.

I oz. Radish. Scarlet Turnip.

I bb. Spinach, Viroflay.

I pkt. Tomato, Stone.

I oz. Turnip, Snowball.
         Carrot, Half-Long.
Cauliflower, Thorburn's Gilt-
                                                        66
Ι
                                                     Ι
                                                             Lettuce, Big Boston.
Cos or Romaine.
                                                    Ι
Ι
               Edge.
                                                     Ι
         Celery, White Plume.
Corn, Early Golden Bantam.
"Cory
                                                             Melon, Musk, Large Hack-
T
                                                     T
    66
                                                                            ensack.
                  Cory.
\frac{1}{2} lb.
```

Including free delivery in the United States Collection No. 2, \$10

This assortment is suitable for a family of approximately five persons.

```
pkt. Celery, Schumacher.
lb. Corn, Early Golden Bantam.
"Country Gentleman.
       Beans, Bountiful Green-Pod. I pkt. Cabbage, Ballhead.
I lb.
                                                                                  Priv-
                 Early Valentine.
                                                                   Thorburn's
Ι
ı "
          4.6
                                                                     ate Stock Flat
                 Stringless Green-Pod.
                                                                                              4.6
  6.6
           44
                                                                                                            Metropolitan.
                 Challenger Pole Lima.
I
                                                                      Dutch.
  66
                                                                                              6.6
                                              ı oz. Carrot, Half-Long. ı "St. Valery.
                                                                                                            Stowell's Evergreen.
                  Thorburn's Dwarf
Ι
                                                                                                   Cucumber, Improved White
                    Lima.
                                                                                            I OZ.
                                              1 pkt. Cauliflower, Thorburn's Gilt-
2 ozs. Beet, Eclipse.
                                                                                                       Spine.

i pkt. Eggplant, New York Purple.
i "Konlrabi, Early White.
i "Leek, Best Flag.

2
               Egyptian.
                                                        Edge.
                                                      Celery, Giant Pascal.
"White Plume.
   44
2
               Globe.
; pkt. Cabbage, Early Wakefield.
                                              Ι
```

Vegetable Seed Collection No. 2, \$10, continued

| 1 Pkt. Lettuce, Big Boston. | $\frac{1}{2}$ oz. Onion, Large Red Globe. | I oz. Salsify, Mammoth Sandwich |
|--------------------------------|--|---|
| I " May King. | 1 pkt. Parsley , Extra Curled. | Island. |
| I " Cos or Romaine. | 1 oz. Parsnip , Hollow Crown. | $\frac{1}{2}$ lb. Spinach, Viroflay. |
| I " Giant Crystal Head. | I lb. Peas, Thorburn's Extra-Early | 2 ozs. " New Zealand. |
| I " Melon, Musk, Netted Gem. | | ı pkt. Squash , Early Bush Crook- |
| I " " Large Hack- | I " each Peas , two best Wrinkled, | I " " Hubbard. Ineck. |
| ensack. | our selection. | I " Tomato, Beauty. |
| I " Water, Black Span- | ı pkt. Pepper , Chinese Giant. | I " Stone. |
| ish. | I oz. Radish , White-tipped. | I oz. Turnip , Snowball. |
| I oz. Okra, Perkins' Improved. | I " " Scarlet Turnip. | I " Red-TopStrap-Leaf. |
| I pkt. Onion, White Globe. | I " Scarlet Globe. | I " Thorburn Rutabaga. |

Collection No. 3, \$18 Including free delivery by express in the United States

Will make an excellent garden for a farm or country estate desiring to put about one acre under cultivation for vegetables.

```
1 lb. Corn, Country Gentleman.
2 "Stowell's Evergreen.
ı lb.
       Beans, Bountiful Green-Pod.
                                                                                   2 ozs. Parsnip, Hollow Crown.
               Early Valentine.
                                                                                   2 lbs. Peas, Thorburn's Extra-Early
Ι
ī "
                                                Corn Salad.
                Golden Wax.
                                                                                            Market.
                                         I OZ.
  66
                Stringless Green-Pod.
                                                 Cress or Pepper Grass.
                                                                                   2
                                                                                          each Peas, three best wrinkled,
Ι
                                                 Cucumber, Improved White
                Challenger Pole Lima.
                                                                                            our selection.
Ι
                                                                                   I pkt. Pepper, Chinese Giant.
I oz. Radish, White-tipped.
I "" Scarlet Turnin
                Thorburn's Dwarf
                                                           Spine.
Ι
                                         ı pkt. Eggplant, Improved
York Purple.
                                                              Improved New
                  Lima.
2 ozs. Beet, Egyptian. Globe.
                                                                                   I "
                                                                                                    Scarlet Turnip.
                                          I oz. Endive, Green-Curled.
                                                                                                    Scarlet Globe.
                                                                                     44
  "
              Blood Turnip.
                                                          Broad-leaved.
                                                                                                    Chinese Winter.
                                                                                   Ι
2
ı pkt. Brussels Sprouts, Dalkeith. ½ oz. Cabbage, Early Wakefield.
                                                                                          Salsify, Mammoth Sandwich
                                                Kohlrabi, Early White.
                                                                                   Ι
                                           pkt. Leek, Best Flag.
                                                                                                      Island.
                                           oz. Lettuce, Big Boston.
                                                                                          Spinach, Viroflay.
                   Thorburn's Private
                                                                                   ı lb.
                     StockFlat Dutch
                                                           May King.
                                                                                                      New Zealand.
       Carrot, Early French Forcing.
                                                                                          Squash, Early Bush Crook-
neck.
                                                           Cos or Romaine.
Giant Crystal Head.
                                                                                   I oz.
Τ
  "
                Chantenay.
1 pkt. Cauliflower, Thorburn's Gilt-
                                                                                                     Early White Scallop
                                          I pkt. Melon, Musk, Large Hack-
                                                                                   I pkt.
                        Edge.
                                                                    ensack.
                                                                                                       Bush.
                     Thorburn's
                                                          " Netted Gem.
Water, Black Span-
                                                                                                     Boston Marrow.
                                                                                   I OZ.
                                                                                   1 pkt. Tomato, Beauty.
                                             6 6
                        Snowball.
                                          T
       Celery, Schumacher.
                                                                                                      Stone.
\frac{1}{2} OZ.
                                                            ish.
                                                                                   Τ
                                          2 ozs. Okra, Perkins' Improved.
                                                                                          Turnip, Thorburn's Ruta-
                White Plume
                                                                                   I OZ.
                                         I ".
                Golden Self-blanch-
                                                Onion, Yellow Danvers.
I pkt.
                                                                                                       baga.
                                                                                                    Snowball.
                  ing.
                                                          Large Red Globe.
                                                                                   Ι
                                             6.6
                                                   44
                                                                                     4 4
                                                                                              66
       Corn, Early Golden Bantam.
                                                          White Globe.
                                                                                                    Red-Top Strap-Leaf.
                                          Ι
              Cory.
                                                 Parsley, Extra Curled.
                                                                                   I pkt. each Herbs, five varieties.
```

Collection No. 4, \$36 Including free delivery by express in the United States

If you require quite a quantity of fresh vegetables, and you have about three acres that you wish to make into a garden, you could not do better than to buy this collection. There are quite a number of private estates and farms that are now doing away with the trouble of going through lengthy lists of vegetables suitable to their needs, and are leaving the matter to our judgment. This collection represents our recommendation as to just what should be used, with the exact quantities for planting approximately three acres, and getting the most out of the land.

```
2 lbs. Beans, Green-Pod Bountiful.
                                         4 lbs. Corn, Metropolitan.
                                                                                   12 lbs. Peas, three best Wrinkled,
               Early Valentine.
Stringless Green-Pod.
                                                       Stowell's Evergreen.
2
                                                                                                    our selection.
                                                Cucumber, Improved Long
Ι
                                         I OZ.
                                                                                    \frac{1}{2} oz. Pepper, Chinese Giant.
               Golden Wax.
                                                                 Green.
2
                                                                                    \frac{1}{4} lb.
                                                                                           Pumpkin.
                                         2 "
  66
                                                              Improved White
               Challenger Pole Lima.
Ι
                                                                                    4 ozs. Radish, White-tipped.
               Thorburn's Dwarf
Ι
                                                                 Spine.
                                                                                                     Icicle, Long White.
                                                                                    2
                                         \frac{1}{2}
                  Lima.
                                                                           New
                                                Eggplant,
                                                              Improved
                                                                                       66
                                                                                               66
                                                                                                     Scarlet Turnip
4 ozs. Beet, Eclipse.
                                                   York Purple.
                                                                                                     Chinese Rose, Win-
                                                                                    2
                                         I "
                                                Endive, Green Curled. Broad-leaved.
             Egyptian.
4
                                         ı "
                                                                                                        ter.
             Globe.
Blood Turnip.
4
                                                                                                     Scarlet Globe.
                                         ı "
                                                                                    4
   "
                                                Kohlrabi, Early White.
                                                                                       66
                                         ı "
                                                                                           Salsify, Man wich Island.
                                                                                                      Mammoth Sand -
      Brussels Sprouts. Dalkeith. Cabbage, Early Wakefield.
   66
                                                                                    2
                                                 Leek, Best Flag.
                                         ı "
   66
                                                Lettuce, Big Boston.
                                         ı "
                                                                                           Spinach, New Zealand Sum-
   66
                  Savoy, Early.
Thorburn's Private
                                                                                    ½ lb.
                                                           Cos or Romaine.
                                                                                                         mer.
                                                           Early Curled Simp-
                                                                                               66
                                                                                                       Viroflay.
                  Stock Flat Dutch.
                                                             son.
                                                                                           Squash, Early Bush Crook-
                                                                                     I oz.
       Carrot, Early French Forcing.
                                                           Giant Crystal Head.
                                         2 "
                                                                                                      neck.
Early White Scal-
   !
                Half-Long.
                                                 Melon, Musk, Netted Gem.
                                         2 "
                                                                  Large Hack-
                Long Orange.
                                                                                                        lop Bush.
  pkt. Cauliflower, Thorburn's Gilt-
                                                                    ensack.
                                         2 "
                                                                                                      Boston Marrow.
                                                          Water, Black Span-
                        Edge.
                                                                                            Tomato, Beauty.
                     Thorburn's
Ι
                                                            ish.
                                                                                       66
                                                                                                      Stone.
                                                 Okra, Perkins' Improved.
                        Snowball.
                                           44
                                                                                                       Bonny Best.
                                                 Onion, Yellow Danvers.
"White Globe.
                                                                                    ı pkt.
       Celery, Schumacher.
"White Plume.
                                         2
                                           4 4
                                                                                    2 ozs. Turnip, Snowball.
                                         2
                                                                                                     Red - Top Strap -
                                           4 6
                                                         Large Red Globe.
                                                                                    2
                Golden Self-blanch-
                                         2
                                                                                                        Leaf.
                                            "
                  ing.
                                         2
                                                 Parsley, Extra Curled.
                                            44
                                         4 " Parsnip, Hollow Crown.
2 lbs. Peas, Thorburn's Extra-
                                                                                                      Thorburn's Ruta -
      Corn, Early Golden Bantam.
                                                                                    2
2 lbs.
                                                                                                        baga.
              Cory.
                                                           Early Market.
                                                                                    I pkt. each Herbs, five varieties.
              Country Gentleman.
```

Desirable Vegetable Seed Specialties

Marvel of Paris Bean

Slender, flat, green pods, 5 inches long. Early, productive, very tender, brittle, fine grained, of excellent quality. Lb. 90 cts., 2 lbs. \$1.75.

Green-seeded Flageolet Bean

To be used as a Shell Bean only. Tender and of fine flavor; seeds keep their green color when fully dry, and even when cooked. Lb. 90 cts., 2 lbs. \$1.75.

Dwarf Green-podded Bean Masterpiece (Sutton's)

The plant is a robust grower, very prolific, and the pods are straight, handsome, very tender, and stringless. Early and well adapted for forcing; an exceptionally fine green, round-podded variety. Pkt. 15 cts., lb. 90 cts., 2 lbs. \$1.75.

Brussels Sprouts, Thorburn's Improved

We grow this specially for the private and market garden, and consider it the best strain produced anywhere. Oz. 85 cts., ½lb. \$3.

Thorburn's Gilt-edge Cauliflower

Best and surest of all. Produces large, heavy, solid, white heads of finest quality. Undoubtedly the best variety. Pkt. 25 cts., oz. \$4.

Early Jersey Wakefield Cabbage THORBURN'S SELECTED STOCK

Undoubtedly the finest strain of this most popular, well-known early Cabbage in cultivation. The heads are extremely solid, pyramidal in shape, with very little outside foliage. Pkt. 10 cts., oz. 45 cts., 1/4lb. \$1.25, lb. \$4.50.

Extra-early Nordheim Sweet Corn

The earliest Sweet Corn in cultivation. Produces stalks from 6 to 7 feet high, each bearing three or four nearly perfect ears of finest quality. On style of Minnesota, but far exceeding that variety in the deliciousness of its flavor, as well as in earliness and productiveness. ½lb. 30 cts., lb. 50 cts., 5 lbs. \$2.25.

Golden Evergreen Sweet Corn

Late; very sweet, round grains; beautiful table variety. ½lb. 30 cts., 1b. 50 cts., 5 lbs. \$2.25.

Thorburn's Early White Perfection Corn

A valuable second-early sort, producing good-sized ears. The cob is small and the grain is almost white. It is a heavy yielder, very sweet, and an almost perfect type, without flint or glaze. One grower says of this Corn that it is one of the best varieties of Sweet Corn ever seen in the field. ½lb. 30 cts., lb. 50 cts., 5 lbs. \$2.25.

Cucumber, Thorburn's Noroton Selected White Spine

A selection of the Improved White Spine, but earlier, more perfect in shape and more prolific. The best slicing variety we have seen, being solid in flesh, fine-grained, tender and of delicious flavor. Vigorous, healthy grower. A splendid sort for the home garden, and absolutely without an equal for market. Pkt. 10 cts., oz. 20 cts., ½1b. 60 cts., lb. \$2.

Celery, Thorburn's Gilt-edge Golden Self-blanching

Golden Self-blanching is the variety of Celery par excellence, and we can recommend our strain with every confidence. The chief characteristics of this sort are its self-blanching qualities and the beautiful waxy yellow appearance of the stalks. It is of compact, heavy growth and produces stalks that are brittle and crisp in the extreme and hearts that are large and solid. Pkt. 20 cts., oz. \$1, 1/4lb. \$3, lb. \$10.

Thorburn's Big Boston Lettuce, Improved

Our strain of this well-known and most popular sort is without doubt the finest in existence. It is too well known to require any lengthy description. It is sufficient to say that it is equally valuable for growing in greenhouses for winter use, in frames for spring, or for sowing the seed in the open ground for use in summer and fall. It is unequaled by any other variety for crispness and tenderness; produces large, solid heads with few outside leaves, and stands long before running to seed. Pkt. 5 cts., ½lb. 50 cts., lb. \$1.50.

Egyptian Deity Muskmelon Persian Delight

A new Melon of Cassaba type, from South Africa, said to be very fine quality. Pkt. 10 cts., oz. 20 cts.

Denia Onion

Imported from Spain. Very large, globe-shaped, pale yellow. This is the Onion shipped to this market from Spain. Pkt. 15 cts., oz. 75 cts., 1/4lb. \$2.

Tomato, Perfection

Large, smooth, blood-red fruit, 10 days earlier than the well-known Stone variety. Very desirable for the home-garden. Pkt. 10 cts., oz. 50 cts., 1/4lb. \$1.75.

Turnip, Snowball

The best variety for the summer garden; pure white; delicate flavor. Oz. 20 cts., ½1b. 60 cts.

Flower Seed Novelties and Specialties of Merit

Adonis Aleppica, The Syrian Flos Adonis

This most beautiful annual grows to a height of 16 to 20 inches and produces 16 to 20 chief stems. From these there are many lateral branches, each ending in a round flower, about four times as large as those of the common Flos Adonis. Color is a brilliant, dark red; free blooming; very floriferous; handsome feathered foliage; excellent for cutting and as a pot plant. May be started in a coldframe or sown in the open ground early in spring. It takes, under normal conditions, four to six weeks for it to germinate, but occasionally six months to one year. Autumn sowing does not succeed. Pkt. 50 cts.

Antirrhinum nanum grandiflorum, Peace

Of compact growth, not exceeding 15 inches in height, and with distinct narrow foliage. This beautiful new variety bears shapely flowers of a lovely rose-pink, with slight salmon shading. Pkt. 50 cts.

Aster, Hercules White

A new type of great merit. In form it is similar to the well-known "Ostrich Plume," but of dwarfer habit. It is a strong grower and produces very large, pure glistening white flowers of a refined shape. Pkt. 25 cts.

Aster, Vick's Early Branching Rosy Red

A new color, darker than rose, lighter than crimson—a beautiful rosy red. Plants are more vigorous and larger than any other shade of red. Pkt. 25 cts., 2 pkts. 40 cts.

Calliopsis radiata "Tiger Star" (hA)

A rich and continuously blooming annual, with peculiarly colored dark brown and golden yellow tigered flowers, the petals of which are curiously twisted like the cactus dahlia. Of easy culture, growing in ordinary garden soil and producing its strikingly colored flowers in great abundance all summer. Grows 8 inches high and forms a round, compact bush. The unique form and coloring of the flowers will appeal to those who like oddities. Pkt. 15 cts.

Calceolaria, Covent Garden Strain

Extra choice; recommended for habit, size and marking of flowers. Pkt. 30 cts.

Cosmos

| New Double Crimson. Full, round, double Pk | |
|--|----|
| flowers\$o | 25 |
| Double Crested Pink Beauty. Soft pink | 15 |
| Double Crested Crimson King. Dark crim- | |
| son | 15 |
| Double Crested White Queen. These | |
| double-crested varieties are not fully double, | |
| but are double-crested, having double cen- | |
| ters and a row of petals around the base of | |
| the flower, making them very effective | 15 |

Chrysanthemum maximum laciniatum, White Comet Marguerite

Of remarkable beauty, quite different from all other varieties, the petals of this novelty come in light, tufty waves, partly covering the yellow center of the flower, creating a graceful, charming effect. About 40 inches high, with long, strong stems; flowers abundantly in July and August. Pkt. 50 cts.

Dahlia, "Peter Pan"

This new dwarf Dahlia is quite unique, both in habit and in form of flower. The wonderfully compact little bushes begin to bloom when barely a foot in height, and do not exceed 18 inches to 2 feet. The flowers may be described as anemone-shaped, with tubular center and outspread ray florets, in many combinations of bright colors. Pkt. 50 cts.

Delphinium, "Blue Gem"

A plant of compact and bushy growth, giving an abundance of bloom. Height 9 to 12 inches. The flower is large and of a beautiful deep blue. Of good, compact habit; an excellent pot plant. Pkt. 50 cts.

Eschscholtzia, Vesuvius

Wallflower-red, same color inside petals as outside. Pkt. 10 cts.

Lupinus polyphyllus, "Lavender Queen"

Very pretty lavender, tinted rose. A lovely new shade. Pkt. 30 cts.

FLOWER SEED NOVELTIES AND SPECIALTIES OF MERIT, continued

Myosotis "Blue Eyes" FORGET-ME-NOT

A strong-growing, free-blooming, compact variety; color bright blue. 12 inches. Pkt. 25 cts.

Pansy, "Apricot Queen"

Distinct new bedding variety; very compact and free-flowering, of a pretty apricot, shaded yellow. Pkt. 25 cts.

Double Queen Poppies

A lovely strain of hardy annual Poppies. Abundant flowers of the Shirley type, but double, of the most delicate and brilliant colors, ranging from palest pink to rosy scarlet; many charming selfs, others beautifully picoteed various red shades. Fine cut-flowers. Pkt. 25 cts.

Lilliput Poppy (Papaver Rhoeas pumilum)

This new introduction represents a very dwarf class of the single-blooming Shirley Poppy. Height 12 to 14 inches. Each tuft develops straight peduncles, standing about 2 inches above the leaves and ending in a mass of from 60 to 120 flowers, 1½ to 2 inches in diameter. Color mostly light or dark rose, with golden yellow anthers; blooms all summer. Sow in the open ground either in spring or autumn. Pkt. 30 cts.

Sweet Peas (Spencer), "The Cardinal"

Brilliant, intense, poppy-scarlet; bears four large, waved flowers to a stem. The best sunproof scarlet. Pkt. 15 cts., oz. 40 cts.

Stocks, Mammoth Ten-Weeks, "Heatham Beauty"

A new and quite distinct color, pyramidal habit, with very large flowers of a rich mauve, shaded terracotta. Pkt. 30 cts.

Stock, Nice, Early Giant-flowering Winter, "Aurora"

In habit and large size of flower, Aurora compares with the grand Giant Nice varieties. Produces huge spikes thickly studded with large blooms, of a lively golden buff, suffused with rose—a splendid color. Pkt. 50 cts.

Schizanthus grandiflora, Hybrid

Mayblossom. Pale rose-pink and white, free from any markings or darker tints; dwarf, compact, pyramidal habit. Pkt. 25 cts.

Thermopsis Caroliniana

"ST. PETER'S STAFF"

Pretty yellow, pea-shaped flowers, adapting itself to almost any situation, but succeeds best in a light, rich soil. They are deep-rooted plants and endure drought very well. Pkt. 15 cts.

Verbena hybrida, "Lucifer"

Intense brilliant scarlet, with no eye. A great improvement on Defiance. Pkt. 30 cts.

Verbena hybrida grandiflora (Mammoth), "Rose Queen"

Originating from the well-known variety, "Helen Willmott," this superb new sort bears flowers of a lovely delicate rose. Blooms are unusually large, 20 to 30 of them often being grouped on a single umbel, producing a magnificent effect. Blooms very early. Pkt. 50 cts.

Verbena hybrida grandiflora (Mammoth), "Scarlet Queen"

Flowers of the most vivid scarlet, with a large and distinct white eye. The blooms are very large, with a long season of blooming. Pkt. 50 cts.

Verbena hybrida gigantea, Mixed

Giant florets the size of a fifty-cent piece. Pkt. 30 cts.

New Double Semi-dwarf Wallflower

The plants grow 18 inches high, colors ranging from golden yellow to brown and purple. Seeds saved from extra-selected plants. Pkt. 25 cts.

Zinnia elegans robusta grandiflora, "Achievement"

Distinct from all other Zinnias. Rich variety of colors; free and strong grower, producing an abundance of double flowers; blooms attain a diameter of 5 to 6 inches. Excellent as a cut-flower. Pkt. 30 cts.

Zinnia elegans robusta grandiflora plenissima, "Rose King"

This grand new giant Zinnia bears flowers of a beautiful carmine-rose tint, of immense size, probably surpassing those of any other Zinnia. Pkt. 50 cts.

VECETABLE SEEDS

Please notice that we pay postage or express charges on all garden seeds ordered by the packet, ounce and quarter-pound. If larger quantities are ordered to be sent by mail, add postage at zone rates. See second cover and pages 4 and 5 of this Catalogue for COMPLETE COLLECTIONS OF VEGETABLE SEEDS of approved and choice sorts from \$1 to \$36, and page 62 for CHOICE COLLECTIONS OF FLOWER SEEDS.

Some varieties of seeds may again be late in reaching us this season. Under the circumstances it will be well, therefore, to state when ordering, whether we are at liberty to substitute or not. Customers can depend upon our using our best judgment in substituting other equally good sorts for those ordered which we may not be able to supply.

ARTICHAUT ARTICHOKE Alcachofa

Culture.—Hardy perennial requiring protection in our climate. Deep, rich, sandy loam with plenty of well-rotted manure. Sow seeds ½inch apart in April or May, and when plants are large enough, transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in, bank the earth to the top, first cutting off and tying up the leaves to protect the heart of the plant from soil, so that they will occupy less space, and in the spring uncover each plant and fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbeds during February, potting the plants to avoid setting back and transplanting in May when frosts are past. Seedlings should give edible heads the same summer. The heads should be cut off and used as they get ready. If left to ripen on the plant, they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

Pkt. Oz. 1/4lb.


ASPARAGUS

Asperges Esparrago

Culture.—Sow the seed thinly in rows I foot apart in April or May (4 or 5 pounds to the acre; I ounce will sow a 50-foot row), and keep down all weeds. To secure strong, healthy plants, thin the seedlings to 3 or 4 inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring in rich, sandy loam, dug I8 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal ashes to loosen it up, and also see that it is well under-drained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each I foot from the edge, and allow I8 inches between the rows; set the plants from 4 to 6 inches below the surface, 2 feet apart. If set out in autumn, top-dress with 6 inches of manure. For market, on a large scale, set out 4 by I½ feet. Every fall apply a good dressing of coarse manure, after the tops have been cut, and in spring fork in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die. Slugs are easily destroyed by applying air-slaked lime or paris green. Asparagus from seed does not always come true to name.

All 5 cents per packet

| All 5 cents per pac | ket | | |
|--|--------|---------|--------|
| Colossal. The approved standard sort. | Oz. | 1/41b. | Lb. |
| The famous Argenteuil of the French | | | |
| is identical with it170 | \$o 10 | \$0 30 | \$1 00 |
| Palmetto. Of southern origin; a very | m | π = 0 = | п |
| desirable bright green Asparagus. 180 | 10 | 30 | I 00 |
| Bonvalette's Giant. An improved | | 0.0 | |
| Palmetto, said to produce larger | | | |
| stalks190 | 10 | 30 | I 00 |
| Columbian Mammoth. Very large | | O | |
| shoots200 | 10 | 30 | I 00 |
| Giant Argenteuil. Popular variety | | O | |
| in France, similar to Colossal, but | | | |
| larger stalks210 | 10 | 30 | I 00 |
| 9 | | 0 - | |



Giant Argenteuil Asparagus

ASPARAGUS ROOTS

| Plant either in the spring or fall | 50 | 100 | 1,000 |
|-------------------------------------|------|----------------|--------|
| Colossal. 2-year-old roots | | \$1 0 0 | \$9 00 |
| " 3-year-old roots | I 00 | I 50 | 14 00 |
| " 4-year-old roots. For forcing | I 50 | 2 25 | 20 00 |
| Columbian Mammoth. 2-year-old roots | 75 | I 25 | 10 00 |
| Barr's Mammoth. 2-year-old roots | 75 | I 25 | 10 00 |
| Giant Argenteuil. 2-year-old roots | | | |
| " 3-year-old roots | | | |
| Palmetto. 2-year-old roots | 60 | I 00 | 9 00 |

⁷n France a business is now made of growing small, green, delicate shoots of Asparagus during the winter. Strong roots may be forced in hotbeds out-of-doors. They should be packed closely into the frames, and by making a new bed every five or six weeks these tiny shoots may be had all winter and are valuable served with omelets, green peas, etc.

BEANS

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in importance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in superior sorts, greatly extending the season of use, as well as varying the flavor.

CULTURE.—About the first of May, if the ground is perfectly warm, select a warm, dry sheltered spot, any good soil, preferably a moist, deep loam, not over-rich in nitrogen, dig and manure very slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks up to about August 1, for a succession. Two pounds (1 quart) to 100 feet of drill; 1 to 1½ bushels (60 to 90 pounds) to the acre, in drills. For quick results, soak the seeds before planting.

DWARF GREEN-PODDED SNAP BEANS

HARICOTS NAINS Frijoles

We supply packets of all Green-podded Snap Beans at 15 cts. each, postpaid, except where quoted otherwise; other quantities not prepaid; add postage at zone rates

Thorburn's Earliest of All. Long, round, green pod; stringless; prolific and of finest 1 lb. 2 lbs. 5 lbs. quality; also a good forcer, and as the name indicates, this is the earliest of all Dwarf Beans. At time we go to press it is uncertain if we shall have any of this variety, crop being doubtful.....

Bountiful. One of the best green-pod sorts; extra early, very prolific and long-

Stringless Green Pod

| bearing; long, broad, flat green pods, tender | # | # | # |
|---|--------|---------------|--------|
| and stringless | \$0 40 | <i></i> ⊅0 75 | \$i 75 |
| as a Shell Bean320 Full Measure. Large, round pods; firm, ten- | 40 | 75 | I 75 |
| der, sweet and entirely stringless340 Green-seeded Flageolet. Only used as a | 40 | 75 | I 75 |
| Shell Bean when green. Beans tender and of fine flavor | 90 | I 75 | 4 25 |
| green pods; very early; of good quality; stringless when young | 35 | 65 | 1 50 |
| less; fine flavor; early400 Marvel of Paris. Long, slender, flat pods; early; very productive; very tender, brittle, | 40 | 75 | I 75 |
| fine-grained, of excellent quality410 Mohawk. Long, flat, straight pods; early; | 90 | 1 75 | 4 25 |
| very productive and very hardy420 Refugee Late, or 1,000-to-1. Medium to | 40 | 75 | I 75 |
| late; very productive and tender; long green, round pods of exquisite flavor440 Refugee, Thorburn Extra-Early. Has all | 35 | 65 | 1 50 |
| the superior qualities of the famous Refugee, and is fully two weeks earlier in podding. | | | |
| Pods round, light green, extra fine and borne profusely | 35 | 65 | I 50 |
| Refugee, Stringless. Stringless at all stages of development | 40 | 75 | I 75 |
| Six Weeks, Long Yellow. Early; full, flat pods of good quality480 | 30 | 55 | I 25 |
| Six Weeks, Round Yellow. Full, green, roundish pods; early and productive; fine | | | |
| flavor485 | 30 | 55 | I 25 |

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

| DWARF GREEN-PODDED SNAP BEANS, continued | | | | | |
|--|----------|-------|--|--|--|
| Extra early; stringless; prolific; dark green, round pods; 118 | | | | | |
| Giant. Improved, long-podded strain of above; light | to #0 13 | ψr 12 | | | |
| | 10 75 | I 75 | | | |

| 3. 0 .1 | | - 100. | 0 1000 |
|--|--------|--------|--------|
| decidedly curved | \$0 40 | \$0 75 | \$I 75 |
| decidedly curved | • | | |
| green500 | 40 | 75 | I 75 |
| MASTERPIECE (Sutton's). A superior green round-podded variety; very prolific; | · | | , , |
| long, straight, stringless pods; very early, fine forcer. Our stock of this exception- | | | |
| ally fine variety has given great satisfaction wherever tried | 90 | I 75 | 4 25 |
| Valentine, Extra-Early. Hardy, vigorous, and upright in growth; round, thick, | | | |
| solid pods; tender; fine flavor | 35 | 65 | I 50 |
| Valentine, Black. Resembles the Valentine, but with black seed; long, round, solid | | | |
| pods; very tender and of good flavor; very early and productive540 | 30 | 55 | I 25 |

ENGLISH DWARF BEANS

FEVE DE MARIAS Haba

CULTURE.—Sow in drills 2 feet apart, the Beans 3 to 4 inches apart in the rows, and 2 inches deep, as early in the spring as the ground can be worked (these are as hardy as peas), in order to get them into pod

before the heat of summer. May be sown under glass in February and planted out when well hardened, as soon as the ground is fit, earthing up slightly against late frosts. When in pod, break off the top of the plant to check the growth. Plant and hoe the same as for Dwarf Beans. A strong soil suits them best. Properly cooked, these Beans form one of the most delicious vegetables. To each half gallon of water allow one heaping tablespoonful of salt. The Beans should be young and freshly gathered. After shelling, put them into boiling water, salted as above. Boil rapidly for fifteen or twenty minutes, then serve with a sauce of parsley and butter. Boiled bacon is often served with the Beans. Add postage at zone rates.


1 lb. 2 lbs. 5 lbs.

| | | | 5 Ibs. |
|--|---------|----|--------|
| Broad Windsor. Largest and best of the class | | | |
| Sword Long-Pod. A size smaller than Windsor | | | |
| Mazagan. Earliest of the class | .660 45 | 85 | 2 00 |

DWARF WAX BEANS

Stringless Green-Pod.

| Culture same as on page | IO | | | |
|---|-----------|-----------|------|------|
| We supply packets of all Dwarf Wax Beans a | t 15 cts. | each, po | stþa | id; |
| other quantities not prepaid; add poste | ige at z | one rate. | S | |
| Black Wax, Improved Prolific. Very | 1 lb. | 2 lbs. | 5 | lbs. |
| early and prolific. The pods are round, | | | | |
| full, stringless and of fine quality750 | \$0 40 | \$o 75 | \$1 | 75 |
| Black Wax, Currie's Rust-proof. Flat | | | | |
| pods; early; productive; fine quality. 770 | 40 | 75 | I | 75 |
| Black Wax, Pencil-Pod. Slender, long, | • | | | |
| round pods | 45 | 85 | 2 | 00 |
| Davis Kidney Wax. Long, handsome, | | | | |
| waxy white, flat pods; vigorous and up- | | | | |
| right in growth, holding pods well up | | | | |
| from the ground | 40 | 75 | I | 75 |
| Detroit Wax. Resembles Golden Wax; | | | | |
| flat pods; early, hardy and prolific 792 | 40 | 75 | Ι | 75 |
| Golden Wax, Improved. Very early; flat | · | | | |
| pods; stringless; prolific, hardy and much | | | | |
| less liable to blight or rust than the old | | | | |
| Golden Wax800 | 40 | 75 | I | 75 |
| Golden-eye Wax. Hardy and prolific; flat, | | | | |
| yellow pods; early and free from rust; | | | | |
| vigorous and productive820 | 40 | 75 | I | 75 |
| Hodson Wax. Very large, brittle, tender | | | | |
| flat wax pods; very productive; late. 830 | 40 | 75 | Ι | 75 |
| Refugee Wax, Thorburn's Stringless. | | | | |
| A perfect Refugee, with brittle, round, | | 6 | | |
| wax pods; for early or late sowing; im- | | | | |
| mense yielder; late850 | 40 | 75 | I | 75 |
| Round-Pod Kidney Wax, or Brittle | | | | |
| Wax. Similar to Wardwell's Kidney, but | | | | |
| with round pods860 | 45 | 85 | 2 | 00 |
| Valentine Wax, Thorburn's. Round | | | | |
| pod; prolific; solid and meaty; very fine | | | | |
| quality when young; one of the earliest. | | | | |
| 880 | 50 | 90 | 2 | 10 |
| Wardwell's Kidney Wax. Early; long, | | | | |
| flat, purely wax pods and of handsome | | | | |
| appearance; stringless; of fine quality.890 | 50 | 90 | 2 | 10 |
| Webber Wax. Vine strong, holding pods | | | | |
| well up from the ground. Pods small in | | | | |
| size, curved, round, bright yellow; early | | | | |
| and very prolific900 | 50 | 90 | 2 | 10 |
| | | | | |



DWARF LIMA AND DWARF WHITE BEANS

CULTURE.—Plant as soon as warm weather has fairly set in. Soil should be light and rich. Sow in drills 2 feet apart, the Beans about 6 inches apart, and covering about 2 inches. Two pounds to 100 feet of drill. Mulching keeps the pods from the ground.

We supply packets of these Beans at 15 cts. each, postpaid; other quantities not prepaid; add postage at zone rates Thorburn's Dwarf Lima. (The True Kumerle Strain.) Dwarf form of Challenger 1 lb. Lima—the finest of all Limas—with the same flavor. The Beans are extra large, and are a pure creamy white; very tender..... \$1 IO \$2 50 I 00 2 30 Burpee's Improved Bush Lima. Much larger pods and Beans than above..1020 I IO 2 50 **Fordhook's Bush Lima.** Immense pods and Beans; a strong grower and very pro-Henderson's Bush Lima, or Dwarf Sieva. Productive; Beans somewhat smaller 60 I IO 2 50 75 I 75 New Wonder Bush Lima. Early and productive, similar to Burpee's Bush 40 75 I 75 50 90 2 IO Wood's Prolific Bush Lima. The Early Sieva or Butter Bean of the South. Very 2 00 I 00 25 25 45 I 00 Red Kidney. Long, flat pods; good both green and dry; fine variety for baking. . . 1090 White Navy. Well-known small white Bean used for "Boston Baked Beans." . . 1095 25 I 00 I 00 "Tepary (Field Bean). Very early and very productive; being a native of the arid Southwest, valuable for dry weather; cooks tender and of fine flavor. Plant 45 I 00


HARICOTS A RAMES POLE, OF RUNNING BEANS Frijoles de Bejuco

CULTURE.—Sow as the soil becomes warm and dry, from the first to the latter part of May for all except Limas, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set in. Two pounds (I quart) of Limas will plant about 100 hills, allowing four or five Beans to a hill, and of the smaller sorts, about 200 hills. Plant Pole Limas eye down, 2 inches deep. Poles 8 to 10 feet long should be firmly set in the hills before planting seed.

We supply packets of Pole Beans at 15 cts. each, postpaid; other quantities not prepaid; add postage at zone rates

1 lb. 2 lbs. 5 lbs.

LIMA, THORBURN'S CHALLENGER. Thick and productive; best of all. 1200 \$0 50 \$0 90 \$2 10 Lima, Carpinteria Pole. Large; thicker than ordinary Pole Limas; vigorous



Thorburn's Challenger Lima Beans

| ij | ian ordinary Pole Limas; vigorous | | | | |
|----|--|------------|------|-----|----------------|
| | grower. Very large flat Beans1204 | 45 | 85 | 2 (| 00 |
| | Lima, Early Jersey. Very early; Beans | | | | |
| | large, tender, three to pod 1214 | 40 | 75 | 1 7 | 75 |
| | Lima, King of the Garden. Large | | | | |
| | pod and Bean; late | 50 | 90 | 2 | 10 |
| | Lima, Large White. An old standard sort, highly esteemed1232 | 40 | 7- | т, | - - |
| | Lima, Leviathan. Early; very prolific | 40 | 75 | I ? | 15 |
| | and of excellent quality1235 | 45 | 85 | 2 (| 200 |
| | Lima, Small Sieva or Carolina. | 40 | -0 | | |
| | Early1250 | 40 | 75 | I (| 75 |
| | Dutch Case-Knife. Pods long, green, | | | | |
| | flat; good as a Snap or Shell Bean. 1270 | 40 | 75 | I ' | 75 |
| | Golden Cluster Improved Wax. | - 0 | | | |
| | Long, golden pods in clusters1300 | 50 | 90 | 2 | 10 |
| | Horticultural Pole. Good as a Snap or a Shell Bean. One of the old stan- | | | | |
| | dards and still very popular1280 | 35 | 65 | Ι , | 50 |
| | Kentucky Wonder or Old Home- | 00 | -0 | | |
| | stead. Pods green; very long and | | | | |
| | flat; exceedingly prolific1310 | 35 | 65 | I | 50 |
| | Kentucky Wonder. White seed .1314 | 30 | 55 | I 2 | 25 |
| ì | Kentucky Wonder. Golden Wax | | | _ | |
| | Pod | 50 | 90 | 2 | 10 |
| | Pole Bean, good for String Beans and | | | | |
| | ornamental | 50 | 90 | 2 | 10 |
| | Southern Creaseback. Long, round, | 50 | | | |
| | stringless pods; fleshy, tender, and | | | | |
| | of good flavor | 35 | 65 | 1 | 50 |
| | Yard-Long French. Pods grow some- | | | | |
| | times 2 to 3 feet long; very slender; | 60 | T TO | 2 | - |
| | curious; grow on pea brush1390 | 60 | i io | 2 | 50 |

Crosby's Egyptian Beet

BEET Remolacha BETTERAVE

CULTURE.—Sow as early in the spring as the ground can be worked (I ounce to 50 feet of drill; 5 or 6 pounds to the acre), and every two weeks after for a succession up to the first week of July. For general crop, sow about the middle of May. The soil should be light, sandy loam, well enriched with stable manure and plowed and harrowed until very fine. For long Beets the soil should be rich and deep, well pulverized and not recently manured. The Turnip Beet matures in 60 to 75 days; the long varieties require the whole season for their growth. Sow

in drills I foot to 15 inches apart, and when well up, thin to from 4 to 6 inches. The young Beets, with their tops, pulled out of the row, are excellent used as a spinach. For this purpose, sow frequently and use when of the size of a hickory nut.

All 5 cents per packet

Bassano. Early; light color; good sort; 1/4lb. Lb.**1500** \$0 15 \$0 50 \$1 50 rich, deep crimson; tender and sweet...

| 1520 15 50 1 50 | 0 | | |
|---|---------------|-------------|----------------|
| Sutton's Globe. Early, especially on light soils; of Oz. 1/41 high quality and handsome shape | | (48) | Crost Egypt |
| Detroit Dark Red Turnip. Round; skin dark blood-red; flesh bright red | Oz. 1/41b. | \$1 75 | Beet |
| Dewing's Early. Of fine form and flavor; good for market . 1550 | 15 50 | I 75 | |
| Early Blood Turnip. Dark red; fine flavor; good for win- | | | |
| ter | 15 50 | I 50 | |
| Eclipse. Early; round; bright red | | 1 50 | |
| Edmand's Blood Turnip. A market-gardeners' strain; regu- | | | |
| lar in shape and of best quality1580 | 15 50 | I 50 | |
| Egyptian. Extra early; flat | | I 75 | |
| Egyptian, Crosby's. Extra early; round; dark blood-color. | | | |
| 1600 | 15 50 | I 50 | |
| Long Smooth Blood. (Out of ground.) A good late va- | | | filling. |
| riety for winter | 2 0 60 | 2 00 Oz. | 1/41b. |
| Trevise or Columbia. Red; early; flat; tender. Fine sort for t | table | 1644 \$0 20 | \$0 60 |
| | C 11. | 1 1 | |

| Witham Fireball. Brilliant red flesh; solid, sweet and crisp; fine quality; globe- | | | |
|---|----|----|------|
| | 20 | 60 | 2 00 |
| Swiss Chard or Silver Beet. To be used same as spinach (see page 37)1690 | 15 | 50 | I 75 |
| Swiss Chard or Silver Beet, Lucullus. Large leaves; tender and of fine flavor; | Ü | Ü | • • |
| dark green: pure white ribs (see page 37) | 15 | 50 | т 8о |

MANGEL-WURZEL AND SUGAR BEET

CULTURE.—As all Mangels require a deep rich soil in order to grow well, plow and subsoil at least I foot to 18 inches and apply plenty of rich stable or our Complete Manure. Sow in May or June, in rows 18 inches to 2 feet apart, and thin to 8 to 12 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 pounds of Complete Manure, 200 pounds of bone meal and 400 pounds of salt to the acre. As soon as frost occurs, dig the crop. In order to be well preserved for gradual consumption during the winter, the roots should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas and as the cold increases this should be replaced by about 6 inches of either salt hay, straw, seaweed or cornstalks, with a light layer of earth on top. As soon as this surface soil becomes frozen, about 6 to 8 inches more of earth should be placed over it. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from 5 to 8 pounds to the acre.

| MANGEL-WURZEL | Oz. | 1/ ₄ lb. | Lb. |
|--|-----|---------------------|--------|
| Giant Half-Sugar. White, green top; long, ovoid; red skin, white flesh1850 | | | \$I 25 |
| Giant Half-Sugar, Rose Top | 15 | 40 | I 25 |
| Golden Tankard. Large; bright yellow skin; handsome, sweet and productive 1870 | 15 | 40 | I 25 |
| Golden Yellow Globe. Productive1874 | 15 | 40 | I 25 |
| Giant Yellow Intermediate. Very large | 15 | 40 | I 25 |
| Mammoth Long Red Mangel-Wurzel. Very large; enormously productive under | | | |
| careful culture1910 | IO | 30 | I 00 |
| Yellow Ovoid. Of distinct shape; one of the most productive sorts; flesh white, tender and sweet | | | |
| tender and sweet | 15 | 40 | I 25 |
| | | | |
| SUGAR BEET | | | |

| SUGAR BEET | | | |
|--|--------|--------|--------|
| We recommend 5 to 10 pounds to the acre. | Oz. | 1/4lb. | Lb. |
| Klein Wanzleben | \$0 15 | \$0 50 | \$1 75 |

BORAGE

BOURRACHE

Borraja

The young leaves of this annual, which smell somewhat like a cucumber, are used as salad, or boiled like spinach. Should be sown to the depth of 1/2 to I inch, at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, I foot apart, when of six weeks' growth. 240. Pkt. 10 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.

BROCCOLI

Broccoli

Broculi

CULTURE.—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate same as cabbage, in rich, moist, and moderately deep soil, and use the same remedies for insect attacks. The inner leaves should be tied over the head as soon as formed. The following are sorts best adapted to this climate; they are excellent and deserve much wider culture than is usual in this country. One ounce will produce about 2,000 plants.

| All | ! 10 cents | s per packet | Oz. | 1/4lb. |
|----------------------|------------|------------------------------|-----|--------|
| Oz. | | Purple Sprouting2122 | | |
| Early White | | | | |
| Mammoth White | I 50 | Veitch's Self-Protecting2130 | 50 | I 50 |



Aigburth Brussels Sprouts

BRUSSELS SPROUTS

CHOU DE BRUXELLES

Berza de Bruselas

Brussels Sprouts is, without exception, the best winter vegetable that can be grown. It is as hardy as the common curled greens. The Sprouts, which are about the size of a marble and very firm, fairly melt in the mouth when just cooked through.

CULTURE.—For early crop, as soon as ground is fit, sow thinly ½inch deep in seed bed with rows I foot apart. Thin to 2 inches or more apart; transplant in June so that plants stand at least I foot apart and rows 11/2 feet apart; for late crop proceed as above, except that seed is planted early in June, I inch deep, and is transplanted about August I. Rich loam is best. If soil is sandy, dig in compost around each plant or mulch to conserve moisture. As the Sprouts begin to grow big, break off the leaves near them. When the Sprouts are full size, cut as wanted, but not too close—sometimes other Sprouts will start in their places.

All 10 cents per packet

| 8 7 1 | Oz. | 1/41b. |
|--|--------|--------|
| sprouts2190 | \$0 40 | \$I 25 |
| Aigburth. Compact heads; prolific2195 | 40 | I 25 |
| Cambridgeshire Champion. Heavy cropper; fine | | |
| quality; excellent sort for market2200 | 40 | I 25 |
| Dwarf Improved | 40 | I 25 |
| Thorburn's Improved | 85 | 3 00 |
| Sharpe's Standard. Finest tall variety, with large | | |
| solid sprouts2220 | 50 | I 50 |
| Scrymgers. Tall standard sort | 40 | I 25 |

CAULIFLOWER

CHOU-FLEUR

Coliflor

CULTURE.—The same as for cabbage except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and, if the plants have a heavy mulch of hay or straw, it will keep the soil moist, and they will not suffer from drought. Cauliflower can be grown for an early crop by starting the seed under glass late in February or very early in March. Prick out the seedlings once. Keep them stocky but do not stunt. Harden off to set out when the soil is in best condition in April. The late kin is may be planted out the same time as cabbage. It is also possible to get a late crop by sowing the early varieties in seed-bed early in June, transplanting when about 5 inches high, giving the plants liquid manure or nitrate of soda.

When the heads form and begin to push aside the small leaves, tie the larger leaves together over the center, leaving some loose, to exclude rain and sun; see that the worms have been previously exterminated.

Thorburn's Extra-Early Dwarf Erfurt. The best and earliest for forc-Pkt. ing; very dwarf and compact, with short stem and small leaves. The curd is very tender and exceedingly fine flavored. Should not be confounded with entirely different sorts advertised. Price, if obtainable. 2250 \$0 50 \$2 75 \$4 50 \$8 00

1/40Z. 1/20Z.

CAULIFLOWER, continued THORBURN'S GILT-EDGE.

Large, heavy sort, maturing immediately after our Large Snowball. Best of all. See Novelties. 2270. Pkt. 25 cts., ¼oz. \$1.50, ½oz. \$2.50, oz. \$4.00.

Thorburn's Extra-Early Snowball. Our strain of this popular variety is unequaled. It is one of the best for forcing under glass or for open ground. 2280. Pkt. 25c., 1/40z. \$1.75, 1/20z. \$3, 0z. \$5. Thorburn's Large Early Snow-

Thorburn's Large Early Snowball. A large strain of the above. 2290. Pkt. 25 cts., 1/40z. \$1.50, 1/20z. \$2.50, 0z. \$4.

Danish Giant, or Dry Weather. Later than Early Erfurt, pure white and of fine quality, said to be less affected by drought than any other variety. 2295. Pkt. 50 cts., 1/40z. \$2, 1/20z. \$3.50, oz. \$6.

Extra-Early Paris. Heads of medium size; first-class. 2310. Pkt. 25 cts., 1/4 oz. \$1.25, 1/2 oz. \$2, oz. \$3.50.



Thorburn's Gilt-Edge Cauliflower

| cts., $\frac{1}{4}$ oz. \$1.25, $\frac{1}{2}$ oz. \$2, oz. \$3.50. | Pkt. | Oz. | 1/41b. |
|--|--------|--------|--------|
| Lenormand Short-Stem. Has very large heads; white and firm2320 | \$0 25 | \$1 00 | \$3 00 |
| Algiers, Large Early | | | |
| Thorburn's Nonpareil. A first-class standard sort | 25 | I 00 | 3 00 |
| Early London. Large and hardy2350 | 25 | I 00 | 3 00 |
| Early White Nocera. Short stem | 10 | 75 | 2 25 |
| Early Giant of Naples | 10 | 75 | 2 25 |
| Late Giant of Naples2358 | 10 | 75 | 2 25 |
| Autumn Giant. Vigorous in growth; very large; late | 10 | 60 | 2 00 |

CHOU CABBACE Col repollo

Culture.—Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an abundance of stable or our Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall, not too early, for the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care in planting to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, lettuce or radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crop, the seed is sown in May, and the plants set out in July. In this case, they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. One ounce of seed will produce 2,000 to 2,500 plants. The culture for Cabbage should be clean and regular. Do not allow the ground to dry out, for if the plants are checked in their growth, and then are saturated by a good rain, the heads are likely to split. By deep raking, therefore, maintain a good mulch over the Cabbage patch. To destroy the green worm, an experienced grower says: "Take one ounce of saltpeter and dissolve it in 12 quarts of water; then take a short-handled whisk-broom, dip it in the solution and sprinkle the plants well. One application is sufficient unless the stuff is washed off by heavy rains. The liquid being perfectly clear, never colors the cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above ground. Against Cabbage pests generally, keep down all weeds and burn the rubbish of the patch.

| All 10 cents per packet, except where quoted otherwise | Oz. | 1/41b. | Lb. |
|---|--------|--------|--------|
| Allhead. Very early; very solid; large | \$0 40 | | \$4 00 |
| Autumn King. Large flat heads, fine quality and good keeper for winter2380 | 35 | I 00 | 3 50 |
| Copenhagen Market. The finest large, round-headed, early Cabbage. Very | | | |
| solid; of fine quality; short-stemmedpkt. 25 cts2390 | 65 | I 75 | 6 50 |
| Danish Ballhead Winter. Very round, solid winter sort, largely grown in Den- | | | |
| mark for the London market. A fine shipperpkt. 25 cts2397 | 60 | I 75 | 6 00 |
| Danish Roundhead. Similar to the above, but matures earlier, good keeper 2400 | 60 | I 75 | 6 00 |
| Early York. The standard English sort. Splendid2420 | 45 | I 25 | 4 50 |
| EARLY JERSEY WAKEFIELD, THORBURN'S SELECTED STOCK. Undoubtedly the finest strain of this most popular, well-known early Cabbage in cultivation. The heads are extremely solid, pyramidal in shape, and of most | | | 4.50 |
| excellent quality, with very little outside foliage | 45 | I 25 | + 50 |



Thorburn's Selected Early Jersey Wakefield Cabbage

CABBAGE, continued

| All 10 cents per packet, except where quoted otherwise | Oz. | 1/4lb. | Lb. |
|---|---------------|--------|--------|
| Charleston Wakefield. Large strain of the above | \$0 45 | \$1 25 | \$4 50 |
| Enkhuizen Glory. Large, early, white, solid, ball-shaped heads. American grown | 60 | I 75 | 6 00 |
| Early Flat Dutch, Stein's. For forcing or for general crop2475 | 40 | 1 15 | 4 00 |
| Early Winnigstadt. A standard second-early variety; very hard heads. A valuable market Cabbage | 40 | 1 15 | 4 00 |
| Early Summer. Second-early; produces large, solid heads of finest quality and of fine flavor | 40 | 1 15 | 4 00 |
| Fottler's Brunswick. Of dwarf, compact growth; hard and solid heads. Good for both intermediate and winter use | 40 | 1 15 | 4 00 |
| Green Glazed. A distinct variety; leaves rounded, very firm and stiff; dark green and glazed all over; does not head very well | 50 | 1 50 | 5 00 |
| Succession Improved. Excellent second-early sort; large, solid heads; very popular second crop | 40 | 1 15 | 4 00 |
| Large Late Drumhead. Large-sized variety; many leaves; dark green, waving at the edges; compact; rounded; very late; good keeper | 40 | 1 15 | 4 00 |
| Drumhead Champion, Large Late. Large sized, very late variety, fairly short stem, compact head, good keeper | 40 | 1 15 | 4 00 |
| Large Oxheart. Medium early; head large; obtusely conical; somewhat gray-green | 40 | 1 15 | 4 00 |
| Large Late Flat Dutch. A valuable sort for market. One of the best-known winter Cabbages | 40 | 1 15 | 4 00 |
| Premium Late Flat Dutch. A standard variety of the popular late flat Dutch2545 | 40 | I 15 | 4 00 |
| Thorburn's Market-Gardeners' Private Stock Flat Dutch. Fine strain of the immense winter Cabbage grown on Long Island for market. Of the finest quality and flavor. | 45 | I 25 | 4 50 |
| and flavor | 45 45 | I 25 | 4 50 |
| Surehead, Flat Dutch Type. Heads large, round, flattened at the top; very firm; excellent shipper and desirable keeping variety | 40 | 1 15 | 4 00 |
| We pay postage or express charges on all garden seeds bought by the packet, ounce | • | Ŭ | · · |

Early Scarlet

Horn Carrot. For open air, or for forcing.

| CABBAGE, continued | Oz. | 1/4lb. | Lb. |
|--|-----|--------|--------|
| Red Dutch. Popular pickling variety; large heads of finest quality2610 \$0 | 50 | \$1 50 | \$5 00 |
| Mammoth Red Rock. Very large, dark color | 45 | I 25 | 4 50 |
| Savoy, Early Ulm. Medium size, round, deep green heads; very early2640 | 50 | I 50 | 5 00 |
| Savoy, Late Drumhead. Large, late, finely curled | 40 | I 15 | 4 00 |
| Stonemason. Round, medium sized and extremely hard head. Reliable header. 2655 | 40 | I 15 | 4 00 |
| Chinese (Pe-Tsai). Commonly known in the markets as Celery Cabbage2660 | 45 | I 25 | 4 50 |
| Wong-Bok. A Chinese Celery Cabbage with a delicate mild cabbage flavor2670 | 60 | I 75 | 6 00 |

CARDOON

CARDOON Cardo

CULTURE.—Sow early in spring, ½ to 1 inch deep, in rows 3 to 4 feet apart, where the plants are to stand, and thin them, when well up, to 2 feet apart. Soil should be moist, rich, and deep. When full size, bind them together with bast or raffia, and earth up like celery to blanch. The stems of the leaves are used for salads, soups and stews. The stems may be wintered in a dark cellar away from frost.

Large Solid. Smooth; grows about 4 feet Oz. 1/4lb. Lb. high; leaves nearly free from spines....

pkt. 10 cts...2770 \$0 40 \$1 25 \$4 00

CARROT

CAROTTE Zanahoria

Culture.—Sow No. 2890 as early as the ground can be worked; or, for late crop, until the latter part of July, or early in August for a winter crop. This is the finest and most tender for table use. For main crop sow other sorts from middle of May to the first of July. The soil must not be allowed to bake over the seeds as they germinate slowly. The seedlings are delicate and require careful cultivation until the tops cover the

ground. Thin out early crop to 5 inches in the row, main crop, 6 to 7 inches, the rows 10 inches apart for early crop, 14 inches for main crop. Hoe often and deeply between the rows. Soil should be light, rich, and loamy, richly manured (but not recently, except for the short varieties), and deeply dug. Sow at the rate of 2 to 3 pounds to the acre; I ounce to 100 feet of drill. Carrottops cut from fairly young plants may be used for pretty indoor greenery. Put one cutting into each thumb-pot, or three or four into a larger pot around the sides. Fairly good and sandy soil should be used, syringing frequently until growth is well forward. About I inch of Carrot should be left to put in soil, but this should be surrounded with soil or moss to hide it. When fully grown it is very pretty, the long fronds hanging over gracefully.

| pretty, the long fronds hanging over gracerumy. | | | |
|---|----|---|---------------|
| All 5 cents per packet | | | |
| Parisian Forcing. Early; tender and sweet; fine for early and late crops, also for frames | | ¹ / ₄ lb. \$0 60 | Lb. \$2 00 |
| Oxheart Half-Short (Guerande). Very thick and short2920 | 20 | 60 | I 75 |
| Scarlet Horn, Early. Very thick roots; fine for frames | 20 | 60 | 2 00 |
| Half-Long Stump-rooted. An excellent sort of good quality2960 | 20 | 60 | I 75 |
| Half-Long, Stump-rooted, Nantes Strain. One of the most popular sorts 2970 | 20 | 60 | 2 00 |
| Chantenay, Half-Long, Stump-rooted. Style of Nantes, broader shoulder 2990 | 20 | 60 | I 75 |
| Danvers Half-Long. Large; of good quality; productive3020 | 20 | 60 | I 75 |
| St. Valery. A thick, intermediate long red | 20 | 60 | I 75 |
| Long Orange. Best for stock-feeding3040 | 20 | 60 | I 75 |
| Long White Belgian. Very large; one of the best varieties for stock3070 | | 60 | I 75 |



Thorburn's Gilt-Edge Golden Self-Blanching Celery

CELERY

CELERI Apios


Culture.—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills 8 to 10 inches apart, and cover the seeds about 1/4 inch deep, rolling or treading them in if the ground be dry. One ounce will be sufficient for 2,500 to 3,000 plants. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July in the North, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Cutting the tops keeps them back. Cut off tap-root when first transplanted, and press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench; or the trench may be made into a bed wide enough to hold two, three or four rows, I foot apart, and the plants about 8 inches apart in the rows, and in this case the plants are in compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times, the first time when the plants are 4 inches or more above the ground so that the stalks will protect the center from contact with the earth. Care should be taken

not to let the earth get into the heart of the plant. In field culture, the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken up and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground I foot wide, and at a depth of a few inches less than the height of the Celery. The plants are then lifted and set close together. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. The turnip-rooted Celery (Celeriac) needs no earthing up, and may be planted in rows I to I ½ feet apart, the plants 9 inches apart in the rows, cutting off the tap-root when transplanting. Keep the earth from the heart of the plant in cultivating. Fertilize with nitrate of soda or liquid manure, lightly, after transplanting. When the knob-roots are well formed keep the suckers and side roots trimmed off. Early spraying with bordeaux mixture is extremely efficacious in case of Celery blight or rust.

All 10 cents per packet, except where quoted otherwise

| Improved White Plume. Naturally white or light foliage requires but little bank- | Oz. | 1/41b. | Lb. |
|---|--------|--------|--------|
| ing up to blanch; very early and extensively grown for market3210 | \$0 40 | \$I 25 | \$4 00 |
| GOLDEN SELF-BLANCHING, THORBURN'S GILT-EDGE. Our finest | | | |
| strainpkt. 20 cts3230 | I 00 | 3 00 | 10 00 |
| Boston Market. The best for winter use; a good keeper; quality excellent 3235 | 35 | I 00 | 3 50 |
| Perfection Heartwell. One of the finest and largest of winter varieties, either for | | | |
| family or market-garden. The heart is golden yellow | 35 | I 00 | 3 50 |
| Schumacher. Solid and crisp; firm, golden yellow heart | 35 | I 00 | 3 50 |
| Giant Pascal. An easily blanched and fine-keeping, large, late sort3300 | 35 | I 00 | 3 50 |
| Giant Golden Heart. Very large; solid and fine-flavored; vigorous grower3344 | 35 | I 00 | 3 50 |
| New Rose. Fine flavor; handsome variety | 45 | I 25 | 4 50 |
| Winter Queen. Very large, solid, green winter sort; blanches well3384 | 40 | I 15 | 4 00 |
| Celeriac, Giant Prague. Very large roots, for soups and stews; when cooked and | | | |
| sliced makes fine winter salad | 35 | I 00 | 3 50 |
| Celeriac, Apple. Has small foliage and small, smoothish roots; for soups3420 | 45 | I 25 | 4 50 |
| Celeriac, Extra-Early Paris. Smaller than the Large Smooth Paris; root clean | | | |
| skinned, regularly rounded in shape | 45 | I 25 | 4 50 |

CELERIAC MAY BE STORED LIKE BEETS, AND WILL KEEP ALL WINTER



Golden Bantam Sweet Corn

CORN, SWEET or SUGAR

Culture.—As soon as danger from frost is past plant in hills 3 feet apart each way, and five or six kernels in a hill. The hills should be prepared before planting by digging in a shovelful of compost and a double handful of high-grade fertilizer. In spring plant 1 inch deep; later plantings 1½ to 2 inches deep. Thin out to three plants in the hill, or if in rows, to 12 inches apart. Two pounds will plant 150 to 200 hills. Hoe often and draw soil up to stem; break off side shoots. Corn requires a warm rich soil and a sunny exposure. Plant for succession every two weeks until middle of July. If sown thinly in drills, a greater yield from a given surface will be obtained.

We supply packets of Corn at 15 cts. each, postpaid; for other quantities, not prepaid, add postage at the zone rates. Most varieties can be furnished on ears at 10 cts. each, transportation extra

EXTRA-EARLY

| THORBURN'S NORDHEIM EXTRA-EARLY. Earliest and finest of all. | ½lb. | Lb. | 5 lbs. | 15 lbs. |
|---|----------|---------------|--------|---------|
| The stalks grow 6 to 7 feet high, each bearing three or four nearly perfect | | | | |
| ears of excellent quality. The grains are large, white and very sweet. 7 inches long, 5 inches circumference; 8 to 10 rows of large kernels3700 | \$0.20 | \$0.50 | \$2.25 | \$6.00 |
| Early Mayflower. Extra early; large ears; sweet and tender. $6\frac{1}{2}$ to 7 inches | φ0 30 | φ 0 50 | φ2 25 | φυ ου |
| long; $5\frac{1}{2}$ to 6 inches circumference; 8 to 12 rows of medium large | | | | |
| kernels 3705 | 25 | 45 | 2 00 | 5 50 |
| kernels | -3 | 40 | | 0 0 |
| sweet, tender and of fine flavor | 25 | 45 | 2 00 | 5 00 |
| White Cory. Resembles the ordinary Cory, but with white cob3720 | 25 | 45 | 2 00 | 5 00 |
| Mammoth White Cory. Ears double the size of the old Cory, and better | Ü | | | |
| in flavor | 25 | 45 | 2 00 | 5 00 |
| Metropolitan. Large, handsome ears of fine quality; very early. A splendid | 9 | | | |
| market variety. 9 inches long; 6½ inches circumference; 12 to 14 rows of | | | | |
| large kernels | 25 | 45 | 2 00 | 5 50 |
| Golden Bantam. Extra early; yellow; very sweet and tender. 6½ to 7 inches | | | | (00 |
| long; 4½ to 5 inches circumference; 8 to 10 rows of large kernels3760 | 30 | 50 | 2 25 | 6 00 |
| Seymour's Sweet Orange. A vigorous grower, attaining a height of 6 to | | | | |
| 7 feet, and producing generally two good-sized ears to a stalk. It matures | | | | |
| about a week later than Golden Bantam and is fully equal to it in the | 20 | 50 | 2 25 | 6 00 |
| deliciousness of its flavor | 30 25 | 45 | 2 00 | 5 00 |
| Peep-o'Day. Very early, sweet and of delicate flavor3780 | 25 | 45 45 | 2 00 | 5 00 |
| Minnesota. Nearly as early as Cory, but with larger ears3790 | 25 | 40 | 1 75 | 4 50 |
| Perry's Hybrid. Very early for so large-eared a sort; fine quality 3800 | 25 | 40 | I 75 | 4 50 |
| Premo, Extra-Early. Very sweet; ears large, considering its extreme | -0 | | ,,, | 1 0 |
| earliness | 30 | 50 | 2 25 | 6 00 |
| Kendel's Giant. Very early for so large-eared a variety; sweet and ten- | | | | |
| der3840 | 25 | 40 | 1 75 | 4 50 |
| Extra-Early Adams. Not a Sugar Corn, but grown for early use. Tender | | | | |
| and sweet; fine for the table | 20 | 35 | I 50 | 3 50 |
| Stabler's Early Pedigree. A fine Corn | 25 | 45 | 2 00 | 5 00 |

SWEET CORN, SECOND-EARLY, or INTERMEDIATE

| Swall Cokii, Sacond Lakeli, or | | - 1 7 1 7 1 | | l line | |
|---|--------------------------------------|--|--|--------------|----------------|
| Thorburn's Early White Perfection. A valuable second-early sor ducing good-sized ears. The cob is small and the grain is almost It is a heavy yielder, very sweet and an almost perfect type, without or glaze. One grower says of this Corn that it is one of the best variables. | white. | ½lb. | Lb. | 5 lbs. | 15 lbs. |
| of Sweet Corn ever seen in the field | | \$0.20 | \$o 5o | \$2 25 | \$ 6 oo |
| Champion Early. Very large ears, considering its earliness | | \$0 30 25 | | 2 00 | |
| Early Mammoth. Large ears; fine quality; not very late | | 25 | 45 45 | 2 00 | 5 50 5 00 |
| Crosby. Matures after Minnesota; fair-sized ears of good quality Golden Cream. Early; grain rich cream-color; attractive; fine quality | 3940 | 25 | 45 | 2 00 | 5 50 |
| sweet and tender | | 25 | 45 | 2 00 | 5 00 |
| Howling Mob. An early Corn of large size; white and sweet Long Island Beauty. Very early; large size; valuable market sort. 9½ | 3944 | 25 | 45 | 2 00 | 5 00 |
| long; 7 inches circumference; 16 rows of large kernels | 3945 | 25 | 45 | 2 00 | 5 00 |
| Potter Excelsior, or Squantum. Good-sized ears of fine quality | | 25 | 45 | 2 00 | 5 00 |
| Early Evergreen. A week earlier than Stowell Evergreen Early Adams. Grown extensively for market | | 25 20 | 45 35 | 2 00 I 50 | 5 00 3 50 |
| SWEET CORN, GENERAL | CRO | P | | | |
| Hickox Improved. Handsome ears; very white and of rich flavor. 91/2 | inches | | | | |
| long; 6½ inches circumference, 12 to 15 rows of large kernels | | 25 | 45 | 2 00 | 5 00 |
| Stowell Evergreen. One of the most popular varieties. 8 inches | | 23 | 40 | 2 00 | 3 00 |
| 7½ inches circumference; 8 to 12 rows of medium large kernels | | 25 | 45 | 2 00 | 5 00 |
| Golden Evergreen. Late; very sweet, round grains; beautiful var | | -0 | 70 | | 3 33 |
| most excellent quality | 4050 | 30 | 50 | 2 25 | 6 00 |
| most excellent quality | 4060 | 25 | 45 | 2 00 | 5 00 |
| LATE | | Ü | .0 | | Ü |
| | 4100 | | | | |
| Black Mexican. Very sweet, of superior flavor; grains black | | | 45 | 2 00 | 5 50 |
| Late Mammoth. Rank in growth; large ears, rich and sweet Country Gentleman. A large selection of the Ne Plus Ultra, introdu | ced by | 25 | 45 | 2 00 | 5 00 |
| us in 1888. Ears 8 inches long; 6 inches circumference; grains irronot in rows. Small kernels, and very long, slender deep grains SWEET FODDER CORN. (Larger quantities than 15 pounds, 15) | 4140 | 25 | 45 | 2 00 | 5 50 |
| per pound) | | | | | 3 00 |
| For Field Corn and Pop Corn, see pa | | | | | 3 00 |
| | | | | | |
| CERFEUIL CHERVIL Per Culture.—Cultivate and use the curled variety of Chervil like | rifollo pareles | v Sow | 26 6001 | as the | ground |
| can be worked, or at any time in the spring in shallow drills, I foot apar in a cool and moist situation; shady or northern aspect. Thin early cuttings can be made from the plant throughout the season. | t, in we | ell prepa | ared grou | and, pre | eferably |
| All 10 cents per packet | | | | | Oz. |
| Curled. Leaves used for flavoring soups and stews and for garnishin | ıg | | | 424 | 0 \$0 50 |
| Plain. Like above, but not curled | | • • • • • • | | 425 | 0 40 |
| Tuberous-rooted. A variety which has edible roots | | • • • • • • | | 420 | 0 50 |
| CHICORY | | | | | |
| All 10 cents per packet | | | | | |
| Common or Wild. Used in <i>Barbe de Capucin</i> , a salad much made in The roots are transplanted in autumn into sand in a cellar. Alwa | France | Sown | in June. oots well | Oz. | 1/41b. |
| covered. The young shoots form the Barbe de Capucin | | | | | \$1 25 |
| Magdeburg, Large-rooted. Roots are the Chicory of commerce | | | 4305 | 35 | I 25 |
| Witloof. Known in restaurants as French Endive. Sow about I in June, in drills 15 inches to 2 feet apart, in good garden soil; I ounce to or thin to 6 inches; treat as endive, except that in late summer or ally banked up like celery. The stalks, when blanched, make a del | o 100 f fall it s | eet. Tr hould b | ansplant e gradu- | : | |
| | ad, and otbed ght soither in y light | also as made well to a correction rows, also soil. | a cooked a cooked the fresh of the crowns here are | 45 | I 50 |

See also Endive, the Chicory of the French, page 23

\$1.25 for 20, \$3 for 50, \$5 per 100.

COLLARDS

CULTURE.—Sow seeds in a rich, moist soil, as for cabbage, in June, July and August for succession. One ounce will give 2,500 to 3,000 plants. Transplant when a month old in rows a foot apart each way and hoe often.

Oz. 1/41b. Lb.

Georgia......pkt. 5 cts...4380 \$0 20 \$0 60 \$2 00

CORN SALAD, or FETTICUS

Масне

Macha o Valerianilla

Culture.—Sow during August or early in September, in drills ¼inch deep and 6 inches apart, for spring use. If the weather is dry when the seed is sown, tread it lightly to insure germination. Soil should be light and warm, with previous manuring. Keep weeds down with hoe. Just before the winter cover thinly with straw or leaves. The leaves should be picked when half as large as lettuce. A second crop may be picked from the same plant.

Pkt. Oz. ¼lb. Lb.

CRESS

CRESSON

Bara o Mastuerzo

Culture.—Sow No. 4520 thickly in shallow drills, ¼inch deep, and a foot apart early in spring, every two or three weeks until warm weather, in good garden soil; if moist, cool and rich, all the better. One ounce will sow 50 to 100 feet. Begin to sow again from the middle to the end of August every week or two for fall succession. It should be cut often and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. No. 4570 should be sown in damp soil but not muddy; or, if a stream of water can be utilized, they will be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to sow with Water Cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool. Do not pick until the plants are growing well, and do not pick more leaves than the plants can readily replace.

| All 5 cents per packet, except where quoted otherwise | Oz. | 1/41b. |
|---|--------|--------|
| Curled, or Pepper Grass4520 | \$o 15 | \$0 50 |
| Common, or Plain-leaved4530 | 15 | 50 |
| Upland or Winter Improved4540 | 30 | 75 |
| True Water Cresspkt. 10 cts4570 | I 00 | 3 50 |


CUCUMBER

CONCOMBRE

Pepino

Culture.—For very early, sow in hotbeds upon pieces of sod, or in small pots. They can be readily transplanted with a gain of about six weeks over those sown in the open ground. Plant out in rich soil when danger of frost is over, or protect by hand-glasses, or by paper held down at the corners with a handful of earth. For general crop, sow in the open ground as soon as the weather is settled and warm, and every two weeks for a succession. Sow the seed about ¾inch in depth. One ounce will do for 60 to 70 hills. Thin, leaving four or five of the strongest seedlings in a hill. For pickles, sow from middle of June to first week in July. Sod land, turned over in fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill. Fresh manure will make the plants run to vine. For mildew and wilting spray with Bordeaux. For beetles and other insect pests, spray with tobacco water and whale-oil soap, reaching the underside of the foliage, or dust with tobacco dust.

| All 5 cents per packet, except where quoted otherwise | Oz. | 1/41b. | Lb. |
|--|----------|----------|--------------|
| Chicago Pickling. Uniform; prolific; good color and fine pickling variety4730 Cornichon de Paris. Very productive, vigorous, mostly cultivated for its small | \$0 15 | \$0 50 | \$1 50 |
| fruits, which are fine for pickling. Fruit is oblong in shape and gathered soon after the plant flowers, when they are about as thick as the finger. pkt. 10 cts4740 | 30 | 85 | 3 00 |
| Cumberland. One of the best for pickling; handsome and productive; flesh firm, | 30 | Ü | - |
| but very crisp and tender | 15 | 50 | 1 50 |
| being a comparatively shy seeder, is very valuable for slicing | 15 | 50 | 1 50 |
| Early Green Cluster. Fruit small and in clusters; very prolific | 15 20 | 50 60 | 1 50 1 75 |
| Thorburn's Everbearing. Small-sized; very early and enormously productive; val- | 20 | 60 | ı 75 |
| uable as a green pickler | 20 | 00 | 1 /3 |
| green; good either for pickling or slicing4830 | 15 | 50 | |
| Early Short Green. Good for pickling; productive | 15 | 45 | I 25 |
| uctive; does not turn yellow | 15 | 45 | I 25 |



Thorburn's Noroton Selected White Spine Cucumber

CUCUMBER, continued

| | | All 5 cents per packet, except where quoted otherwise | Oz. | 1/4lb. | Lb. |
|--------|-------|--|--------|--------|--------|
| | | ing. Very productive; fruit long, tapering, and slender4855 | \$o 15 | \$0 45 | \$1 35 |
| White | Spine | Improved. A very handsome and uniform early variety4870 | 15 | 45 | I 25 |
| 4.6 | 4.6 | Arlington. Fine either for forcing or for outdoors4880 | 15 | 45 | I 25 |
| " | 4.4 | Klondyke. A desirable early dark green variety; very prolific4885 | 15 | 45 | I 25 |
| 4.6 | 4.4 | Hill's Forcing | 15 | 45 | I 25 |
| 4.6 | 44 | THORBURN'S NOROTON SELECTED. Our well-known selection of Improved White Spine. Earlier, more perfect in shape and more prolific; best slicing variety; splendid either for home garden or | | | |
| 44 | 44 | marketpkt. 10 cts 4890 | 20 | 60 | 2 00 |
| " | " | Extra-Long. A beautiful, large and well-shaped Cucumber4900 | 15 | 50 | I 50 |
| | | Long Green | 15 | 45 | I 25 |
| | | Improved. Long and crisp; a popular variety for pickles4920 | 20 | 60 | 2 00 |
| 44 | | Extra Smooth | 15 | 50 | I 50 |
| " | | Turkey. Fruit very long and slim4930 | 15 | 50 | I 50 |
| | | ic Pickling. One of the best for pickling; dark green4940 | 15 | 50 | I 50 |
| Nichol | Medi | um Green. Most symmetrical and a very fine table sort4950 | 15 | 45 | I 25 |
| Japan | Climb | oing. Good for frames or open ground | 20 | 60 | 2 00 |
| | | Gherkin. Very small burr; used for picklespkt. 10 cts4980 mber, or Garden Lemon. Almost round, yellow and green markings; | 30 | 85 | 3 00 |
| | | of sweet flavor. Like a lemon in appearancepkt. 10 cts4990 | 30 | 85 | 3 00 |

ENGLISH CUCUMBERS FOR FRAMES

(Concombre especes Anglaises pour couches)

Culture.—Sow seeds in October, November, or December, according to the time they are wanted, in small pots, in fibrous loam, lightened and enriched with old manure; give plenty of air and water. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with brown paper until the seeds germinate. Afterward uncover and ventilate to insure sturdiness of habit. Only strong plants should be employed. It is necessary to fertilize the pistillate flowers with the staminate to render the vines productive as, owing to the absence of flies or bees, they will not produce a crop under glass as in open ground.

Pkt.

| as in open ground. | PKt. |
|---------------------------------------|--------|
| Hurst's Monarch. Splendid sort5096 | \$0 25 |
| Rochford's Market. Fine variety5120 | 25 |
| Telegraph. Free-bearing; handsome | 25 |
| Veitch's Sensation. Fine dark variety | 25 |

ENDIVE, or CHICORY

CHICOREE

Escarola o Endivia

Culture.—Sow in June, July or August, in good, rich garden soil; cover lightly; when up, thin out to 8 or 10 inches apart and water well, if dry; or sow under glass in March or April, transplanting and hardening off. Then set out in the open as soon as ground is fit. The young plants will do well, if dressed at least once with nitrate of soda or liquid manure. When the leaves are 6 to 8 inches long, blanch by tying together near the top with yarn or raffia. (They must be quite dry, or they will rot.) At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar. They must

ENDIVE or CHICORY, continued

be kept dry and have plenty of air. To blanch, tie the tops of the heads together, to keep the light from the heart. One ounce of seed will plant a 100-foot row.

All 5 cents per packet Green Curled Winter. Standard 1/4lb. Lb. \$0 60 \$2 00 sort for fall and winter crop. 5210 \$0 20 Moss Curled. Compact plants with finely divided leaves 5215 2 25 20 65 Large Green Curled (de Ruffec). Broad ribs; fine for fall and winter......5220 20 60 2 00 Giant Fringed or Oyster. New. Has a large white heart 5227 2 25 20 65 White Curled. For early use. 5240 65 20 2 25 Broad-leaved (Escarolle). A sweet variety; fall and winter5230 60 20 2 00 **Broad-leaved Batavian**....5250 20 60 2 00 See, also, Witloof (French Endive) under Chicory, page 20

ECCPLANT

AUBERGINE Berengena

CULTURE.—Sow in hotbeds very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until weather is perfectly settled and warm. Cool nights or wet weather will check them. Soil should be a rich, sandy loam and exposed to the sun. One ounce will plant 2,000 plants or more. Keep some back in frames for a second planting, in case of weather changing unexpectedly. Set out plants 3 by 2 feet. Dress the young plants once after thinning or setting out with nitrate of




New York Spineless Eggplant

plants once after thinning or setting out, with nitrate of soda, or liquid manure.

All 15 cents per packet

| Improved New York Spineless. The standard; largest and best; oval; deep purple; | Oz. | 1/4lb. |
|--|--------|--------|
| early and productive | \$0.75 | \$2 50 |
| BLACK BEAUTY. As large as the New York Improved but about ten days earlier; | | |
| very rich purplish black5320 | 80 | 2 75 |
| Early Dwarf Purple. Dwarf; very early; small, ovoid fruit5330 | 8o | 2 75 |
| Florida High Bush. Purple, though not so deep as the New York Spineless, which it resem- | | |
| bles in shape. Productive, vigorous and can stand more cold than that variety5340 | 60 | 2 00 |
| Long Purple. Of distinct shape and fine quality5350 | 80 | 2 75 |



Green Curled Winter Endive

Large Round Purple. Good quality, fine shape and color; good for market. 5360. Oz. 75c., 1/4 lb. \$2.50.

Black Pekin. Round, blackish purple fruit: flesh tender, of fine flavor; dark foliage. **5370.** Oz. 80 cts., ½1b. \$2.75.

Long White China. Small and ornamental fruit; white, resembling an egg, turning yellow when ripe. 5400. Oz. 8oc., 1/4lb. \$2.75.

FENNEL, FLORENCE or NAPLES

Fenouil de Florence Finocchio di Napoli

CULTURE.—Sow in spring, I to 2 inches deep, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart and water as plentifully as possible. The plant is usually eaten boiled. In flavor resembling celery, but has a sweet taste and a more delicate odor. 14180. Pkt. 10 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.

See, also, Herbs



Early White Vienna Kohlrabi

KALE or BORECOLE

CHOU VERT FRISE

Col

Culture.—Cultivated and grown exactly like cabbage. Sow No. 5600 in August and September for early greens, in rows 2 feet apart, and thin to 18 inches or 2 feet in the rows. Sow seed ½ to 1 inch deep. One ounce will do for a 100-foot row. In very cold situations a light mulch may be required in winter.

| Curled Dwarf Green Scotch. Very | Oz. | 1/4lb. | Lb. |
|--|--------|--------|--------|
| dwarf and spreading; best strain; | | | |
| largely grown in the South, being sown in August and September | | | |
| pkt. 10 cts5600 | \$0.30 | \$0.85 | \$2 00 |
| Curled Tall Green Scotch. A taller | £0 30 | 20 0,5 | \$3 00 |
| growth of No. 5600. pkt. 10c5610 | 30 | 85 | 3 00 |
| Curled Siberian, Thorburn's Im- | | | |
| proved. Green curled; hardy | | | |
| pkt. 5 cts 563 0 | 20 | 60 | I 75 |
| Thousand-headed. For cattle | | | |
| pkt. 5 cts 5640 | 20 | 60 | 2 00 |
| | | | |

KOHLRABI

CHOU-RAVE Colinabo

Culture.—Sow in spring, about I inch deep, in rows 18 inches apart, afterward thinning the plants to 8 to 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Soil should be same as for cabbage; a rich loam. Do not let the earth get into the heart of the plants and do not cover the thick stem or knob. One ounce will give about 1,500 plants. Keep the weeds down, and when the thickened stems above ground are 2 or 3

inches through they are fit to eat, and should be used at once, being tough when old. Cook same as turnips.

All 10 cents per packet

| Early White Vienna. Handsome; very | | | |
|---|--------|--------|--------|
| delicate in flavor | \$0 40 | \$1 00 | \$3 50 |
| Early White Vienna, For frames. Fine | | | |
| every way | 45 | I 25 | 4 00 |
| Early Purple Vienna. Purple ball; a very | | | |
| good sort | 40 | I 00 | 3 50 |
| Extra-Large White Goliath. Forms a | | | |
| large ball; not so fine in flavor, but more | • | | |
| productive | 40 | I 00 | 3 50 |
| Imperial Green. Early; dwarf top; fine | | | |
| quality5850 | 45 | I 25 | |

POIREAU LEEK Puerro

Culture.—Sow very early in spring, in drills 6 inches apart and I inch deep, one ounce to 100 feet of drill. Thin out to I inch. When about 7 inches high, transplant in rows 12 inches apart, as deep as possible, but do not cover the young center leaves. Water thoroughly if dry when planted out. Draw earth up to them as they grow; deep, rich soil is required. Dress twice, and freely, ten days apart, with nitrate of soda or liquid manure. If they need water, give it to the roots through a pipe thrust down among the stems,—taking care not to wet the leaves. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September and wintered under frames, and the young plants transplanted in spring to where they are to remain.

All 10 cents per packet

| THORBURN'S BEST LARGE FLAG. | Oz. | 1/4lb. | Lb. |
|--|--------|--------|--------|
| Hardy and productive5910 | \$0 40 | \$1 25 | \$4 00 |
| Large Rouen. A standard sort; fine | | | |
| keeper5920 | 40 | I 25 | 4 00 |
| Large Carentan. Distinct, dark-colored | | | |
| leaves; stout in habit and hardy5940 | 45 | I 25 | 4 50 |
| Musselburgh. Similar to above5950 | 40 | I 25 | 4 00 |



Thorburn's Best Large Flag Leek

LETTUCE

Laitue Lechuga

CULTURE.—Sow 6030, 6120, 6230, 6340 and 6350 in hotbeds in March, and these as well as all the other varieties in the open ground as soon as it can be worked, and transplant in rows 8 inches apart and rows I foot apart. Sow in two weeks' time again for a succession; also Cos sorts. Latter part of August, sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. One ounce is sufficient for 1,000 plants or 300 feet in rows. Sow ½ to 1 inch deep—if under glass, ¼inch. Always sow thinly and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 to 8 inches apart. Cos Lettuce may be sown in a hotbed early in the year and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. Lettuce requires good ground, enriched with thoroughly rotted manure, and well pulverized. The after-culture should be close and careful, to secure the best results. Lettuce seldom, if ever, heads well in hot weather. All 5 cents per packet



Thorburn's Big Boston Improved Lettuce

| American Gathering. A decidedly crisp variety; strictly bunching. Leaves bright brown varying to bright green and very much blistered and crumpled. Large size; | Oz. | 1/41b. | Lb. |
|---|-----------|------------|--------|
| late-intermediate in development | \$o 15 | \$0 45 | \$1 25 |
| Australian Gathering. A crisp bunching variety; large size; intermediate in development. Forms a well-blanched dense cluster of leaves, more or less open; never | | | |
| cabbage-like. Leaves light green, crumpled and twisted. Very sweet 6025 | 15 | 45 | I 25 |
| Big Boston. Strictly cabbage-heading; large; late-intermediate in development; fairly | | | |
| buttery flavor. Leaves broad, mostly smooth, very slightly blistered and crumpled. Light dull green, excepting extremely narrow light brown border. The heads are | | | |
| broad, slightly pointed and hard. Fine for forcing under glass6030 | 15 | 50 | 1 50 |
| Buttercup. A cabbage-headed variety; small to medium in size; intermediate to late in development. The heads are globular in form. Leaves broad, slightly blistered | | | |
| and twisted. Color very light green. Fine for forcing under glass6040 | 15 | 45 | I 25 |
| Brown Dutch. A cabbage-heading variety; very buttery flavor; medium to large in | - 3 | 70 |) |
| size; late to intermediate in development. Head globular and firm. Leaves broad, fairly blistered and twisted. Color dull green, tinged with faint blotches6045 | | | 1 25 |
| California Cream Butter. This is a strictly cabbage variety with a decidedly | 15 | 45 | I 25 |
| buttery flavor; large; late to intermediate in development. Head very firm, and | | | |
| globular in shape. Leaves slightly blistered and crumpled. Color dark, rich glossy green, distinctly spotted with deep brown | 15 | 45 | 1_25 |
| Crisp as Ice. Forms a slightly pointed head of small to medium size; decidedly | 13 | +3 | 1, 25 |
| buttery in flavor. Leaves broad, fairly blistered and twisted. Color a dark, almost | | | |
| solid brown in summer but bright green during spring | 15 | 45 | I 25 |
| slightly flattened when fully developed. Flavor decidedly buttery; leaves broad, | | | |
| smooth, slightly blistered and crumpled. Color a peculiar light grayish green 6070 | 15 | 45 | I 25 |
| Denver Market. A decidedly crisp variety; fairly cabbage-heading; large to medium in size; late to intermediate in development. Head oval, somewhat soft; leaves ex- | | | |
| cessively blistered and crumpled and slightly twisted. Color very light green. Fine | | | |
| for forcing under glass | 15 | 50 | 1 40 |
| Giant Crystal Head. A crisp variety; large and late. Head globular, extremely hard. Leaves broad, fairly blistered, crumpled and twisted. Color light green, | | | |
| excepting faint brown on borders of leaves | 15 | 45 | I 25 |
| Golden Queen. This is a strictly cabbage-heading variety with a buttery flavor; | | | |
| small to medium in size. Head somewhat pointed, well blanched. Leaves blistered, crumpled and twisted. Color beautiful rich, very light green, sometimes described | | | |
| as golden green | 15 | 50 | 1 50 |
| Grand Rapids Forcing. This is a bunching variety, decidedly crisp; early to inter- | | | |
| mediate in development. Forms a loose, rounded cluster of leaves close enough together for blanching to only a small extent. Leaves excessively blistered and | | | |
| crumpled and slightly twisted. Color very light green. Fine for forcing under | | | |
| glass | 15 | 50 | 1 50 |
| We have been an extreme about a self-and a conde bought by the backet ounce | a ar alla | ITTOY-DOLL | nd |

LETTUCE, continued All 5 cents per packet **Hanson Improved.** This variety is strictly cabbage-heading and decidedly crisp; very large and very late. Head globular; extremely hard and well blanched. Leaves Oz. 1/4lb. Lb. broad, fairly blistered, crumpled and twisted. Color very light green.......6140 \$0 15 \$0 50 \$1 50 Hubbard Market. This is a cabbage-heading Lettuce of decidedly buttery flavor, large to medium in size; early to intermediate in development. Head globular, very firm and well blanched. Leaves broad, slightly blistered, crumpled and twisted. Color medium green. Quality excellent. Fine for forcing under glass......6160 15 50 I 50 lceberg. It is a strictly cabbage variety; crisp rather than buttery; large and late. Head is globular, extremely hard and well blanched. Leaves are slightly blistered, crumpled and twisted. Color light green except faint brown borders. Very good 60 2 00 decidedly buttery flavor; large; intermediate in development. Head slightly oval, somewhat soft, well blanched. Leaves broad, much blistered and crumpled, and slightly twisted. Color light brown. Excellent quality................6200 50 15 I 50 Market-Gardeners' Private Stock. A selected strain; solid, large heads, resisting 50 15 I 40 **Maximum.** A late-maturing sort with very large cabbage-head and a very buttery flavor. The head is globular or oval, firm and very well blanched. Leaves broad, fairly smooth, being only slightly blistered, crumpled and twisted. Color dull dark green freely spotted with dark brown. Quality to be recommended........6220 15 45 I 25 May King. One of the best known and most popular varieties; fairly new; strictly cabbage-heading and a buttery flavor. The heads are small to medium in size. Leaves light green, slightly tinged with brown at edge. It is especially good for 15 50 I 40 **Mignonette.** A cabbage-heading variety; fairly crisp; size small to medium; early to intermediate in development. Head globular, extremely hard, very well blanched. Leaves broad, excessively blistered, crumpled and twisted. Color dull; very dark brown with dull dark green in less exposed parts. Quality is excellent, being exceedingly tender, crisp and sweet..... 50 15 I 75 New York Cabbage. This is a decidedly crisp variety, forming a very large cabbagehead of late maturity. Heads are globular or slightly oval, very hard and well blanched. Leaves broad, fairly blistered, crumpled and twisted. Color dark green. 20 65 2 25 **Orchid.** This is a true buttery variety forming a small to medium size cabbage-head, and late to intermediate in development. Head globular, slightly firm but well blanched. Leaves broad, fairly blistered and crumpled, and slightly twisted. Color bright green thickly spotted with bright brown. Quality is good. Flavor buttery and very sweet..... 15 45 I 25 Philadelphia Dutch Speckled Butter. A variety of slight buttery flavor; fairly cabbage-heading; medium in size; early to intermediate in development. Plant is low growing; very flat at top, forming a solid, well-blanched head. Leaves are broad, crumpled, and twisted. Color medium green tinged with brown and spotted. .6275 15 45 I 25 Prize Head. A decidedly crisp variety, strictly bunching. Large; early to intermediate at time of attaining fullest development; not cabbage-like or solid, though, nevertheless, the inner part of the plant is well blanched. Leaves blistered and crumpled. Color light brown, varying to bright green toward center of the plant. I 25 Desirable for home garden. 15 45 Reichner's White Butter. A decidedly butter variety; strictly cabbage-heading; medium size; matures early; plant very compact, forming a globular or slightly elongated, firm, well-balanced head. Leaves broad, fairly blistered and crumpled 50 color light green. Delicate and sweet...... 15 1 50 Salamander Improved. A most popular variety. It is strictly cabbage-heading, of a buttery flavor, and medium size. Color a medium green. Leaves slightly crumpled. Forms a good solid head. It does well under almost any weather and is I 50 50 15 intermediate in development. Head is globular, firm, well blanched. Leaves fairly blistered, crumpled and twisted. Color a medium dull green, tinged throughout with faint dull brown. The quality is of the best; flavor decidedly buttery and sweet .6310 I 25 15 45 Early Curled Simpson. This variety is decidedly crisp; strictly bunching; large to medium in size but intermediate in time of attaining fullest development. Plant is spreading, covering a rounded, well blanched, dense cluster of leaves. Never cabbage-like. Leaves broad, much blistered and crumpled and slightly twisted. Color 45 I 25 15 development. It forms a firm, well-blanched, rounded cluster of leaves closely

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

15

drawn together. Leaves broad, much blistered, crumpled and twisted. Color very

| LETTUCE, continued All 5 cents per packet | | | |
|--|--------|---------------------|--------|
| Tennisball, White-seeded. It is strictly cabbage-heading; small to medium in size; matures very early, and is of a decidedly buttery flavor. Head globular and well blanched. Leaves broad, blistered, crumpled and slightly twisted. Color dull medium green, sometimes brownish in distinct blotches. Quality excellent. Fine | Oz. | 1/ ₄ lb. | Lb. |
| for forcing under glass | \$0 15 | \$0 45 | \$1 25 |
| light green. Quality excellent. Fine for forcing under glass | 15 | 50 | I 40 |
| ditions. This is a very popular variety | 15 | 45 | 1 25 |
| Color medium green. Quality excellent | 15 | 50 | 1 75 |
| crumpled; color dark green | 20 | 65 | 2 25 |
| All 5 cents per packet | | | |
| Bath Cos. Pale green leaves, slightly tinged with brown. Outer leaves spreading, inner leaves well blanched, forming a soft globe-shaped head. Early and productive | | | |
| and of fine flavor | 15 | 50 | I 75 |
| loaf-shaped. Color very dark green | 15 | 50 | 1 75 |
| round at the top; well blanched; firm | 15 | 50 | I 75 |
| Balloon Cos. Fine sort. Closely resembles White Paris Cos, but larger6480 | 15 | 50 | I 75 |

MUSHROOM SPAWN

BLANC DE CHAMPIGNON


Culture.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse manure, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed the required size. Three to 4 feet wide, 8 inches deep and any length desired are the proper proportions for a bed, but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to



heat through for a few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, and about I inch deep, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given that it be at a temperature of about 100 degrees. Every other day is a fair interval for picking, care being taken not to disturb any nearby.

From our experience with English, French, and American Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the other two, but, if the bed is not in the right state, it will often rot. The American and English Spawns, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing their vitality. It is well to keep these points in mind in ordering Spawn.

| A | If by mail, add postage | | Don | 10 | 20 | 100 |
|---------------------------------|-------------------------------|--------|--------------|--------|--------|-----------|
| American Pure-Culture Spawn. | Direct bricks; latest strain. | Weight | Per Brick | Bricks | Bricks | Bricks |
| about I pound each | | 6630 | \$0 30 | \$2 75 | \$5 25 | \$25 00 |
| English Spawn. In bricks. About | | | | | | |
| French Spawn | | | • | | | x, \$1 25 |



Banquet Muskmelon

MUSKMELON (Cantaloup)

MELON MUSCADE Melon Muscatel

CULTURE.—Select a light, rich, sandy soil, and, after all danger of frosts is over and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, six to twelve seeds to a hill. When up and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust, are excellent to sift over young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out-ofdoors under hand-frames or glasses. It is quite important that proper soil be selected for growing Muskmelons. The hills should have a mixture of well-rotted manure and a fertilizer fairly strong in potash and phosphoric acid dug into them. Or the center of the hill may be removed and a bushel of compost spaded in, covering with a few inches of earth. The melon-patch should be cultivated regularly after each rain and all weeds removed.

All 5 cents per packet, except where quoted otherwise

| SALMON- AND YELLOW-FLESHED VARIE | TIES | | |
|---|------|--------|--------|
| | Oz. | 1/4lb. | Lb. |
| Banquet. Beautifully netted; medium size; rich salmon flesh; fine quality 6790 Brockway's Sport. Slightly oblong, averaging 6 inches in diameter; flesh light red, | | \$0 60 | \$2 00 |
| very sweet; lightly ribbed and netted | 20 | 55 | I 90 |
| Burrell's Gem. Reddish orange flesh; fine-grained and spicy | 20 | 55 | I 90 |
| Davis' White-seeded. Egg-shaped; fair size; slightly netted; yellow flesh6802 Defender. One of the very best yellow-fleshed sorts; medium size, oval in shape; flesh | 15 | 50 | I 50 |
| very firm and rich. Very vigorous and productive | 20 | 55 | I 90 |
| Emerald Gem. Small; extra early; dark green skin, orange flesh: very sweet 6810 | 15 | 50 | I 50 |
| Long Yellow Cantaloup. Yellow flesh; latepkt. 10 cts6812 Golden Eagle. Oval; heavily ribbed and netted; skin a light golden hue, when ripe; | 20 | 60 | 2 00 |
| flesh a rich salmon, sweet and lusciouspkt. 10 cts6813 | 30 | 85 | 3 00 |
| flesh a rich salmon, sweet and luscious | 20 | 60 | 2 00 |
| Paul Rose. Handsome and oval variety; rich orange flesh; very sweet6820 | 20 | 55 | I 90 |
| Nutmeg Tip-Top. An improved strain; very sweet salmon flesh6840 Thorburn's Orange Christiana. Fine orange sort. Round, very sweet, and very | 20 | 60 | 2 00 |
| early | 20 | 60 | 2 00 |
| GREEN-FLESHED VARIETIES | | | |
| Baltimore Market. Oblong; green flesh of fine quality; intermediate6870 | 20 | 60 | 2 00 |
| Bay View Hybrid. Prolific; very large; late; green flesh | 20 | 60 | 2 00 |
| Splendid for warm climates | 20 | 60 | 2 00 |
| Egyptian Deity (Persian Delight). Round; flesh whitish green and surpassingly luscious in flavor, very juicy; rind thin and smooth; excellent for warm cli- | 15 | 50 | 1 50 |
| mates | 20 | 60 | 2 25 |
| with a gold margin next to the seed-cavity; slightly oval and heavily netted6916 | 20 | 60 | 2 00 |
| Hackensack. Large, round, and of good quality; a popular variety; early6920 | 20 | 60 | 2 00 |
| Hackensack Extra-Early. Ripens ten days earlier than the Hackensack6930 Honey Dew. New. Large, round, light-colored melon; delicious, rich green | 20 | 60 | 2 00 |
| fleshpkt. 10 cts6935 | 20 | 60 | 2 25 |
| fleshpkt. 10 cts6935 Jenny Lind. Old favorite. Small; green-fleshed; very early; good quality6940 Long Island Beauty. On style of Hackensack. The earliest and finest in quality, | 15 | 50 | 1 50 |
| and the most beautiful of all Muskmelonspkt. 10 cts6950 Montreal Green. Large, round; netted; flesh thick and light green; late | 25 | 75 | 2 50 |
| 1, , | • | 60 | 2 2 = |

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

pkt. 10 cts...6970

2 25

MUSKMELON, continued

| All 5 cents per packet, except where quoted otherwise | Oz. | 1/4lb. | Lb. |
|--|--------|--------|--------|
| Netted Gem, Round. Very early; small and of fine flavor; green flesh6980 | \$0 20 | \$0 60 | \$2 00 |
| Netted Gem, Oblong. Same as above, save in shape | 20 | 60 | 2 00 |
| Netted Rock. Produces melons of uniform standard size, covered with a beautiful grey lace-like netting; flesh green, with delicate pink around the small seed cavity; | | | |
| sweet and superb flavor | 20 | 60 | I 75 |
| Nutmeg. Sweet, green flesh; very early; named from its shape7000 | 20 | 60 | 2 00 |
| Rocky Ford. Improved Netted Gem; very sweet and fine flavored; oblong7010 | 20 | 60 | 2 00 |
| Skillman's Netted Gem. Oval shape; early; sweet and highly perfumed7030 | 20 | 60 | 2 00 |
| Winter Pineapple. An extraordinary melon; can be kept in splendid condition for | - | | |
| months after being pulled. For the South only | 15 | 50 | 1 50 |
| MISCELLANEOUS MUSKMELONS | | | |
| All 5 cents per packet, except where quoted otherwise | | | |
| Banana Citron. Cucumber-shaped; highly perfumed; late | 20 | 60 | 2 00 |
| serving or for picklingpkt. 10 cts7120 | 30 | 85 | 3 00 |
| Vine Peach. Color of a peach; fine for preserving or for picklingpkt. 10 cts7135 | 30 | 85 | 3 00 |

IMPORTED FRAME SORTS

For growing under glass, in packets only, 25 cts. each. Delight of the Table, Eclipse, Gunton Scarlet, Little Heath, Tours Sugar.


WATERMELON

MELON D'EAU

Zandia

Culture.—Treat the same as muskmelons, except that they should be planted 8 to 10 feet apart, according to variety. Light soil is best.

| All 5 cents per packet | Oz. | 1/4lb. | Lb. |
|--|--------|--------|--------|
| Alabama Sweet. Dark green; tender red flesh; long. Fine shipper7410 | \$o 15 | \$0 40 | \$I 25 |
| Angel's Kiss. One of the best-flavored sorts; flesh deep crimson, sweet and melting; | | • | |
| oblong in shape; very prolific | 10 | 30 | I OO |
| Black Diamond. Dark green, tough skin; large size. Round | 15 | 40 | I 25 |
| Black Spanish. Roundish; nearly black; dark red flesh; early | 15 | 40 | I 25 |
| Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate7450 | 15 | 50 | I 50 |
| Bradford. Long and of dark color; red flesh, sweet and tender | 15 | 40 | I 25 |
| Cole's Early. Medium size; red flesh; green skin; oval | 15 | 50 | I 50 |
| Cuban Queen. Solid and heavy; skin marked regularly; excellent; early; oval. 7500 | 15 | 40 | I 25 |
| Dixie. Excellent quality; very large and solid; red flesh; intermediate; long7510 | 15 | 30 | I 15 |
| Early Fordhook. Extra early; good size; green skin; red flesh; oval7530 | 15 | 40 | I 25 |
| Florida Favorite. A superior strain; oblong; red flesh; intermediate | 10 | 30 | I OO |
| Golden Honey. Oblong; flesh golden shade, very tender and delicious; rind light | | | |
| green with mottled stripes | 10 | 30 | . I OO |
| Halbert's Honey. Dark, glossy green skin; flesh crimson, luscious and sweet. Strong, | | | |
| vigorous grower and free fruiter; long. Fine for northern states | 15 | 40 | I 25 |
| Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; | | | |
| brilliant red flesh | 15 | 50 | I 50 |
| Ice Cream, or Peerless. Very early; red flesh; oval | IO | 30 | I OO |
| Icing, Dark. Solid; dark green skin; red flesh of superior quality; white seed; early; | | | |
| nearly round | 10 | 30 | I OO |
| Icing, Light. Round; pink flesh of fine quality | IO | 30 | I OO |
| Irish Grey. A distinct and valuable melon; wonderfully productive. Long, thick, | | | |
| and uniform; color of rind yellowish grey; flesh sparkling bright red, sweet and | | | |
| very firm and compact. One of the best shippers | 15 | 40 | I 25 |
| Jordan Gray Monarch. Largest grown; crimson flesh; late; long7600 | IO | 30 | I OO |
| Kleckley Sweets. Exceedingly sweet and fine flavored; dark green skin; thin rind; | | | - 0- |
| flesh scarlet, solid, and firm; long | IO | 30 | I 00 |
| Kolb Gem. Large; good shipper; bright red flesh; intermediate; oval7620 | 15 | 40 | I 25 |
| Mammoth Ironclad. Long; very large; late; red flesh; good shipper7630 | 15 | 40 | I 25 |
| Mammoth Santiago. Light green skin, striped darker; deep blood-red flesh of | | | T 05 |
| sweet flavor; uniformly large and long; a good shipper | 15 | 40 | I 25 |
| McIver's Wonderful Sugar. Oblong; handsome and very sweet | 15 | 50 | I 50 |
| Mountain Sweet. Red flesh; late; dark green; long, tapers to stem end7650 | 10 | 30 | I OO |
| TTT | | | 1 |



Tom Watson Watermelon

WATERMELON, continued

| All 5 cents per packet | Oz. | 1/41b. | Lb. |
|---|--------|--------|--------|
| Phinney, Early. Oblong; fine quality; large; solid; red flesh | \$o 15 | | \$I 25 |
| Pride of Georgia. Round; large; crisp; bright red flesh; intermediate7670 | 15 | 50 | I 50 |
| Rattlesnake, Southern. Oblong; dark and striped; bright red flesh; late7680 | 15 | 40 | I 25 |
| Sugar Stick. Light green; oblong; luscious rich red flesh; strong grower7700 | 15 | 40 | I 25 |
| Sweetheart. Oval; very large; bright skin; fine quality | IO | 30 | I 00 |
| Tom Watson. Produces melons 16 to 22 inches long and 8 to 10 inches in diameter. | | | |
| The dark green rind is thin but tough; stands shipping well. The flesh is deep red, | | | |
| crisp and melting and of finest flavor; long | IO | 30 | I 00 |
| Citron, Green Seed. Used for preserves | 15 | 40 | I 25 |
| Citron, Red Seed. Round and handsome; for preserving | 15 | 40 | I 25 |

MUSTARD

MOUTARDE

Mostaza

CULTURE.—Sow thickly during early spring in shallow drills, and press the earth well down. For fall salad, sow in September, or in frames or boxes during winter. Needs to be gathered before it goes to seed.

| | Oz. | 1/41b. | Lb. |
|--|-----|--------|--------|
| Black. These seeds form the mustard of commerce | | \$0 30 | \$0 90 |
| Chinese Broad-leaved. Leaves of agreeable flavor when cooked like spinach7803 | IO | 25 | 75 |
| Fordhook Fancy. Very ornamental; plants of vigorous growth; leaves dark green, | | | |
| curved outwardly. If used as a vegetable, cook like spinach | 10 | 30 | I 00 |
| Giant Southern Curled. Very large leaves | IO | 25 | 75 |
| Ostrich Plume. Leaves curled and frilled like an ostrich plume7820 | IO | 25 | 75 |
| White London. Leaves used for salads while young; grows very rapidly 7825 | IO | 30 | I 00 |

NASTURTIUM

CAPUCINE

Maraneula

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for capers.

| All 5 cents per packet | Oz. | 1/4lb. | Lb. |
|-------------------------|--------|--------|--------|
| Tall Mixed | \$0 15 | \$0 50 | \$1 50 |
| Dwarf Mixed 7930 | | | |

OKRA, or GUMBO Gombaud Quimbombo

Quimbombo

CULTURE.—Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted. For keeping, they should be picked while small and tender. Should be picked usually in less than two days after the blossoms have fallen. Do not leave until the pods have become hard and stringy.

| All 5 cents per packet | Oz. | 1/4lb. | Lb. |
|--|--------|--------|--------|
| Long Green. Very productive; moderately long green pods8020 | \$0 10 | \$0 30 | \$1 oo |
| White Velvet. Tender, long, white pods; smooth and velvety in appearance. 8030 | 10 | 30 | I 00 |
| Dwarf Green Prollfic. Short, thick pods8040 | | 30 | I 00 |
| Perkins' Mammoth. Fine strain; very long pods8050 | | 30 | I 00 |
| Tall Green. Very tall plant; late maturing, long green pods8055 | 10 | 30 | I 00 |

ONION

OIGNON Cebolle

CULTURE.—Sow in rich, sandy soil, in drills I foot apart, as soon as the ground can be worked in spring, at the rate of 4 to 5 pounds to the acre. Thin to 3 to 4 inches, using the rake and hoe frequently to keep down the weeds. The finest Onions are produced by the new method of sowing the seed in hotbed in February and March and transplanting the seedlings to the open ground. Watch for diseases and insect troubles, taking precautions against them. Diseases are hard to control. It is perhaps best simply to destroy all plants that are attacked.

All 10 cents per packet, except where quoted otherwise


| All 10 cents per packet, except to | - | neu oin | erwise | | | |
|---|-----------------|-----------|----------------------|----------------------------------|--------------------|--------------|
| White Early Barletta. A sma | | 1/41b. | Lb. | | | |
| white Italian sort; ver | | \$T =0 | ψ _Λ = (| | | |
| " Queen. Pure white; small | 10 #0 45 11. | φ1 3¢ | / #4 5° | | | |
| flat; extra early; fine for | | | | | | |
| pickling833 | | I 25 | 5. 4 00 | | | |
| " Very White Pearl. Extra | a- | | | | | |
| early; round; very whit | | | | | | |
| fine flavor833 | | I 75 | 5 00 | | | |
| " Victoria. White and globular835 | . ~ | T 50 | . 4 50 | | | |
| " Large Portugal. The star | | 1 50 | 4 50 | | | |
| dard large flat sort of the | | | | | | |
| New York markets836 | | 85 | 3 00 | | | |
| " Large Globe. (Southpo | rt | · | | | | |
| Strain.) Very large ar | | | | | | |
| handsome837 | | I 00 | 3 50 | | | 1/100 |
| maninoth Garganu | | | | | | |
| (Silver King). Large si very white. Italian838 | | I 50 | 4 50 | | | |
| " Maggiajola. Early; whit | | 1 30 | ' 4 J | | | |
| flat838 | | I 50 | 4 50 | | | |
| " Paris Silverskin839 | 90 40 | | • | | | |
| " Philadelphia Silverskin | | | | | | |
| 839 " Pormuda (Toporiff | | I 00 | 3 75 | | | |
| Delinuda. (Tenerini | _ | T 0/ | | | | |
| grown.)840 "Bermuda (True Cryst | | I O | 3 50 | | | |
| Wax). (Teneriffe-grown | .) | | | Yellow Globe D | anvers Onion | |
| pkt. 15 cts 84 1 | l 0 45 | I 50 | 4 50 |) | Oz. ½1b. | Lb. |
| " Tripoli (El Paso; Mexica | n). Lai | ge whit | e Italia | n variety | \$0 45 \$1 50 | |
| | | | | | 40 I 00 | 0,0 |
| | | | | earlier than Barletta. 8440 | 40 I 00 | 0.0 |
| " Vaugirard. White; flat; for Welsh. The leaves are used | or pickli | ng | | Sowin fall Plat 150 8520 | 40 I 25 60 2 00 | |
| Yellow Danvers. A standard so | rt·early | and a c | n spring rood-kee | ner 8540 | 30 85 | |
| | | | | well8550 | 30 85 | |
| " Globe, Large. (Southpo | rt Strain | .) The | finest la | arge yellow8560 | 30 85 | |
| " Globe, Michigan. Fine | keeper. | | | | 30 85 | 3 00 |
| " Globe, Australian | | | | | 25 75 | 2 25 |
| Denia. Imported from 5 | | | | eded that this is the parent | | |
| | | | | owever, it is a far superior8574 | 75 2 00 | 7 50 |
| " Rocca. Giant. Pale vel | low | | • • • • • • | | 75 2 00 45 I 50 | , , |
| " Prizetaker. Immense si | ze: globe | -shaped | | 8570 | 35 I OC | |
| " Strasburg, or Dutch. I | ine keer | per; flat | ; yellow | skin; white flesh 8580 | 30 85 | |
| " Ailsa Craig. A splendid | Yellow (| Globe va | iriety; g | rown largely for exhibition | | |
| purposes. A great force | er | | | pkt. 15 cts8600 | 40 I 25 | • |
| Red Australian Brown. Mediu | | | | | 30 85 35 I 00 | |
| " Bermuda. (Teneriffe-grown " Italian Tripoli | | | | | 35 I 00 45 I 50 | 0 0 |
| " Wethersfield, Large. Half- | early au | nd a one | nd keene | r: large size 8720 | 30 85 | |
| " Globe, Large. (Southport | Strain.) | The fin | est larg | e red sort | 40 I 25 | - |
| " Flat, Early | | | | | 30 85 | |
| " Globe, Early | | | | | 30 85 | 3 00 |
| | | | | | | |
| | | | | | | |
| | | ONIC | ON S | ETS | | |
| Plant in drills about 12 inches | s apart o | | | | st showing. G | ive high |
| Plant in drills about 12 inches culture. | s apart a | | | | st showing. G | |
| culture. | | nd 4 in | ches in | the row, with their tops ju | | Lb. |
| Plant in drills about 12 inches culture. Yellow Onion Sets | | nd 4 in | ches in | he row, with their tops ju | | Lb\$0 30 |
| culture. Yellow Onion Sets | | nd 4 in | ches in | he row, with their tops ju | | Lb \$0 30 35 |

PARSLEY

Persil Perijil

CULTURE.—Soak the seeds a few hours in lukewarm water, and sow early in spring and until the middle of July in drills I foot apart. Have the soil thoroughly pulverized, and, after sowing the seed, pat it down lightly with the spade. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 8870 should be thinned out while young, and managed in after cultivation the same as carrots and parsnips. The roots are edible either raw or cooked.

| All 5 cents per packet | Oz. | ¹/₄lb. | Lb. |
|---|--------|--------|--------|
| Thorburn's Extra Curled. Superior8850 | \$0 15 | \$0 50 | \$1 50 |
| Thorburn's Champion Moss Curled. Pretty8855 | 15 | 50 | I 50 |
| Plain. The ordinary form8865 | 15 | 40 | I 25 |
| Hamburg, Thick-rooted | 20 | 60 | 1 75 |



PANAIS PARSNIP Chirijia

Culture.—Sow as early in the spring as the ground can be worked, in rich soil, free from large stones and without lumps, in drills 18 inches apart. The ground should be well and deeply dug. Thin to 6 or 8 inches in the rows. Hoe and cultivate often to keep down weeds.

All 5 cents per packet

| Thorburn's Hollow-Crown. A | | 1/4lb. | Lb. |
|--------------------------------|--------|--------|--------|
| market-gardener's strain. 8890 | \$0 15 | \$0 50 | \$1 50 |
| Guernsey 8896 | 15 | 50 | I 50 |

PEAS

Pois Chicharos o Guisanthes

Culture.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over-rich, suits the Pea. Sow as early as the ground can be worked, and again every 10 days for succession. Peas may be sown in this vicinity as late as August 20. Medium and Late Peas must be planted early; Extra-Earlies may be planted again in August. Sow in single or double rows, from 4 to 6 feet apart, according to the different heights, about an inch apart in the row (except such sorts as we note to sow thinly), and 4 inches deep, 2 pounds to 100 feet of drill. In this climate, the O'Rourke Pea, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often and keep the ground clean and fine. As Peas suffer in drought, moisture should be conserved by good cultivation. They should also be planted deep, especially the later crops. For this purpose furrow out to 6 inches in depth and cover the seed to only 2 or 3 inches. As the plants grow, fill up the furrow, gradually while cultivating. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like bush beans, with rows about the same

distance apart. The holes which are sometimes found in Peas are caused by the Pea weevil (*Bruchus pisi*). The beetles lay their eggs on the young pods, and the larvæ as soon as hatched make their way through the pods and into the nearest Peas. If the new aphide attacks the Peas, spray the vines every day with clear water of the same temperature as the atmosphere.

Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas and not until the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas. Those marked thus (†) are large-podded sorts.

We supply packets of Peas at 15 cts. each, postpaid; other quantities not prepaid. Add postage at the zone rates

EXTRA-EARLY PEAS

| Thorburn Extra-Early Market. Our standard market-garden extra-early | Height in feet Lb. | 2 lbs. | 5 lbs. |
|---|--------------------|--------|--------|
| Pea; productive and profitable to grow8900 | 2 1/2 \$0 45 | \$0 85 | |
| Daniel O'Rourke, Improved. Extra early; favorite sort8910 | $2\frac{1}{2}$ 45 | 85 | 2 00 |
| First-of-All. First-class selected strain of extra-earlies8920 | $2\frac{1}{2}$ 45 | 85 | 2 00 |

| EXTRA-EARLY PEAS, continued | Height | 7 % | 0.11 | | <i>E</i> 11 | · |
|---|-------------------------------|---------------|-------------|----------|-------------|----------|
| Pedigree. Extra early; vigorous and prolific | in feet $2\frac{1}{2}$ | Lb. \$0 45 | 2 ll \$0 | | 5 11 \$2 | |
| The Leader. "Round-seeded Gradus." Long pods | $\frac{3}{2\sqrt{2}}$ | 40 40 | | 75 | I | |
| *† Thomas Laxton. A cross between Gradus and one of the extra-early sorts. | 272 | 40 | | 75 | Ι | 15 |
| Ripens within a day or two of the earliest round varieties; very produc- | | | | | | |
| tive. The pods are large and contain 7 to 8 large wrinkled Peas of the finest flavor | 3 | 55 | ī | 00 | 2 | 25 |
| finest flavor | 3 | 33 | • | | _ | -3 |
| to pick about four days after 8900. Pods very large, filled with large wrinkled Peas of finest quality | 2 | | т | 00 | 2 | 25 |
| Ameer (Claudit). Finest quality; exceedingly productive8970 | $\frac{3}{2\sqrt{2}}$ | 55 45 | | 00 85 | | 25 00 |
| *American Wonder. Early and productive; fine quality8980 | I | 50 | - | 95 | 2 | 25 |
| *Sutton's Excelsior. As early as American Wonder, with much broader pods, filled with large Peas of finest flavor; very prolific; one of the finest | | | | | | |
| dwarf Peas in cultivation8990 | I | 55 | I | 00 | | 25 |
| *Nott's Excelsior. Splendid early wrinkled sort; very prolific9000 Premium Gem. Early; straight pods; well filled9010 | I I | 50 50 | | 95 | | 25 25 |
| *Little Gem. Early: straight pods9020 | I 1/2 | 50 | | 95 95 | | 25 |
| *†Laxtonian. Very large, dark green, curved pods and Peas of finest flavor; | | | | | | - |
| *†Laxtonian. Very large, dark green, curved pods and Peas of finest flavor; great yielder; very early | 2 4 | 55 55 | _ | 00 | | 25 25 |
| Large podded I ea of the quality, very early vivivities | - | 00 | • | | | -5 |
| EARLY AND MEDIUM PEAS | | | | | | |
| *Advancer. A fine standard sort of excellent quality9130 | 2 1/2 | 40 | | 75 | I | 75 |
| *Abundance. Long, round, well-filled pods. Sow thinly9160 *Horsford's Market-Garden. On the style of Advancer; prolific9170 | 3 | 45 | | 85 | | 00 |
| Everbearing. Long pods; large Peas; sow thinly9180 | $2\frac{1}{2}$ $2\frac{1}{2}$ | 45 45 | | 85 85 | | 00 |
| †Pride of the Market. Very large pods; green Peas. Sow thinly9190 | 2 | 45 | | 85 | | 00 |
| *Champion of England. A well-known standard sort. Sow thickly 9200 *Dwarf Champion (Juno). A dwarf form of the popular Champion of | 5 | 60 | I | 10 | 2 | 50 |
| England, with large pods; very productive; finest quality9210 | 2 | 60 | I | Io | 2 | 50 |
| *†Duke of Albany (American Champion). Immense pods on style of Tele- | _ | 6- | Ţ. | ~ ~ | • | 0.0 |
| phone; very superior9220 | 5 | 65 | 1 | 25 | 3 | 00 |
| MAIN- AND LATE-CROP PEAS | 5 | | | | | |
| *†Admiral Dewey. Enormous pods; large wrinkled Peas of fine flavor; very | | | | | | |
| productive | 4 | 60 | | I0 | | 50 |
| * † Potlatch. A large-podded Pea; fine | 2 2 | 55 55 | | 00 | | 25 25 |
| † Telegraph. Large pods and Peas9440 | 4 | 55 | I | 00 | 2 | 25 |
| *†Telephone. Enormous pods and Peas of best quality9450 Boston Unrivalled. Large pod; prolific; suitable for light soil9455 | $\frac{4}{4\sqrt{2}}$ | 65 60 | | 25 10 | | 00 50 |
| Late White Marrowfat. Very hardy and prolific9460 | 4/2 | 40 | • | 75 | | 75 |
| Late Black-eyed Marrowfat. Very hardy and prolific9470 | 3 | 40 | | 75 | | 75 |
| SUGAR PEAS (Edible Pods) | | | | | | |
| Sugar Peas have edible pods which are eaten when young. | | | | | | |
| Mammoth-podded Sugar. Immense pods9540 | 5 | 55 | | 00 | | 25 |
| Mammoth Melting9560 | 4 | 55 | I | 00 | 2 | 25 |
| | | | | | | |

PIMENT PEPPER Pimiento

CULTURE.—Sow in hotbeds in March and, when the soil has become warm, set in rows 2 feet apart and 18 inches in the rows. Hoe frequently. The plants may also be forwarded in small pots. The soil should be light, warm, and rich, but not dry. One ounce will produce 1,500 to 2,000 plants. In case of frost give cover—or if the vines bend and the fruit is likely to be soiled, give support.

All 15 cents per packet except where quoted otherwise

| Bell, Large. Bright red; largely used for pickling. It is of such mild flavor that it may be eaten as | Oz. |
|---|--------|
| a vegetable9650 | \$0 75 |
| CHINESE GIANT. Very large; flesh very mild and thick; bright scarlet color9660 | I 00 |
| Cayenne Long Red. Slender pods; 3 inches; pungentpkt. 10 cts9670 | 50 |
| Crimson Giant. Upright growth; large, thick, mild flesh | 75 |
| Golden Dawn. Mild and sweet; handsome and distinct; small9690 | 75 |
| Monstrous, Sweet. Very large and of mild flavor; for use when greenpkt. 10 cts9710 | 60 |



PEPPER, continued

All 15 cents per packet, except where quoted otherwise Neapolitan. Early and productive; large and Perfection Sweet. A very sweet Pepper, piquant flavor, not fiery; medium size; thick-skinned and of brilliant scarlet; top-shaped...........9725 75 **Red Cherry.** Cherry-shaped; used for pickles; very 60 King. Flesh very thick, mild, and sweet; fine 75 mild and delicate......9764 75 Ruby King. Bright red; 4 to 6 inches long; mild; 75 60 60

PUMPKIN

Chinese Giant Pepper (see page 33)

CULTURE.—Any average garden soil will do. May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 to 10 feet apart each way, 4 seeds in a hill. Spade into the hills a bushel or more of compost, and a double handful of good appropriate factilities. of compost, and a double handful of good commercial fertilizer. In other respects is cultivated in same manner as melons and cucumbers. Avoid planting near other vines. Sow seeds about I inch deep, I ounce for 30 hills. If the largest possible fruit is wanted, allow but one to set on a plant, pinching off all others.


| Tor Jo mile. It the largest possible trait is want | • | | | | on a plane, planen | 8 0 0 | 0 011010 | |
|---|----------|-----------|------|-------|--|------------|----------|------------------|
| All | 5 cents | per pac | ket | | | Oz. | 1/41b. | Lb. |
| Large Cheese. Flat; one of the best varieties | for fan | nily use. | | | 10150 | \$0 I5 | \$0 50 | \$1 50 |
| Early Sugar. Fine-grained, sweet and prolif | ic: smal | 1: vellov | v. F | `latı | tened or slightly | #0 | # - O - | R - 0 |
| | | | | | 10170 | 15 | 50 | I 75 |
| Golden Oblong. Orange skin; light yellow | Oz. | 1/41b. | I | b. | | 0 | U | , 0 |
| flesh; fine quality; good keeper10200 | | \$0 50 | \$1 | 75 | | | | |
| Cushaw Striped. A splendid striped crook- | " 0 | " O | | • • | | | | |
| neck variety | 20 | 60 | 2 | 00 | | | _ | |
| Cushaw White, or Jonathan. A white | | | | | | 1000 | | |
| crookneck variety of excellent quality; fine | | | | | 4 | | | |
| for pies | 20 | 60 | 2 | 00 | | | | |
| Cushaw Mammoth Golden. A golden yel- | | | | | | | | |
| low variety of excellent quality; fine for | | | | | We have | | | |
| pies10225 | 20 | 60 | 2 | 00 | | | | |
| Tennessee Sweet Potato. Very large; bell- | | | | | | | | |
| shaped; thick white flesh; fine for pies.10230 | 15 | 50 | Ι | 75 | E PAGE | | | |
| Japanese Pie. Early; dark green; flesh yel- | | | | | | | | |
| low. Similar in size and form to the well- | | | | | | | | 3/ |
| known Cushaw | 15 | 50 | Ι | 75 | / / / / / / / / / / / / / / / / / / / | | | |
| Mammoth King. Salmon-orange skin; very | | | | | 14.00 | | | |
| thick bright yellow flesh; fine grained and | | | | | | | | (1 9 7))) |
| tender. Grows to an enormous size10260 | 20 | 60 | 2 | 00 | | | | |
| Mammoth Tours. Very large, oval; deeply | | | | | | | | |
| ribbed; skin greenish yellow; flesh thick and | | | | | 10 10 10 | | | A & & & A |
| deep yellow10270 | 20 | 60 | 2 | 00 | | | | |
| Quaker Pie. Bell-shaped, slightly crooked; | | | | | | | | 4 14 1 |
| very large; yellow, mottled green; yellow | | | | | | | | |
| flesh; very prolific and a good keeper; fine | •• | 60 | _ | 00 | | | 4 | |
| for pies | 20 | 60 | 2 | 00 | | | | |
| Red Etampes. Medium size, round, flat; ribs broad and well marked; skin a very bright | | | | | | | | |
| and distinct orange-red color. Fine thick | | | | | | 1 1 2 | | |
| yellow flesh; grows 12 to 15 inches in diam- | | | | | | | | |
| eter10285 | 20 | 60 | 2 | 00 | A Company of the Comp | | | |
| Winter Luxury. Medium size, nearly round; | 20 | 00 | _ | 00 | | | | |
| russet yellow; very thick light yellow flesh. | | | | | | | | 3127 |
| A fine keeper and one of the best for | | | | | | W. | | |
| pies10290 | 15 | 50 | I | 75 | | | | |
| Connecticut Field. Very large, oval, flat- | -0 | 0- | | , 0 | | (i) | | |
| tened ends; red; deep yellow skin and flesh. | | | | | | | 400 | |
| Grown in cornfields for stock10300 | 15 | 50 | I | 50 | Ouak | er Pie I | Pumpkin | |
| | J | 0 | | | | | | |

POMME DE TERRE POTATOES Patatas

Grown Expressly for Seed. In Barrels

CULTURE.—Three to 4 barrels to the acre, I peck for 100 feet of row. In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil,

neither dry nor wet. It is wise to select a variety that has done well in the gardener's locality. The farther south the grower lives, the surer he should be that his seed is from the North, for southern-grown seed keeps poorly and sprouts badly. Be sure that all danger of frost is past before planting. Cut the potatoes into chunky pieces of one quarter or so, not thin slices, and plant in rows 3 feet apart, and the sets I foot in the rows and about 4 inches deep. If wood-ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During



Carman No. 1 Potato

this time shoots will start out strong and vigorous, so that, as soon as planted they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted and then lift carefully, so as not to break the sprouts, and set out on fresh horse dung, so that the heat will cause them to start at once. For diseases and pests in general, beginning when the plants are up 6 to 8 inches, spray with a mixture of bordeaux and paris green every two weeks or so. If the Colorado Potato beetle makes its appearance, the vines must be dusted with paris green mixed with about 80 parts of plaster, or, what is better, mix the paris green in water, one small tablespoonful to a pailful, and apply with a small brush or broom. Take care to stir the mixture often, or else the paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

These are prices ruling January 1; later on they may be higher and are subject to change without notice.

We ship Potatoes entirely at customer's risk

One barrel weighs 165 pounds net; one bushel, 60 pounds net

EARLY POTATOES

| Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure | 1/2pk. | Pk. | ½bus. | Bus. | Bbl. |
|--|--------|--------|--------|--------|--------|
| white flesh; early; very productive and of the finest quality10420 | \$0 70 | \$I 00 | \$1 90 | \$3 50 | \$9 00 |
| Irish Cobbler. Fine; white; vigorous grower | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Bovee. Extra early; very productive; fine quality; flesh white10440 | 70 | | | | 9 00 |
| Early Rose. Popular market sort; very early; fine quality; very produc- | | | | | |
| tive | 70 | I 00 | I 90 | 3 50 | 9 00 |

INTERMEDIATE AND LATE POTATOES

| Gold Coin. A splendid main-crop variety of remarkable productive- | | | | | |
|---|----|------|------|------|------|
| ness and finest table quality; slightly oblong form; light golden skin; | | | | | |
| flesh pure white, fine-grained; cooks very dry10520 | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Carman No. 1. This most valuable Potato was introduced by us in 1894, | | | | | |
| and it is a recognized high-class standard sort the world over. The | | | | | |
| finest second-early Potato ever offered | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Dibble's Russet. Best main-crop Potato now in cultivation; round to | | | | | |
| oblong in shape, of good size; pure white flesh; russet skin; few and | | | | | |
| shallow eyes; excellent quality; very productive and a good market | | | | | |
| variety; vines rich dark green, very robust, and extremely disease re- | | | | | |
| sistant | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Sir Walter Raleigh. Very productive; white flesh of best quality 10560 | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Rural New Yorker. An old standard Potato. Very few and shallow | | | | | |
| eyes; fine, pure white skin and flesh; immense yielder; fine table quality, | | | | | |
| cooking very mealy | 70 | I 00 | I 90 | 3 50 | 9 00 |
| Green Mountain. Oval shape; white skin and flesh; excellent; heavy | | | | | |
| yielder | 70 | I 00 | I 90 | 3 50 | 9 00 |



RADISH

RADIS ET RAVE

Rabanos y Rabanitos

CULTURE.—Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, and 1/2 inch deep, every week or 10 days for a succession up to the middle of June, after which they are but little used unless a cool northern spot can be had, where the ground is shaded during a part of the day. They should be sown in light, rich soil, as a crisp Radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre; I ounce for 100- to 125-foot row. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast and small turnip-shaped sorts. Varieties marked with an asterisk (*) are best suited for market-gardeners.

All 5 cents per packet

| No. of the last of | *Turnip, Early Scarlet. | Oz. | ½1lb. | Lb. |
|--|--|------|----------|--------------|
| 1 | Veryearly. The French | | | |
| | favorite10680 | | \$0 45 | \$1 25 |
| | *Turnip, Early Scarlet Forcing. Crisp; very | | | |
| | early10690 | | 50 | I 50 |
| , | *Turnip, Extra - Early | | 50 | 1 50 |
| | Scarlet Globe-shaped Turnip Radish Scarlet Forcing, "Ne | | | |
| | Plus Ultra"10700 | _ | 50 | I 50 |
| *Turnip | b, Early Scarlet White-tipped. Very early; for frames or outdoors. 10710 | | 50 | I 50 |
| * " | Forcing, Rosy Gem10720 | | 50 | 1 50 |
| * " | Cooper's Sparkler. Carmine, with white tip10750 | | 50 | 1 50 |
| * " | Deep Scariet. Very early; crisp | | 50 | 1 50 |
| * ** | " SCARLET GLOBE-SHAPED. Fine for forcing or open ground. The Radishes are almost round, of a beautiful rich scarlet, very | | | |
| | tender and crisp10810 | | 50 | I 50 |
| 66 | " CRIMSON GIANT FORCING. Good also for outdoors. In spite | | 50 | 1 50 |
| | of their large size these Radishes are crisp and solid10820 | | 50 | I 60 |
| " | " White | - | 50 | I 60 |
| 66 | " Round White Forcing, or Box | | 50 | I 60 |
| " | Large White Summer10860 | 15 | 50 | I 50 |
| " | Early Yellow. Extra early | | 50 | I 50 |
| | Breakfast. Pink and white; early11000 | | 50 | 1 60 |
| | shaped Scarlet11094 | | 50 | I 50 |
| | ong Deep Scarlet (Paris Beauty)11140 | | 50 | I 75 |
| | Scarlet Short-Top. Very long; crisp; for frames or outdoors11180 | | 50 | I 60 |
| | White Vienna, or Lady Finger. Crisp and tender in summer11220 | | 50 | 1 50 |
| | cicle. Pure white; of fine flavor; suitable for forcing | | 50 | I 50 |
| | Cincinnati Market. An improved strain of Long Scarlet | | 50 | I 60 |
| | Scarlet Chartier. Tipped white; splendid summer variety11245 | | 50 | I 50 |
| | Nood's Frame. Long; red; crisp; good forcer | | 50 50 | 1 50 1 75 |
| *Winte | r Rose Chinese Half-long. Very handsome and distinct and keeps | 1.5 | 30 | 1 /3 |
| well. | | 15 | 50 | I 50 |
| | r Long Black Spanish. The popular winter sort | | 50 | 1 6o |
| | r Round Black Spanish. Fine for winter | | 60 | I 90 |
| | r Celestial. Roots white, cylindrical, very large; flesh white; mild | | | |
| flavo | r | 15 | 50 | I 50 |
| Winte | r California Mammoth White. Very large winter variety11450 |) 15 | 50 | 1 50 |
| | ajima (Mammoth Japan). The largest sort in cultivation. Sow early in rich | | | |
| | In Japan it grows as much as 21 inches long and 43 inches in circumference. | | 75 | 2 50 |

75

2 50

ROQUETTE

CULTURE.—Sow early in spring, and thin out to 8 to 10 inches. If kept well scuffled and watered the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange-blossoms. 11590. Pkt. 10 cts., oz. 30 cts., ½lb. 85 cts., lb. \$3.

RHUBARB

Transportation charges extra

SCOLYMUS

The roots resemble a small parsnip, and will keep through the winter like a turnip. It is cultivated exactly like the carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled like salsify. 11740. Pkt. 10 cts., oz. 30 cts., ½ lb. \$5 cts., lb. \$3.

SCORZONERA

Corzonere

Escorzonera

CULTURE.—Cultivate the same as salsify. It is cooked in the same manner, but on account of being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to salsify. It is also called Black Salsify. 11780. Pkt. 10 cts., oz. 40 cts., 1/4 lb. \$1.25, lb. \$4.

SALSIFY, or VEGETABLE OYSTER

SALSIEIS

Ostion Vegetal

Culture.—Salsify will grow in any good garden soil. Work in some good general chemical fertilizer and scatter some of it along the furrow, covering lightly before dropping in the seed. Sow as early as the ground can be worked in the spring, in drills 12 inches apart, I inch deep, and thin out to 6 inches in the row. Use I ounce to a 60-foot row; 8 to IO pounds to the acre. Keep the plants free from weeds. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces ½inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like parsnips, and have a sweet and agreeable flavor. Mashed and fried, the flavor is much like that of the oyster.

SORREL

OSEILLE

Acedera

Culture.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flower-stems cut off as they appear. It remains in the ground year after year, and needs to be taken up and divided only once in four or five years. To be cut and cooked precisely like spinach, or it is excellent cooked with it, one-third sorrel to two-thirds spinach. It is also used for soups. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

| All 10 cents per packet | Oz. | 1/4lb. |
|-----------------------------------|--------|---------------|
| Garden, Large French 11930 | \$0 30 | \$1 00 |
| " Mammoth Lyons, White11940 | 30 | I 00 |
| " Golden-leaved Lyons | 30 | I 00 |



Mammoth Sandwich Island Salsify

Would you like to have larger and better crops, with less fertilizer and less labor, and at the same time improve the soil for future crops? Mulford's Cultures or Farmogerm will do all this for you. They increase the yield of Peas and Beans, likewise the quality, and cause them to bear earlier and longer. See page 58 for full information.



SWISS CHARD, or SILVER

Silver-Leaf. This is a Beet producing leaves only, of a quality superior to those of the ordinary Beet, and excellent as greens. Cultivate about the same as spinach, by sowing the seed in early spring in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. When thinned out to I or I1/2 feet apart in the rows, pull the leaves as required, leaving the interior head to grow again. Good cultivation will increase the delicacy and tenderness of the leaves. 1690. Pkt. 5 cts., oz. 15 cts., 1/4lb. 50 cts., lb. \$1.75.

Giant Lucullus. Large, crinkled leaves; tender and of fine flavor; dark green; pure white ribs. 1700. Pkt. 5 cts., oz. 15 cts., ½lb. 50 cts., lb. \$1.80.

SPINACH

EPINARD Espinaca

CULTURE.—Sow in early spring, I inch deep, in drills a foot apart (10 to 12 pounds to the acre; I ounce to 100-foot drill), every two weeks for a succession, and, as it grows, thin out for use. Soil should be rich and light. Spade in plenty of compost or well-rotted manure, Giant Lucullus Swiss Chard

Gi

three or four seeds in a hill.

All 5 cents per packet

| Round Viroflay (Thick-leaved). Has very large, thick, dark green leaves; the favorite market-gardeners' sort for fall or spring sowing | Oz. \$0 IO | ¹ / ₄ lb. \$0 25 | Lb. \$0 75 |
|--|---------------|---|---------------|
| Long Season, Thorburn's. Stands longer before running to seed than any other | | | |
| sort except New Zealand12010 | 10 | 25 | 75 |
| Round-leaved Flanders. A standard sort | 10 | 25 | 75 |
| Curled-leaved Savoy, (Bloomsdale). Large curled and wrinkled leaves; tender and of finest flavor | 10 | 25 | 75 |
| Long-standing (Round Thick-leaved). Dark green; leaves large and thick; very long-standing. Best for spring growing | 10 | 25 | 75 |
| Victoria. Extra-dark, black-green color. Two or three weeks later than the ordinary "Long-standing." A fine variety for spring sowing | | 25 | 75 |
| Prickly, or Winter. Vigorous and hardy; recommended for fall sowing12080 | | 45 | I 25 |
| Triumph. An improved long-standing sort | 10 | 25 | 75 |
| New Zealand Summer. Not a Spinach, but used as such. Grows 1½ feet high and is very prolific. Pick the leaves and shoots as wanted. It does well in hot summer weather; valuable for hot climates. Soak the seed in hot water before | | 60 | • • • • |
| sowing | 20 | 60 | 2 00 |



Mammoth Whale Squash (see page 39)

SQUASH


Courge

Calabaza

CULTURE.—Sow in hills in the same manner and at the same time as cucumbers and melons, the bush varieties 3 to 4 feet apart, the running kinds from 6 to 9 feet apart. Four ounces to 100 hills for bush varieties and eight ounces for running varieties.

All 5 cents per packet except where quoted otherwise

| BUSH VARIETIES | • | |
|--|---------------------|--|
| Early Golden Bush. Fine for summer; not so early as the White Bush12200 | Oz. \$0 25 | ¹ / ₄ lb. \$0 75 |
| Golden Custard. Mammoth strain of the Golden Bush. A valuable variety; golden yellow flesh; fine quality | 25 | 77 |
| Early White Scallop Bush. A good early shipping variety | 25 25 | 75 75 |
| duces larger fruits | 25 | 75 |
| lific | 25 | 75 |
| Summer Crookneck. Yellow fruit; distinct; best for summer | 25 25 | 75 75 |
| " Giant; double the size of the above | 25 | 75 |
| " White fruited | 25 | 75 |
| dark green, marbled yellow or pale green | 45 | I 25 |
| | | |
| RUNNING VARIETIES | | |
| Boston Marrow. Oval; bright orange; Oz. 1/4lb. flesh yellow and fine12410 \$0 25 \$0 75 | | |
| Delicata. Orange-yellow, striped green; small size, but very prolific; it is extra | | |
| early, solid, and a good keeper; flesh | | |
| dry and of fine quality | +3 | |
| Delicious. Green skin; orange flesh, fine-grained, sweet and dry 12450 25 75 | | |
| Fordhook Running. One of the best | | |
| winter sorts; fine quality12470 20 60 Hubbard. Well known and liked for late | | |
| use; an excellent sort for | | |
| pies | | |
| Golden or Red. Same as above, but with orange- | | |
| red skin12510 25 75 | | |
| " Mammoth Warted. Immense size, covered with | | |
| warts12530 25 75 | | 7 |
| Mammoth Chili. Rich orange flesh; grows to an enormous size12540 25 75 | | |
| grows to an enormous size12540 25 75 Mammoth Whale. Enormous size; | | |
| solid; bright orange flesh of fine qual- | | |
| ity | | |
| tive; fine keeper | | |
| Orange Marrow. Quite distinct; very early, and of most delicate flavor; suitable for fall | Oz. | 1/4lb. |
| and winter | <i>ф</i> 0 25 30 | \$0 75 I 00 |
| Early Prolific Marrow. Similar to Boston Marrow, but earlier; bright orange; delicate, rich | 25 | 7.5 |
| flavor; vigorous and very productive | 25 | 75 |
| 2 feet long, 3 inches in diameter, tapering to 2 inches. Should be eaten when young. 12598 | 30 | I 00 |
| VEGETABLE MARROW | | |
| English. True strain; cream color | Oz. | 1/4lb. \$0 75 |
| " True strain; white | 25 | 75 |
| "True strain; green | 25 | 75 |
| Skin smooth, dark green, marbled yellow or pale green. In Italy it is eaten when quite | | |
| youngpkt. Io cts12700 | 45 | I 25 |



TOMATO TOMATO Tomate

Culture.—Sow in a hotbed in early spring, about 1/8 inch deep, or the seed may be sown in shallow boxes and placed in a window when one does not wish to have the trouble of making a hotbed. One ounce will produce 1,500 to 2,000 plants. Transplant to the open ground when all danger of frost is past, setting the plants 3 to 4 feet apart each way. Soil should not be wet, but should have a good supply of moisture. It should be deep, with plenty of well-rotted manure. Avoid any nitrogenous food, and dress the plants only once or twice lightly with manure water or nitrate of soda. Fruit may be had several weeks earlier by sowing seed quite early and transplanting into small pots. When setting out plants, put them several inches lower in the ground than they stood in the pot, in order that they will not dry out. Tomatoes that have not ripened at the end of the season may be taken from the vines and placed in empty coldframes, or wrapped in tissue paper and carefully packed in flat boxes, where a large proportion of them will ripen from time to time, frequently until Christmas.

The varieties marked * are best for forcing


| All 10 cents per packet, except where quoted otherwise | Oz. | 1/4lb. |
|--|------|--------|
| Acme. Medium size; smooth and good; crimson | | \$1 50 |
| *Atlantic Prize. Extra early; smooth; medium scarlet; good size | 50 | 1 50 |
| Beauty. Large; smooth; dark crimson; thick flesh; regular form | 50 | I 50 |
| Bonny Best. Very early; scarlet; medium to full market size; even, smooth and regular; | | |
| valuable for home garden or market | 50 | I 50 |
| Buckeye State. Very large and productive; crimson; smooth, uniform; good quality12780 | 50 | I 75 |
| *Carter's Sunrise. Early and productive; medium-sized, bright scarlet fruits; smooth | | |
| and solid; for forcing or for outdoors | 60 | 2 00 |
| Chalk's Early Jewel. Fine; large; solid; smooth; scarlet; similar to Stone; early12800 | 60 | 2 00 |
| Coreless, Livingston's. Almost round; bright red; very productive. Ripens all over at | | |
| once and being almost free from green core it is an exceptionally fine slicing sort12810 | 30 | I 00 |
| Crimson Cushion. Extra large; handsome; bright crimson | 75 | 2 50 |
| Cluster, Thorburn's Improved. Bright scarlet; grows in bunches like grapes12835 | 50 | I 50 |
| Dwarf Champion. Quite distinct; early; fruit like the Acme; crimson; of medium size; | | |
| good quality | 50 | I 75 |
| Dwarf Giant. Largest-fruited of all dwarf sorts; crimson; firm flesh of delicious flavor. | | |
| Compact and vigorous grower | 50 | I 50 |
| *Earliana. Extra early; cardinal-scarlet; smooth | 50 | I 50 |
| Favorite. Large, smooth; productive and good shipper | 50 | I 50 |
| *Frogmore Selected. Medium size; bright, deep red; smooth; very solid and fine-flavored. | | |
| An excellent sort for forcing under glass | 50 | 1 50 |
| Freedom. Early; regular and uniform; bright scarlet | 50 | I 50 |
| Globe, Livingston's. Very early; crimson; smooth and of large size; very productive and | (- | |
| a good keeper. A standard variety which retains its popularity | 60 | 2 00 |
| Golden Queen. Smooth; golden yellow; about size and form of Beauty; of good flavor | | |
| and solid; fine; very early | 75 | 2 50 |
| Lorillard. Bright glossy red; smooth; of fine flavor and very early; very productive and | l me | 0.50 |
| satisfactory13000 | 75 | 2 50 |
| TTY / / / / | | 1 |



Small-Fruited Tomato—Red Cherry

TOMATOES, continued

| All 10 cents per packet, except where otherwise quoted | Oz. | 1/4lb. |
|--|------------|--------|
| Matchless. Extra large; smooth and handsome; scarlet; very solid. Plant of vigorous | | |
| growth and prolific | \$0 50 | \$1 50 |
| Michigan Early. Large; scarlet; smooth and solid | 50 | 1 50 |
| Mikado. Crimson; large; smooth and solid | 60 | 2 00 |
| Noroton Forcing. Bright crimson; solid; very prolific; of uniform size, averaging about | | |
| six to a pound. Valuable forcer | 50 | I 50 |
| Optimus. Medium size; cardinal-scarlet; smooth and solid; second early | 50 | I 50 |
| Paragon. Cardinal-scarlet; round; very productive | 50 | 1 50 |
| Perfection. Early; regular and productive; scarlet | 50 75 | I 75 |
| RED ROCK. An improvement on the well-known Stone. Exceedingly firm-fleshed; very | /5 | 2 50 |
| large size, and ripens evenly without cracking. The vine is a strong, vigorous grower | | |
| and produces its fruit in great profusion | 50 | 1 50 |
| Ruby Early. Very early; large size; color bright scarlet | 50 | 1 50 |
| *Stirling Castle. Small size; solid; finest flavor; scarlet; good for forcing under glass13120 | 60 | 2 00 |
| Stone, Thorburn's. Very large; perfectly smooth; fine dark scarlet | 50 | I 50 |
| Stone Dwarf. In fruit resembling Dwarf Champion, but with much larger fruit; color | | |
| bright scarlet; perfect shape; very solid; of the best quality | 50 | I 50 |
| Success. Large; bright scarlet; smooth and solid; productive. Plant strong and thrifty in | = 0 | T = 0 |
| growth | 50 | 1 50 |
| thrifty grower | 50 | I 75 |
| Trucker's Favorite. Crimson; large; smooth and very regular in form; solid13210 | 50 | I 75 |
| | 0 - | , , |
| | | |
| SMALL-FRUITED TOMATOES | | |
| For pickling and preserving. Also invaluable for garnishing. | | Oz. |
| Red Cherry. Small fruits, used for pickles; very handsome | . 13300 | \$0 60 |
| "Currant. Resembles the currant. Useful for preserves, pickles, and exhibition purposes | . 13310 | 60 |
| "Peach. Resembles a peach; for preserves, pickles, and exhibition | . 13320 | 60 |
| " Pear. Fruit handsome and solid; fine for preserves | . 13330 | 60 |
| "Plum. Bright red; round; regular; for pickles | .13340 | 60 |
| Strawberry (Winter Cherry or Husk Tomato). Yellow; makes fine sauce | 13350 | 60 |
| Yellow Cherry. For pickles and preserves | 13370 | |
| " Pear. Handsome, yellow, pear-shaped fruits | | |
| " Plum. Round and regular; bright yellow; used for pickles | . 13390 | |
| Today and regular, bright years, about for premees | | |



Early Snowball Turnips

TURNIP

NAVET Nabo

Culture.—For early Turnips, sow as soon as the ground opens in spring. Nos. 13854 to 13930 should be sown from any time in July to first of August, but the other kinds, for winter use, may be sown from the middle of July to the end of August. Turnips are generally sown broadcast but much larger crops are obtained (particularly of the Rutabagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills, I pound to the acre; I ounce to 150 feet of drill; broadcast, 2 to 3 pounds to the acre.

All 5 cents per packet

| WHITE VARIETIES | | | |
|---|-------------|----------------|---------------|
| Cow Horn. Long; white; in shape resembling a cow's horn | Oz. | ⅓lb. \$o 6o | Lb. \$2 00 |
| Early Snowball. Small; of rapid growth; pure white | φ0 20 20 | φ0 00 60 | 2 00 |
| Globe-shaped Red-Top. A standard sort in the New York market13530 | 15 | 50 | I 50 |
| Globe Pomeranian White. Good either for table or stock | 15 | 50 50 | I 50 |
| Jersey Lily (White Model). Snow-white; globular | 20 | 60 | 2 00 |
| Kashmyr Scarlet. Bright, handsome color; small; flat; extra early; pure white flesh | ~0 | | _ 00 |
| of finest quality | 15 | 50 | I 50 |
| of finest quality | -0 | 0 - | - 0- |
| quality and tender | 25 | 85 | 3 00 |
| quality and tender | | Ŭ | Ŭ |
| as above | 25 | 85 | 3 00 |
| Strap-Leaf, White. A good early, white flat sort | 15 | 50 | I 50 |
| Strap-Leaf, Red-Top. The popular fall flat sort | 15 | 50 | I 50 |
| White Egg. Oval; handsome and sweet | 15 | 50 | 1 75 |
| | | | |
| YELLOW VARIETIES | | | |
| Aberdeen Yellow. Hardy, productive and a good keeper | 15 | 50 | I 50 |
| Amber Globe. Fine, sweet, light yellow sort | 15 | 50 | I 50 |
| Golden Ball. Very handsome; keeps fairly well | 15 | 50 | 1 50 |
| | | | |
| RUTABAGA | | | |
| American Purple-Top. Yellow flesh | 15 | 50 | I 50 |
| Bangholm. Extra selected. Small neck; yellow flesh; dark purple top13845 | 15 | 50 | I 75 |
| Budlong White Rock. Very early; round and white | 15 | 50 | 1 50 |
| Thorburn's Family. For family use | 25 | 75 | 2 25 |
| Laing's Improved Strap-Leaf | 15 | 50 | I 50 |
| Champion Purple-Top. Very large | 15 | 50 | I 75 |
| Sweet German or Russian | 15 | 50 | 1 50 |
| White Rutabaga | 15 | 50 | 1 50 |
| Yellow Perfection. Extra fine | 15 | 50 | 1 50 |

Seeds of Pot, Sweet and Medicinal Herbs

| , | | - | | |
|--|---------------------------------------|------|--------|----------------|
| Agrimony. For medicinal purposes | ulis 14000 | Pkt. | Oz. | 1/41b. |
| Angelica, Garden. For flavoring wines and cakes. Archangelica offici | | | ¢0 70 | |
| Anise. Seeds aromatic and carminative | | 10 | \$0 50 | |
| | | 10 | 30 | |
| Balm. For culinary purposes | 14040 | 10 | 50 | |
| Basil, Sweet. Culinary herb used for flavoring soups, etc | 14050 | | | |
| | | IO | 25 | |
| Basil, Dwarf or Bush. Culinary herbOcimum minimum | | 10 | 25 | |
| Belladonna. Used for medicine | | 25 | ĭ 00 | |
| Borage. Leaves used as a salad | 240 | 10 | 30 | |
| Caraway. For sowing. Used in flavoring liquors and | | | | |
| bread | | 10 | 30 | |
| Coriander. Seeds aromatic. For sowing | | | | |
| | b. \$114130 | 05 | 10 | A. |
| Dill. Ordinary variety | 14150 | 10 | 20 | \$o 5 o |
| Dill, Mammoth. Seeds used for flavoring vinegar. | 14154 | | | |
| Larger than the ordinary variety | | 10 | 20 | 50 |
| Elecampane. Has tonic and expectorant qualitiesInula Helenium. | | 25 | 1 50 | |
| Fennel, Sweet. Seeds aromatic; for flavoring Anethum Fænicula | | 10 | 20 | |
| " Florence. In flavor resembling celery Anethum Fænicula | <i>um</i> 14180 | 10 | 20 | 60 |
| Fumitory. A medicinal herb | | 25 | | |
| Hemlock. Has medicinal qualities. Poisonous Conium maculatur | <i>m</i> 14210 | 25 | 1 50 | |
| Henbane. Has medicinal qualities. Poisonous Hyoscyanus niger | | 10 | 50 | |
| Horehound. Has medicinal qualities | | 10 | 50 | |
| Hyssop. Has medicinal qualities | | 10 | 60 | |
| Lavender. True. For oil and distilled waterLavandula vera | | 25 | I 00 | |
| " Possessing qualities as above in a lesser | | 23 | 1 00 | |
| degree | 14260 | 10 | 50 | |
| Marigold, Pot. Single. For medicinal purposes Calendula officinal | | 10 | 25 | |
| Marjoram, Sweet. Is used in seasoningOriganum Majora | | 25 | I 00 | |
| " Pot. Used in seasoningOriganum Onites | | _ | | |
| · · · · · · · · · · · · · · · · · · · | | 25 | 2 00 | |
| Mint. Peppermint | | 25 | | |
| " Curled Mentha crispa | | 25 | | |
| Pennyroyal. Has medicinal qualities | | 25 | I 00 | |
| Rue. Said to have medicinal qualities | 14340 | 10 | 60 | |
| Sage, Broad-leaved. A culinary herb; also used in | | | | |
| medicine | | 25 | I 00 | 3 00 |
| Savory, Summer. Is used as a culinary herb Satureia hortensis. | | 10 | 50 | |
| " Winter. Is used as a culinary herb Satureia montana. | | 10 | 40 | |
| Tansy. Generally used in bitters | <i>2</i> 14410 | 25 | I 00 | |
| Tarragon. True. Does not produce seed. Roots in | 7 74400 | | | |
| fall and spring. 35 cts. each, \$3 for 10 | | | • 00 | |
| Thyme, English | | 25 | 2 00 | |
| "French | | 25 | 60 | |
| "Winter | | 10 | 50 | |
| Tras medicinai quanties | , , , , , , , , , , , , , , , , , , , | 10 | 30 | |
| | | | | |











Peppermint

Lavender

Sweet Fennel

Sage

Summer Savory

| TOBACCO SEED | • | 1/10 |
|--|---|---|
| Climax. A cross between Burley and Sterling; fine bright variety14610 | Oz. \$0. 75 | 1/4lb. \$2 00 |
| Connecticut Seed Leaf. The popular sort; used for cigar wrappers | 75 | 2 00 |
| Conqueror. Superior bright yellow | 75 | 2 00 |
| Gold Finder. A cross between Yellow Oronoka and White Burley | | 2 00 |
| Gooch Long-Leaf Improved. Fine for sandy soils | 75 80 | 2 00 |
| Hester Improved. Yellow; fine for cigars. Adapted to a greater variety of soils and to a wider range of latitude than most other yellow sorts | | 2 50 |
| Hyco. Fine yellow variety; easiest of all to cure | 75 75 | 2 00 |
| Kentucky Yellow. Leaf of large size, handsome shape, excellent quality and of surprisingly fine texture, taking size into consideration | ,, | 2 00 |
| Maryland | 75 | 2 00 |
| shape, fine texture and good body | 75 | 2 00 |
| and of sweet flavor | 75 | 2 00 |
| Pennsylvania Seed-Leaf. A first-class standard cigar variety | 75 | 2 00 |
| Persian Rose. Fine, may be relied upon to make fine cigars | 75 | 2 00 |
| Pryor, Blue. The genuine James River favorite | | 2 00 |
| Sumatra, Deli. Imported; the well-known sort | 75 1 75 | 2 00 6 00 |
| Turkish. Imported. Needs no description | I 75 | 6 00 |
| Tuckahoe. Extra-fine, long leaf; fine for wrappers | 7.5 | 2 00 |
| Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and habit. Unsurpassed in delicacy of fiber | | 2 00 |
| Virginia "One-Sucker." Large, wide, lance-shaped leaf; rather coarse than fine14750 | 75 75 | 2 00 |
| Virginia James River | 75 | 2 00 |
| White Burley, Improved. Leaf is large and broad, with yellowish white stem and ribs | | • 00 |
| Yellow Mammoth. Large yielder | 75 75 | 2 00 |
| All 10 cents per packet. Not less than 10 cents' worth sold | 7.5 | _ 00 |
| BIRD SEED, ETC. Prices of Bird Seed fluctuate considerably throughout the year. The prices now quoted are tho go to press, and may be higher or lower as the season advances. Bags and transportation of | se ruling | 1 (15 11) 0 |
| go to press, and may be higher of tower as the season advances. Bugs and transportation cl | harges e. | xtra |
| Canary Seed, Plain. Best grade | | Lb. .\$0 25 |
| Canary Seed, Plain. Best grade | | Lb. .\$0 25 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | s. \$4.50. | Lb. .\$0 25 . 25 . 25 . 12 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | \$4.50. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | \$4.50. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc. 25 lbs. \$2.50, 50 lbs. Lettuce Seed. Millet, Golden. Rape. Gravel for Cages. per qt. Cuttlefish Bone. Sunflower Seed for Parrots. | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc. 25 lbs. \$2.50, 50 lbs. Lettuce Seed. Millet, Golden. Rape. Gravel for Cages. per qt. Cuttlefish Bone. Sunflower Seed for Parrots. | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 5. \$4.50. 10 cts. | xtra Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | io cts | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | io cts | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 1 50 2 25 1 25 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 1 50 2 25 1 25 1 50 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 1,000 \$9 00 14 00 20 00 10 00 14 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 \$1 50 2 25 1 50 1 00 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 1 50 2 25 1 25 1 50 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 1,000 \$9 00 14 00 20 00 10 00 14 00 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 \$1 00 1 50 2 25 1 25 1 50 1 00 1 25 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 \$1 00 1 50 2 25 1 50 1 00 1 25 1 25 5 00 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 \$1 00 1 50 2 25 1 50 1 00 1 25 5 00 1 00 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 . 1 00 . 25 |
| Canary Seed, Plain. Best grade. Canary Seed, Mixed. Best grade. Hemp. Sorghum, Mixed (Kaffir Corn). For pigeons, etc | 100 \$1 00 \$1 00 1 50 2 25 1 50 1 00 1 25 1 25 5 00 | Lb\$0 25 . 25 . 25 . 12 . 40 . 20 . 20 . 1 00 . 25 . 1 00 . 25 |

HORTICULTURAL BOOKS

ALL CAREFULLY SELECTED STANDARD WORKS

| Delivered free in the United States. Kindly order by number | No. | | |
|--|--------------------|-----|----|
| Alfalfa. Illustrated. By F. D. Coburn | 3 | \$o | 75 |
| Asparagus. By Dr. F. M. Hexamer. | | 77 | 75 |
| A B C of Gardening. Flowers, Bulbs and Lawns. By Rexford | | | 50 |
| A B C of Vegetable Gardening. By Rexford | | | 50 |
| American Flower Garden, The. By Neltje Blanchan. How to obtain effects desired—culting | | | Jo |
| directions for styles of gardens—the flowers to use, etc | 8 | 2 | 00 |
| Bees, How to Keep. By A. D. Comstock | | I | 35 |
| Botany, The Story of Plant-Life. By Julia McNair Wright | 13 | | 75 |
| Cabbage, Cauliflower and Allied Vegetables. By C. L. Allen. Cloth. Illustrated | 17 | | 75 |
| Carnations, The Book of. By Brotherston and Smith | 18 | I | 10 |
| Celery-Culture. By Prof. W. R. Beattie | 21 | | 75 |
| Children's Gardens, for Pleasure, Health and Education. By H. G. Parsons | 25 | I | 00 |
| Chrysanthemums, and How to Grow Them. By Powell | 26 | I | 35 |
| Clovers and How to Grow Them. By Thomas Shaw. Cloth. Illustrated. 337 pages | 29 | I | 60 |
| Corn, The Book of. By Herbert Myrick | 33 | I | 75 |
| Culinary Herbs. By M. G. Kains | 37 | I | 00 |
| Dahlia, The. By Peacock | | | 65 |
| Daffodils. By Rev. Joseph Jacob. 8 colored plates | | | 80 |
| Daffodils—Narcissus and How to Grow Them. By A. M. Kirby | | I | 25 |
| Farm Animals. By E. V. Wilcox | | | 00 |
| Farm-Book, The New American. By Allen | | 2 | 00 |
| Farm Grasses of the United States. By Prof. W. J. Spillman. A practical treatise | | I | 60 |
| Farm and Garden Rule Book. By L. H. Bailey. A manual of ready rules and references. Clo | | | |
| 587 pages | | 2 | 50 |
| Farm Management. By F. W. Card. Accounts, business, marketing, etc. Illustrated | 71 | 2 | 00 |
| Farming, The First Book of. By C. L. Goodrich. A practical handbook | 77 | I | 35 |
| Fertilizers. By Prof. E. B. Voorhees | 89 | I | 60 |
| Fertility of the Land, The. By Prof. I. P. Roberts, Cornell University | 95 | I | 50 |
| Flowers, How to Grow Them. By Rexford | 101 | | 75 |
| Flower-Garden, How to Make a. By many experts. 200 illustrations | 115 | 2 | 00 |
| Forage Crops, Other Than Grasses. By Thomas Shaw. Practical. Illustrated. 287 pages | | I | 60 |
| Forcing Book, The. By L. H. Bailey. How to grow vegetables under glass. Cloth | | | 50 |
| Fumigation Methods. By Willis G. Johnson. A practical treatise | | | 60 |
| Garden-making. By L. H. Bailey. All the information wanted by everyone who buys a sin | | 1 | 00 |
| packet of seeds or grows one plant. Illustrated | 147 | т | 75 |
| Garden Steps. By Ernest Cobb. A Manual for the Amateur in Vegetable Gardening. Illus | | • | 60 |
| | | • | |
| Greenhouse Management. By L. R. Taft. | | 2 | 00 |
| Hedges, Windbreaks, Shelters and Live Fences. By E. P. Powell. The planting, growth a management of hedge plants. | 161 | | 75 |
| Home Fruit Grower. By M. G. Kains. A clear, simple, practical and comprehensive volu- | me | | |
| for the amateur who seeks to grow high quality fruits for home needs, whether to eat out hand as dessert, or put up in some culinary way. Illustrated. Cloth | | т | 60 |
| | | 1 | 00 |
| Home Vegetable Garden. By A. Kruhm. A practical guide for the beginner and small hogardener as well as the commercial gardener | | т | 25 |
| How Crops Grow. By Prof. S. W. Johnson. | | | 60 |
| | | 1 | 00 |
| How to Grow Vegetables. By Allen French. Practical from the ground up. Cloth. 12 mo. pages. 150 illustrations. | 304 1 77 | т | 75 |
| How to Plan the Home Grounds. By Samuel Parsons, Jr. Cloth. 56 illustrations | | | 00 |
| | | | 25 |
| How to Know the Wild Flowers. By Mrs. William Starr Dana. Illustrated | | 2 | |
| Iris. By C. S. Harrison. A manual. Description, classification, propagation and cultivation | | | 25 |
| Landscape Gardening. By Robert B. Cridland. Practical | | | 00 |
| Lawns and How to Make Them. By Leonard Barron | | I | 25 |
| Mushrooms, How to Grow. Falconer | 209 | I | 50 |
| Lilies. By A. Grove. 8 colored plates | 211 | | 80 |

HORTICULTURAL BOOKS, continued Kindly order by number

| Kindly order by number | No. | | |
|--|----------------------------------|----|----------------------|
| Manual of Gardening. By L. H. Bailey. A practical guide to the making of home grounds and the growing of flowers, fruits, and vegetables for home use, preparing the ground, handling the land, enriching the land, pruning, tree surgery, insecticide spraying formulas, treatment for insects, plant diseases, perennials, bulbs and tubers | 13 4 | 52 | 50 |
| Market Gardening. By F. L. Yeaw, formerly Professor of Market Gardening, Massachuset Agricultural College | ts | | 75 |
| Milady's House Plants. By F. E. Palmer. Popular house plants with advice about the benchmark to grow indoors. 100 illustrations. Cloth | est | | 10 |
| Modern Fruit Marketing. By B. S. Brown | 18 | I | 60 |
| Onion Culture, The New. By T. Greiner | | | 75 |
| Orchard and Fruit-Garden. By E. P. Powell | | | 25 |
| Ornamental Gardening for Americans. By Elias H. Long | | | 00 |
| Pæony. A manual on propagation and cultivation. By C. S. Harrison | | | 25 |
| Plant Breeding. By L. H. Bailey. Treats of crossing, hybridizing, pollination, etc | | | 25 |
| Pansies and Violets. By William Cuthbertson. 8 colored plates | | | 80 |
| Phlox. A manual. How to grow them. By C. S. Harrison | | | 40 |
| Pea and Pea Culture. By G. C. Sevey | | | 75 |
| Plant Propagation, Greenhouse and Nursery Practise. By M. G. Kains | | | 00 |
| Potato, The. By Fraser. Cloth. 200 pages | | | 00 |
| Practical Potato-Culture. By E. A. Rogers. A valuable book, recommended by the Pennsylvan Department of Agriculture. The author touches upon everything pertaining to potato-growing whether it be little or big, the marketing, storing, and diseases, including hints on raising vegetabe for the home garden. A practical guide for the potato-grower | ia ng, les 41 | 1 | 50 |
| Practical Garden Book, The. By L. H. Bailey and C. S. Hunn. Directions for growing the co | | | ~ |
| monest plants | | | 25 |
| | | | 50 |
| Principles of American Forestry. By Samuel B. Green | | | 55 |
| Pruning Book, The. By L. H. Bailey. A manual of pruning and training. Cloth | | | 50 |
| Rose, The. By H. B. Ellwanger | | | 65 |
| School Garden, How to Make a. By H. D. Hemenway. 26 illustrations | | | 25 |
| Silos, Ensilage and Silage. By M. Miles | | | 75 |
| Small-Fruit Culturist. By A. S. Fuller | | I | 50 |
| Soiling Crops and the Silo. By Shaw. Cultivating and harvesting—How to build and use a single Cloth. Illustrated. 364 pages. | 283 | | 75 |
| Soils, How to Handle and Improve. By Fletcher. Crash-cloth. 100 photographs | | 2 | 00 |
| Spraying Crops, The. By C. M. Weed | | | 75 |
| Spraying of Plants, The By E. C. Lodeman | | Ι | 75 |
| Sweet Corn. By A. E. Wilkinson. For the small farmer, market gardener, and commercial grow | | | 40 |
| Illustrated | 97 | I | 00 |
| Britain | 11 | | 55 |
| Sweet Peas. By Horace J. Wright. 8 colored plates | 13 | | 8 o |
| The Young Farmer. By Thos. F. Hunt. Just the book for a beginner | 14 | I | 60 |
| Tree Book, The. By Julia Ellen Rogers. Manual of North American trees. Cloth. Illustrate 16 color plates and nearly 350 photos. | ed. 21 | 5 | 25 00 |
| Tree Shrubs and Herbaceous Perennials. By Kirkegaard. It contains just such information one requires in making the best selection of varieties and to care properly for trees and otl plants, and for lawns and gardens. The many plants that are worth while are authoritative described. Flowering season of each plant is given, its ultimate height, color of bloom, etc., expenditudes the properties on insects, spraying, pruning, trimming, cultivating and the preparation of so Contains lists of trees, shrubs, vines, and flowers adapted for various special purposes. Illustrate | ner ely tc. ils. ed. | | |
| An every-day reference book for every lover of plants | | | 70 |
| Truck-Farming at the South. By Oemler | | | 50 |
| Vegetable Garden, The. By Ida D. Bennett | | | 25 |
| Water-Lilies and How to Grow Them. By H. Hus and H. S. Conard | | | ² 5 25 |
| Woman's Hardy Garden, A. By Helena Rutherfurd Ely | | | 75 |
| | | | . 0 |



Lawns like this can be produced by sowing Thorburn's Lawn Grass Seed

ABOUT LAWNS AND LAWN GRASS SEED

Formation of Lawns from Seed

There is nothing more attractive than a well-kept lawn.

Many things are to be considered in connection with the making and proper care of lawns. A good lawn

cannot be made in one season, success coming only through intelligent care for a period of years.

The ground should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but the surface should be as much alike in quality as possible and thoroughly pulverized. After sowing, the ground should be rolled and cross-rolled in order to press the seed firmly into the soil, and ten days or so thereafter a light application of Thorburn's Lawn Fertilizer mixed with an equal quantity of good loam or sand, will serve to stimulate the growth of the young grasses. The proper time to sow grass seed depends, of course, upon the latitude. In the central and eastern states from March 15 to the middle of May is the best time; but in favorable seasons the sowing may be done up to July 1. Seed may also be sown in the fall, from the latter part of August to the end of September. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent rolling is always advisable. As to weeds in newly-made lawns, it may not be generally known that many weed seeds actually lie dormant in the ground for six or seven years and will germinate and make their appearance when the soil is turned up. The annual wild grasses, such as crab grass or summer grass, must be pulled up by the roots before they ripen their seed in the fall.

Rolling. As soon as the frost is out of the ground in the spring, the land should be gone over with a


heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. Roll frequently.

Mowing. All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot summer months, when the roots require some top-growth to protect them from the burning sun.

A good top-growth is also necessary to protect the roots from severe winter frosts.

To Grass a Bank or a Terrace. For each square rod, take a pound of Terrace Lawn Grass Seed and mix it thoroughly with 6 cubic feet of good, dry garden loam; place in a tub, and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, making it as even and thin as possible.

It is a good plan to sow on good land, in any out-of-the-way place, strips for sod to be used for patching poor parts of the lawn, or for grass borders, etc. The best mixture of seed for this purpose is *Cynosurus cristatus* (Crested Dog's-tail), Kentucky Blue Grass, and Fancy Red-Top.



This Lawn was sown with Thorburn's Lawn Grass Seed Mixture for Shady Spots

LAWN GRASS SEED MIXTURES

Prices of all Lawn Grasses include free delivery in the United States by mail, express, or freight, at our option

THE THORBURN LAWN GRASS SEED

Many of the finest lawns in America were produced from this mixture. It is composed exclusively of permanent grasses that will make a finer and thicker turf the older they become, and yet give a rich greensward in three or four weeks from the time of sowing. Sow at the rate of 80 to 100 pounds to the acre. One pound of our Lawn Grass Seed will sow a plot of 400 to 500 square feet.

| ½1b\$0 30 | 2 lbs\$1 00 | 10 lbs |
|-----------|-------------|-------------|
| ı lb 55 | 5 lbs 2 25 | 25 lbs 9 00 |
| | | 100 lbs |

Thorburn's Lawn Grass Seed for the South

A mixture of grasses that stand extremes of heat and drought well, will grow and thrive vigorously under these conditions and are therefore peculiarly adapted for southern lawns.

| Lb\$0 65 | 10 lbs\$4 | 50 |
|------------|-----------|----|
| 2 lbs 1 25 | 25 lbs10 | 00 |
| 5 lbs 2 50 | 100 lbs37 | 00 |

Thorburn's Lawn-Restoring Grass Seed

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out, or burned spots. The best time to resow such places is very early in the spring, but seed may also be sown with good results in the fall, from the first of September to the first of October. Some Lawn-restoring Grass Seed should also be sown before every summer rain on thin places.

| Lb | 10 lbs\$4 50 |
|------------|--------------|
| 2 lbs I 25 | 25 lbs 11 00 |
| 5 lbs 2 50 | 100 lbs40 00 |

Thorburn's Grass Mixture for Under Trees and Shady Spots on Lawns

A mixture of grasses that thrive in shaded situations, under trees or close to walls.

| Lb | 10 lbs\$4 50 |
|------------|--------------|
| 2 lbs I 25 | 25 lbs11 00 |
| 5 lbs 2 50 | 100 lbs40 00 |

Thorburn's Lawn Grass Mixture for the Seashore

A mixture of fine grasses peculiarly suited to seaside lawns.

| scasiuc ia wiis. | |
|------------------|--------------|
| Lb\$0 60 | 10 lbs\$4 00 |
| 2 lbs I IO | 25 lbs 9 50 |
| 5 lbs 2 25 | 100 lbs36 00 |

Terrace Lawn Grass Seed

A mixture of fine, stoloniferous grasses peculiarly adapted to terraces.

| Lb\$0 65 | 10 lbs\$4 50 |) |
|------------|--------------|---|
| 2 lbs I 25 | 25 lbs11 00 |) |
| 5 lbs 2 50 | 100 lbs40 00 |) |



PERMANENT GRASS SEED FOR GOLF-LINKS, TENNIS-COURTS, POLO-GROUNDS, ETC.

We have devoted much attention to the seeding and preservation of golf-links, tennis-courts and pologrounds, and offer the following mixtures, which have been used on many of the finest links, etc., in this country, with very satisfactory results.

Bags at cost and transportation extra. Prices subject to market fluctuations during the season.

Polo-Grounds Mixture

A mixture of fine-leaved and deep-rooting grasses forming a strong and lasting turf that will stand hard usage.

25 lbs.......\$11 oo | 100 lbs......\$40 oo

Tennis-Court Mixture

A mixture of extra-fine grasses peculiarly adapted to tennis-courts. This mixture will make a firm, green and lasting turf of the finest texture, that will improve with the trampling it receives.

| Lb\$0 65 | ; 10 lbs\$5 od | o |
|------------|------------------|---|
| 2 lbs I 20 | 25 lbs12 00 | o |
| 5 lbs 2 7 | 5 100 lbs45 00 | 0 |

GOLF-LINKS

Fair-Green Mixture

For the grounds in general. 25 lbs.......\$11 00 | 100 lbs......\$40 00

Putting-Green Mixture

Our own special formula as furnished all the leading golf clubs in America. A mixture of *highest-grade* grasses, that will make a close, firm, green and lasting turf which will improve with trampling.

5 lbs.....\$3 00 | 25 lbs......\$13 00 10 lbs......50 00

For Teeing Grounds

| 5 lbs\$2 | 50 | 25 lbs\$11 | 00 |
|----------|----|-------------------------|----|
| 10 lbs 4 | 50 | 25 lbs\$11 100 lbs40 | 00 |

Grass Mixture for Railroad Banks, Etc.

A mixture of grasses with long, interlacing, matting roots that will bind steep embankments, gravelly or sandy slopes, etc., preventing washouts by rainstorms and covering with permanently green turf.

| Lb\$0 70 | 10 lbs |
|------------|--------------|
| 2 lbs I 30 | 25 lbs |
| 5 lbs 3 00 | 100 lbs50 00 |

GRASS SEED MIXTURES FOR MEADOWS AND PASTURES

It is a well-ascertained fact that thicker and more prolonged growth is produced by a mixture of many sorts of grasses than by only one or two. For every different kind and condition of soil there are grasses that are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early and others so late that from the beginning of spring until winter sets in there is no time when one species or another is not at its best. Grass Seed may be sown either early in spring or in fall, from the first of September to the middle of October; in this latitude the best time to sow meadow Grass Seed is during the late summer and early fall, that being the natural seeding time for grass. This will, of course, not give very much of a crop the following year; the grass will be fine and thick, but rather short, and not a heavy yield. The best meadows are seeded alone, without any "nurse" crop, while if seeded with rye, that crop being the stronger and quicker grower, will monopolize the ground so that it will be another year before much of a crop of grass can be had.

For over a hundred years our house has made a specialty of grasses. We were probably the first to introduce to this country, for commercial distribution, the many valuable natural and cultivated foreign species that now take such an important part in our agricultural economy. The formation of permanent pastures and meadows has, for many years, been a subject of careful study with us, and the following formulæ for seeding grass-lands have received universal recognition. The quantities given are the minimum, and may often be increased to advantage.

Prices subject to market fluctuations during the season without notice

MEADOW MIXTURES FOR ONE ACRE

No. 1. On Good Land, neither No. 2. On High and Dry Land Too Dry nor Too Wet

8 lbs. Fancy Red-Top.

½ " Perennial Sweet Vernal.

2 " Chewing's Fescue.

10 Perennial Rye Grass.

Timothy. 17

" Red Clover. 2

Alsike Clover.

40 lbs. \$12.

Sow 40 pounds to the acre

8 lbs. Fancy Red-Top.

ı " Tall Meadow Oat Grass.

6 " Crested Dog's-tail.

2 " Orchard Grass.

2 " Chewing's Fescue.

Timothy. 13

2 " Red Clover.

Kentucky Blue Grass. 4

" Alsike Clover. 2

40 lbs. \$16.

Sow 40 pounds to the acre

No. 3. On Wet Late Land

12 lbs. Fancy Red-Top.

6 " Orchard Grass.

2 " Meadow Fescue.

1 " Kentucky Blue Grass.

12 " Perennial Rye Grass.

5 " Timothy.

I " Red Clover.

I " Alsike Clover.

40 lbs. \$15.50.

Sow 40 pounds to the acre

PASTURE MIXTURES FOR ONE ACRE

No. 4. On Good Land, neither No. 5. On Dry Land Too Dry nor Too Wet

7 lbs. Fancy Red-Top.

" Kentucky Blue Grass. 7

" Orchard Grass. 9

12 Perennial Rye Grass.

Sow 40 pounds to the acre

Timothy. 3

40 lbs. \$14.50.

Red Clover. 2

5 lbs. Fancy Red-Top.

8 " Orchard Grass.

10 " Timothy.

10 " Perennial Rye Grass.

2 " Red Clover.

4 " Kentucky Blue Grass.

Chewing's Fescue. Ι

40 lbs. \$13.50.

Sow 40 pounds to the acre

No. 6. On Wet Land

10 lbs. Fancy Red-Top.

10 " Orchard Grass.

ı " Red Clover.

12 " Perennial Rye Grass.

2 " Timothy.

3 " Kentucky Blue Grass.

2 " Alsike Clover.

40 lbs. \$15.

Sow 40 pounds to the acre

The various grasses used in the above mixtures are fully described on the following pages.

We are always glad to make up Special Mixtures, and are pleased to answer inquiries as to the best grasses for different purposes and for sowing on various soils under varying climatic conditions.

GRASS SEEDS

We desire to call particular attention to the fact that Grass Seeds are sold in the trade by sample, and each sort is divided into three or four grades of quality, according to purity, germination and weight. The price of the best grade is often double that of the ordinary. The Grass Seeds here offered by us are in every case the VERY HIGHEST GRADE.

Not less than one pound of any one sort sold

Prices subject to market fluctuations during the season without notice

The weight per bushel, where given, is average actual weight

AGROSTIS TENUIS (Rhode Island Bent Grass). Resembles Red-Top (A. palustris, described below), but is of dwarfer habit, with shorter and narrower leaves. It makes a beautiful, close, fine turf, and is one of the very best grasses for lawns in mixture with other sorts. It adapts itself to almost any soil, rich and moist, or dry, sandy and sterile. For lawns 60 pounds of seed to the acre is recommended. (16 pounds to the bushel.) We find it is impossible to procure pure seed of the Rhode Island Bent this year. All samples show an admixture of other grasses.

AGROSTIS MARITIMA or AGROSTIS STO-LONIFERA, TRUE (Creeping Bent, or South German Fiorin). The only true Creeping Bent Grass. The distinctive feature of this species is, as the name implies, its compact, creeping, rooting stems. It is of rapid growth and spreading habit, and the stoloniferous roots which it sends down into the soil from a strong, enduring turf that is positively improved by constant trampling. The other varieties of Agrostis are distinguished from this sort by their flattened, parallel surface roots. Being of fine texture, it is most valuable for lawns and putting-greens. If sown alone, 60 pounds to the acre should be used. As the true seed of Creeping Bent Grass comes from Germany only, it is impossible to secure any until conditions abroad are more settled.

AGROSTIS PALUSTRIS or AGROSTIS ALBA (Red-Top; Herd's Grass). Unhulled. A very hardy, native perennial grass, succeeding best on moist land. It accommodates itself to a variety of soils, however, even to dry situations, and stands our hot climate admirably. It is, perhaps, the most permanent grass we have, and it enters largely into the composition of our best natural pastures. It remains green for the greater part of the year, and its long, trailing stems form a very close, matting turf that is not affected by trampling. Sow 75 pounds to the acre.

Lb......\$0 28 | 25 lbs......\$6 25 10 lbs......2 60 | 100 lbs......24 00

RED-TOP GRASS, FANCY HEAVY. Extra recleaned. Absolutely clean and free from chaff. Sow about 50 pounds to the acre.

Lb.....\$0 50 | 25 lbs.....\$11 00 10 lbs.....4 50 | 100 lbs.....40 00

ALOPECURUS PRATENSIS (Meadow Foxtail). One of the best permanent pasture grasses for rich, moist soil. Its chief characteristics are its earliness and its faculty of standing high summer heats without burning. It prefers moist, low grounds, but it accepts drier situations, and makes an earlier spring verdure than any other variety. Sow only in connection with other grasses, 3 to 4 pounds to the acre; if sown alone, 25 pounds to the acre.

Lb.....\$0 70 | 25 lbs.....\$16 00 10 lbs.....6 75 | 100 lbs......60 00

ANTHOXANTHUM ODORATUM (True Perennial Sweet Vernal Grass). For a mixture with pas-

ANTHOXANTHUM ODORATUM, continued ture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the autumn. For meadows, its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 3 pounds to the acre when mixed with other grasses.

Lb......\$0 90 | 10 lbs.......\$8 00 **AVENA ELATIOR** (*Tall Meadow Oat Grass*). Most valuable for pasture on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle early and late. For hay it may be cut twice a year, and for green soiling it may be cut four or five times in favorable seasons. It is very hardy, and withstands extreme drought and heat and cold. It is very valuable for our southern states, where it is extensively cultivated for winter grazing and for hay. Sow 50 pounds to the acre.

Lb.....\$0 70 | 25 lbs.....\$16 00 10 lbs......6 75 | 100 lbs......60 00

valuable grass for our southern states, both for pasture and lawns. It is of dwarf habit, with long, creeping stems rooting at the joints and covering the ground with a matting of fine turf which no amount of trampling will impair. It is also useful for binding drifting sand and for steep embankments subject to wash. When established it is difficult to eradicate, and is therefore unsuitable for temporary pastures. It requires heat and moisture to start it. As it cannot endure frost, it is of no value north of Virginia. It thrives in the poorest and sandiest soil, and resists extreme drought and intense tropical heat. It should be sown at the rate of 15 pounds to the acre. Crop uncertain.

BLUE GRASS, Canada. See Poa compressa.
" " English. See Festuca pratensis.
" Kentucky. See Poa pratensis.

BROMUS INERMIS (Awnless or Smooth Brome Grass). An erect perennial, 3 to 5 feet high; native of Hungary. The nutritive quality of its hay, however, is generally inferior to that of our standard native sorts, so that we should recommend it only for dry, arid soils where the better and more delicate grasses will not grow. It is strongly stoloniferous, its creeping rootstocks spreading rapidly under ground and giving out new plants. It is on this account undesirable for temporary meadows, being difficult to eradicate when once established. Sow 35 to 40 pounds to the acre.

Lb.....\$0 70 | 25 lbs.....\$16 00 10 lbs.....6 75 | 100 lbs......60 00

BROMUS PRATENSIS (Meadow Brome Grass). A hardy perennial, 2 to 3½ feet high, much used in mixtures for meadows both for mowing and pasture. It is not recommended to be sown alone except in poor soil, on dry, stony hillsides, where better grass will not grow. It withstands extreme

GRASS SEEDS, continued

bromus pratensis, continued cold and drought, and, if cut before flowering, it makes good hay. If left to grow older, it becomes very tough. Sow 30 pounds to the acre. Crop uncertain.

A stoloniferous perennial, forming a smooth, compact and lasting turf. It thrives best on rich, moist land, but it can accommodate itself to almost any soil. Its roots penetrate deeply into the ground, which enables it to stand severe droughts. It makes a good bottom grass and is therefore valuable in mixtures for lawns and putting-greens. It thrives well in the shade. The color is the same as that of the Kentucky Blue Grass, and it is, therefore, excellent in mixture with that sort. If sown alone, 30 pounds to the acre is none too much, but it is recommended only in mixture with other sorts.

Lb.........\$0 65 | 25 lbs......\$14 00 10 lbs....... 55 00

DACTYLIS GLOMERATA (Orchard Grass; Cocksfoot). Extra re-cleaned selected stock. One of the grasses most employed in permanent meadows, either for pasture or for mowing. It is very hardy and succeeds well anywhere in the United States. It is very productive and makes excellent hay. If cut before it flowers it is less hard and the pith of the stem is soft and sweet. It blossoms about the same time as Red Clover, and is, therefore, desirable in mixture with that plant. Stock of all kinds are very fond of it, either dry or green, and it endures constant cropping better than any other grass. After being mown, it grows up quickly and yields a heavier aftermath than any other variety. It can stand considerable shade and is recommended as a pasture grass for woodlands. Its tendency to grow in tussocks is diminished if it is sown with other grasses, and also by heavy rolling in the spring, but it is quite unsuitable for lawns. Sow about 75 pounds to the acre.

Lb......\$0 60 | 25 lbs.....\$13 00 10 lbs.....5 50 | 100 lbs.....50 00

DOG'S-TAIL, CRESTED. See Cynosurus cristatus.

reeds best in moist, alluvial, and strong, clayey soils. It is very productive and of long duration, and is especially valuable for permanent pasture. Stock of all kinds eat it readily, and its nutritive value is very great. On rich, moist lands it yields a large amount of hay of excellent quality. It is not suitable for lawns. Sow 40 pounds to the acre. Lb. \$0.90 | 25 lbs. \$20.50 to lbs. 850 | 100 lbs. 80 00

of America and Europe. In our northwestern states there are many varieties of it, some of which grows 2 to 3 feet high. It prefers dry uplands and thrives in poor, shallow, gravelly soils, where other grasses would fail. It is very hardy, resisting extreme heat and cold. Though of dwarf growth, it grows thickly, yielding a large amount of nutritious herbage. In grass mixtures, for pastures on high and dry lands, it is especially valuable. Though a "bunch grass," it may be included in lawn mixtures as well as in fair-green mixtures on account of its fine foliage and dwarf dense growth. Sow 35 pounds to the acre.

growth. Sow 35 pounds to the acre.

Lb......\$0 50 | 25 lbs.....\$11 00

10 lbs......4 50 | 100 lbs.....40 00

FESTUCA PRATENSIS (Meadow Fescue; English Blue Grass). One of the grasses most used in permanent or temporary meadows for mowing or for pasture. It succeeds best in cold, moist, light soils, in well-drained meadows and in low valleys rich in organic matter. It should not be grown at all on warm, dry land. It does not reach its full development until the second or third years, when it far exceeds most other sorts in the quantity of its produce and nutritive matter. After being mown, it grows again very quickly. The forage, either green or dried, is very nourishing and much relished by cattle, especially when cut young. Sow 40 pounds to the acre. Crop uncertain.

FESTUCA (Chewing's New Zealand Fescue). A variety of Hard Fescue of dwarf habit, grown with great success on poor, light, as well as heavier soils, forming a good sward where no other grass would succeed; it stands drought well and is good in mixtures for permanent pasture, golf links, or lawns. Sow 15 pounds to the acre.

Lb......\$0 70 | 25 lbs.....\$16 00 10 lbs......60 75 | 100 lbs......60 00

FESTUCA TENUIFOLIA (Slender Fescue). This is really a variety of Festuca ovina, with much finer leaves. It will grow on very dry and inferior soils, and its dwarf habit of growth and fineness of leaf render it not unsuitable for dry slopes on lawns and golf-links. It stands grazing well, is very hardy, and lasts long, and may therefore be recommended for permanent pasture on high and dry situations. Sow 30 pounds to the acre. Crop uncertain owing to the conditions abroad—will give price on application, if practicable.

FOXTAIL. See Alopecurus pratensis.

HUNGARIAN GRASS. See Panicum germanicum.

JOHNSON GRASS. See Sorghum Halepense,
page 58.

Short-seeded. Although called a perennial Rye Grass). Short-seeded. Although called a perennial, it seldom lasts more than three or four years. It is the most valuable grass in Great Britain, both for pasture and for meadows, occupying there the same relative position of importance that Timothy holds here. The cool, moist climate of England seems to suit it best, yet it succeeds very well in our middle and eastern states, and adapts itself to a great diversity of soils. The seed is large and heavy, and produces a strong, verdant growth in four or five weeks after sowing. It cures into hay having a sweet flavor, and is much relished by cattle and horses. Its nutritive value, especially in mixture with Red Clover, is very great. It is excellent in mixtures for quick effects in lawns or golf-links. Sow 60 pounds to the acre.

lasting two or three years, under very favorable circumstances, it is practically an annual. Like the Perennial Rye Grass, it is a remarkably rapid grower, and has, in addition, the advantage of standing extremes in temperature, remaining green throughout the winter, and retaining its freshness in the hottest summer months and during pro-

GRASS SEEDS, continued

longed drought. When sown very thickly or in mixture with other sorts, it makes a good, dense turf, and it has been used with much satisfaction on lawns as far south as Jacksonville. On rich, moist soils, it is exceedingly productive and may be cut in four or five weeks after sowing, and every six weeks after that until frost. For temporary meadows, on good soils, it is a most valuable grass. Sow 50 pounds to the acre.

Lb.....\$0 28 | 25 lbs.....\$5 50 10 lbs......\$5 00 00

OAT GRASS. See Avena elatior.

ORCHARD GRASS. See Dactylis glomerata.

One of the most valuable annual soiling plants. It grows on any ordinary soil; withstands drought well. As it is of very rapid growth, being ready for cutting within sixty days, it may be sown in this latitude as late as the middle of July for hay, or in the middle of August for green fodder. It should be cut just before blooming, when it makes a tender and nutritious hay. Sow 75 pounds to the acre.

Grass). A somewhat leafy perennial, growing in clumps. Valuable as a pasture grass for the South; endures summer heat and drought very well and is especially desirable for furnishing late summer and autumn feed, during which period it makes its principal growth. Sow lightly on the surface in warm weather. The seed should barely be covered with soil. Sow from 8 to 10 pounds to the acre, with 5 pounds of Hungarian Grass as a temporary protection. Price on application, if obtainable.

Europe, but long ago naturalized in America, where it ranks as by far the most important of hay grasses. On moist, loamy or clayey soil it produces a larger hay crop than any other grass. It is not as well suited for light, sandy soils, though preferring a moist, temperate climate, it withstands drought and extreme heat and cold. Its hay is very nourishing and can be preserved for a long time. It should be cut when flowering, as if left later the hay becomes hard and coarse. It is often sown with Red-Top Grass and Red Clover, and the nutritive value of the hay is greatly increased by this mixture. If sown alone, at least 25 pounds to the acre should be used; with Red-Top Grass and Red Clover, 15 pounds of Timothy, 12 pounds of Red-Top Grass (Fancy) and 3 pounds of Red Clover; or with Red Clover only, 20 pounds of Timothy and 5 pounds of Clover. The seed weighs 45 pounds to the bushel. Several grades are always on the market, differing in purity and vitality, but the seed we offer is of the very highest quality and extra clean. It is always most economical to buy the highest grade, known as "Fancy."

Lb.....\$0 25 | 25 lbs......\$5 50 10 lbs.....20 00

POA COMPRESSA (Canada Blue Grass). Highest grade. A very hardy perennial grass, with creeping root-stocks. It grows on the poorest and driest soils, sandy, gravelly or clayey, standing extremes of wetness or drought, and keeping green until the severe frosts of winter. It is especially valu-

POA COMPRESSA, continued

able for dairy pastures, cows feeding on it yielding the richest milk from which the finest butter is made. It is distinguished from the Kentucky Blue Grass by its flattened, wiry stems and by its decidedly bluer color. Sow 60 pounds to the acre. Lb......\$0 38 | 25 lbs.....\$8 00 10 lbs.....3 00

POA PRATENSIS (Kentucky Blue Grass; June Grass). Highest grade. One of the most widely distributed and valuable native grasses. It combines more points of excellence than any other sort. It is a true perennial, lasting indefinitely and improving every year. Its densely creeping root stocks, spreading habit and smooth, even growth, fine texture, and rich green color render it one of the very best grasses for lawns. It forms a close turf, starts very early in the spring, and lasts till frost. It succeeds in almost any soil—dry, rocky, sandy or gravelly—and stands long-continued dry weather and hot suns. It takes, however, two or three years to become well established, and should, therefore, be sown only in connection with other grasses. If the soil is especially suitable, it will eventually crowd these out, and make the finest possible sward. It is one of our most valuable pasture grasses, very productive and nutritious. Sow 50 pounds to the acre.

Lb......\$0 50 | 25 lbs......\$11 00 10 lbs......4 00

poatrivialis (Rough-stalked Meadow Grass). A spreading, thickly matted, stoloniferous-rooted species, forming a fine turf, and adapted for shaded portions of lawns. It thrives on rich, moist soil and in sheltered situations, but not on dry land. Valuable for forming bottom grass in mixtures for permanent pastures. Sow 20 pounds to the acre. Lb......\$0 95 | 25 lbs......\$21 00 10 lbs...... \$0 00

RHODES GRASS (Chloris gayana). A recent acquisition from Africa, grows 4 to 6 feet high. The Florida Experiment Station reports on it as follows: "Excellent for hay as well as for grazing purposes; keeps green until cut down by severe frost and then starts growing again as soon as warm weather returns. Yields enormously and can be cut three to five times." Sow 5 pounds to the acre. Present price:

Lb......\$1 oo | 100 lbs.....\$90 oo

belongs to the Sorghum family, and, according to the reports of the United States Department of Agriculture is a very valuable grass for hay, especially in sections subject to drought, making good yields nearly everywhere; it grows 4 to 9 feet high, according to cultivation, yielding 2 to 5 tons of excellent hay per acre, with as high as 9 tons under irrigation; should not be sown until the soil has become warm, about corn-planting time or a little earlier. Sow broadcast at the rate of 25 pounds to the acre.

Lb......\$0 25 | 100 lbs......\$20 00


RED-TOP. See A grostis alba.

RYE GRASS. See Lolium italicum and Lolium perenne.

RHODE ISLAND BENT GRASS. See Agrostis tenuis.

TIMOTHY. See Phleum pratense.

KENTUCKY BLUE GRASS. See Poa pratensis.



Sudan Grass (see page 53)

CLOVERS

We quote present prices on Clovers as near as it is possible to offer them at, as we go to press. We shall be very glad to quote prevailing prices on all of them from time to time, and we solicit inquiries. It is understood, of course, that all are subject to market fluctuations without notice.

ALFALFA, or LUCERNE (Medicago sativa). Requires deep, rich, well-drained soil. The tap-root descends often to a depth of 10 to 15 feet in loose soil. It is consequently, capable of resisting great droughts. It should be sown alone (about same time as oats are sown in this section) in thoroughly prepared deeply plowed soil, at the rate of 20 to 25 pounds to the acre. It may also be sown as late as August and up to the middle of September in more southerly localities. The crop should be cut when the plant is coming into bloom. In suitable soil it is perennial, and several crops may be cut every year. American seed. Market variable. Price on application.

ALSIKE, or HYBRID CLOVER (Trifolium hybridum). A perennial, I to 3 feet high, succeeding best in cold, stiff soils, and in marshy lands which are too wet for other species. It grows well in the far North and in high altitudes. A good honey plant for bees. Sow 15 pounds to the acre. Market variable. Price on application.

BERSEEM, or EGYPTIAN CLOVER (Trifolium alexandrinum). Suitable for a rotating crop on irrigated lands. It is very succulent and much relished by stock. Its value as a soil-renovator is very high. Market variable. Price on application.

BOKHARA CLOVER (*Melilotus alba*). Valuable sort for soiling and for ensilage and bees. Grows from 3 to 5 feet high; sown in rich soil it may be cut three times; lasts for years if cut before flowering. Sow 15 pounds to the acre.

Lb.....\$0 50 | 25 lbs.....\$11 50 10 lbs.....4 75 | 100 lbs......45 00

RED CLOVER, MEDIUM (Trifolium pratense). One of the most valuable farm crops of the eastern states for pasture, hay, or for turning under for green manure. Sow in the spring, 15 pounds to the acre. Market price.

JAPAN CLOVER (Lespedeza striata). An annual valuable only in the South, where it thrives in any soil in the driest season. It makes fair hay; eaten readily by stock when green. Valuable for plowing under. Sow in spring broadcast, 30 pounds to the acre.

Lb......\$0 40 | 25 lbs......\$9 00 10 lbs......3 75 | 100 lbs......35 00

vulneraria). A deep-rooted, herbaceous hardy perennial, valuable for dry, sandy and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses; useful in mixture for dry soils. Sow 20 pounds to the acre. Price on application.

crimson, or scarlet clover (Trifolium incarnatum). Erect annual, I to 2 feet high, with bright scarlet flowers. A native of southern Europe; largely grown in our southern states for improving the soil by turning under. Will not endure severe frost, and cannot be depended upon to stand the winter north of New Jersey. It is a valuable crop for pasturage or green manure. For hay, cut when in full bloom. Cattle are very fond of it. Sow 20 pounds to the acre.

Lb......\$0 25 | 25 lbs......\$5 25 10 lbs......2 25 | 100 lbs.....20 00

WHITE CLOVER (Trifolium repens). White Clover is of dwarf habit, spreads rapidly and is very hardy. It is valuable in permanent pastures, being sweet and nutritious and forms a close herbage which stays green throughout the year. Sow in spring, 8 to 10 pounds to the acre. At the present time White Clover is extremely scarce and high—price on application.

N. B. All prices are subject to market fluctuations without notice

CEREALS

Bags charged at cost

PRICES ALL SUBJECT TO CHANGE WITHOUT NOTICE. PRICES ARE F.O.B. NEW YORK

FIELD CORN


(56 pounds to the bushel). All grown especially for seed

| FLINT VARIETIES | Qt. | Pk. | Bus. |
|---|-----|---------------|--------|
| Canada Early Yellow. Very early; yellow flint; 8-rowed | - | \$1 50 | \$5 50 |
| King Philip. Early; reddish yellow flint; 8-rowed | | I 50 | 5 50 |
| Longfellow (Yellow Flint). Small cob and large grain; popular 8-rowed variety | | I 50 | 5 50 |
| Thoroughbred (White Flint). (See, also, Ensilage varieties.) | 25 | I 75 | 6 00 |
| DENT VARIETIES | | | |
| Champion White Pearl. Large grain; 14 to 18 rows; ripens in about 95 days | 25 | I 50 | 5 50 |
| Iowa Gold Mine. Dent; deep grain; ripens in about 90 days | | 1 50 | 5 00 |
| Iowa Silver Mine. Large grain; dent; white cob, ripens in about 100 days | _ | I 50 | 5 50 |
| Leaming Early. Large; deep grains; dull yellow; early and productive | 25 | 1 50 | 5 00 |
| FODDER AND ENSILAGE VARIETIES | | | |
| Cuban Giant Ensilage. Very prolific | 20 | I 25 | 4 50 |
| Red-Cob Ensilage. Abundant herbage; tall growth; fine | | I 50 | 5 50 |
| THOROUGHBRED WHITE FLINT. Spreading habit; broad blade and small st | | | |
| valuable for fodder, ensilage, and grain. Leave only one kernel to grow in a hill | U | I 75 | 6 00 |
| Virginia Horse-Tooth. For fodder and ensilage | 25 | I 50 | 5 00 |
| POP-CORN (Shelled) | | | |
| (56 pounds to the bushel) | Ot. | ½pk. | Pk. |
| Golden Queen | • | \$1 50 | \$2 50 |
| Red Beauty | 45 | I 75 | 3 00 |
| Silver Lace | 35 | Т 25 | 2 25 |
| White Pearl | 00 | I 25 | 2 25 |
| White Rice | 35 | I 25 | 2 25 |
| | | | |

MISCELLANEOUS CEREALS

ALL SUBJECT TO CHANGE IN PRICE WITHOUT NOTICE

| BARLEY. (48 lbs. to the bus.) Bearded. 2 bushels to the acre \$3 00 Champion. Beardless | MILLET, White Wonder, continued immense amount of excellent fod- Lb. 100 lbs. der. Earlier than Golden Millet\$0 15 \$10 00 |
|---|---|
| BUCKWHEAT. (48 lbs. to the bus.) 2 bushels to the acre. Japan. Productive; large grains. | OATS. (32 lbs. to the bus.) 2 to 3 bus. to the acre. Qt. Bus. Canada Cluster\$0 15 \$2 25 |
| Price uncertain | Swedish Select |
| Japanese Barnyard (Panicum Crus-galli). 30 to 40 lbs. to the acre | Mammoth Winter. Very fine strain, grows 6 to 7 feet high, giving 25 per cent more straw than any other variety |
| Pearl. Southern fodder-plant 35 30 00 Siberian 10 7 50 White French. White grain 35 30 00 White Wonder. Broad, heavy foliage; very large heads, producing | WHEAT, WINTER. (60 lbs. to the bus.) 1½ bus. to the acre. Red Wave. Bald; red grain 5 00 Klondyke. White grain; bald 5 00 |



White Kaffir Corn (see page 58)

Forage, Economical and Miscellaneous Seeds

Except where noted, these seeds are not sold in packets. From 15 cts. to 25 cts. worth is the smallest quantity put up

ALL SUBJECT TO CHANGE IN PRICE

australian salt bush (Atriplex semibaccata). Thrives in soils on which nothing else will grow, and it is highly recommended for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live-stock. Two or three pounds of seed are sufficient for an acre. The seed may be sown in beds, and the seedlings planted out when 2 inches high, 3 feet apart. Grows strong and vigorously in the driest seasons. Lb. 70 cts.

BEANS (60 lbs. to the bushel)—

Velvet Bean (Dolichos multiflorus). Used in the South as a forage plant, and as a fertilizer plant for turning under. Stock readily eat the vines and leaves, and the Beans, when ground, with or without the pod, are used in place of oats or corn, or mixed with them. Plant in rows 4 feet apart and I foot in the row, 2 or 3 Beans in a place, as soon as danger of frost is past. The vines are strong and vigorous in growth, rapidly covering the ground, and bearing immense quantities of Beans. Ot. 25 cts., bus. \$6.

covering the ground, and bearing immense quantities of Beans. Qt. 25 cts., bus. \$6.

Soybean (Glycine hispida). Thrives well in hot and dry weather. Plant at the rate of ½ to ¾ bushel to the acre, in drills ½ or 3 feet apart, and cultivate same as field corn. It does not make good hay, but is good as ensilage or green fodder.

BEANS, Soybean, continued

Hollybrook Early. A vigorous, quick-growing variety. Pk. \$2.50, bus. \$8.50.

Mammoth Yellow. The largest growing Soybean, valuable for green fodder and for improving the soil. Pk. \$2.25, bus. \$8.

BEGGAR-WEED (Florida or Giant Beggar-Weed; Desmodium tortuosum). An erect, leguminous annual, growing from 3 to 8 feet high, with abundant foliage; valuable as forage or for soil renovation in subtropical regions; it also makes hay of a fine quality. It should be sown at the rate of 10 pounds to the acre, after the ground is warm and moist. The seed should be but very lightly covered. If for hay, it should be cut just as it begins to bloom. Lb. 60 cts., 100 lbs. \$50.

BROOM CORN (Sorghum vulgare). (12 qts. to the acre.) Broom Corn succeeds in a good, deep soil, fresh but not damp, and it is very sensitive to cold.

Improved Dwarf. Lb. 12 cts., 100 lbs. \$10. Long-Brush Evergreen. Lb. 12 cts., 100 lbs. \$10. California Golden Long-Brush. Grows from 12 to 14 feet high. Lb. 15 cts., 100 lbs. \$12.

CAPER TREE (Capparis inermus). Pkt. 25 cts., oz. \$1.

FORAGE, ECONOMICAL AND MISCELLANEOUS SEEDS, continued

CASTOR BEAN (Ricinus). The plant from which castor-oil is made. Lb. 30 cts., 100 lbs. \$25.

COTTON (Gossypium), Sea Island. Lb. 25 cts., 100 lbs. \$20.

Upland Big Boll, Trice Variety. Lb. 25 cts., 100 lbs. \$20.

COWPEAS (Vigna catjang). Specially adapted to warm countries; extensively grown in our southern states, also valuable in this latitude as a fodder-plant. The chief value of Cowpeas, however, is as a green crop to plow under. The seed should not be sown till the ground has become well warmed. Sow I bushel to the acre, in drills; 2 or 21/2 bushels to the acre is sown broadcast.

Black. Standard variety; early and very prolific. Price variable. Present quotation, pk. \$2.50,

bus. \$8.50.

A little later than the Black; prolific in Clay. both Peas and growth of vine. Price variable. Present quotation, pk. \$2.50, bus. \$8.50.

New Era. Upright-growing, quick to mature and very prolific of peas. Price variable. Present quotation, pk. \$2.50, bus. \$8.50.

Whippoorwill. A favorite sort; makes a good

growth of vine and very good for improving the land. Price variable. Present quotation, pk. \$2.50, bus. \$8.50.

MER. (Sometimes advertised as "Speltz," though this name is incorrect, the true Speltz EMMER. being a different article.) It is grown quite extensively in the Northwest, having been brought there from Russia, where it is considered a valuable cereal on account of its hardiness and drought-resisting qualities. Lb. 20 cts., 100 lbs. \$12.

ESPARSETTE. See Onobrychis sativa.

FETERITA. A new forage plant, similar to Kaffir Corn, but much earlier, and is a great drought resister. Sow 8 to 10 pounds to the acre in drills. Produces large crops of both grain and forage. Lb. 15 cts., 100 lbs. \$12.

FURZE (Ulex europæus). Also known as Whin and Gorse. A perennial leguminous shrub. The crushed sprigs of one year's growth of this shrub furnish an excellent green fodder in winter. It grows well on barren hillsides and in sandy soil. Sheep are fond of it. Sow 25 pounds to the acre. Oz. 15 cts., lb. \$1.50.

JUTE (Corchorus). Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May also be sown broadcast, 6 or 7 pounds to the acre. Oz. 15 cts., lb. 75 cts.

KAFFIR CORN. See Sorghum, page 58.

LENTILS. Extra-large yellow. The variety commonly cultivated. Sow in spring as soon as ground can be worked, on light soil in drills. Market price on application.

LOTUS corniculatus (Bird's-foot Trefoil). Perennial; used in pastures. Cattle and sheep eat it readily, and it is said to be quite nutritious. It grows on the lightest and most sterile soils, and can withstand severe droughts. Is excellent for sowing in mixture for dry pastures. Lb. \$1.

villosus, or major (Greater Bird's-foot Trefoil).

Lb. \$1.

LUPINE, White (Large Flat Seed). One of the best plants known for green manure, as it gathers large quantities of nitrogen from the air. It may be sown from April to July and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Lb. 35 cts., 100 lbs. \$30.

MILLETS. See Miscellaneous Cereals, page 55.

ONOBRYCHIS sativa (French, Sainfoin; Esparsette). A perennial leguminous plant, belonging to the same family as clover and lucerne. It is a valuable plant for growing on poor land and barren hillsides. When once well established, it lasts for many years. If to be used for hay, cut just before the flowering period. Sow in spring, covering the seeds quite deeply, at the rate of 80 to 100 pounds to the acre. Lb. 45 cts., 100 lbs. \$40.

OSAGE ORANGE (Maclura aurantiaca). Useful for hedges. Lb. \$2.

PEANUTS, Spanish. Used in the South as a hay and grain ration; the tops also make good forage, either green or cured. Nuts are smaller but better flavored than other sorts. Price variable. Present quotation, lb. 35 cts., 100 lbs. \$30.

PEARL MILLET (Penicillaria spicata). A valuable fodder-plant for the South; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Lb. 35 cts., 100 lbs. \$30.

S, Canada Field. Valuable for northern climates, for cattle-feeding, especially for milch PEAS, Canada Field. This pea also makes fine ensilage and for plowing under as a green manure has no equal. It is sown broadcast in the spring and harrowed in 2½ to 3 bushels to the acre. If sown with oats, use about 1½ bushels to the acre. Price variable. Present quotation, qt. 35 cts., bus. \$9.

PENICILLARIA spicata. See Pearl Millet.

POPPY, Opium (Papaver somniferum). The seed furnishes an agreeable sweet oil, used for the table, also for painting and for illuminating. May be sown in spring, either broadcast or in drills, covering thinly. Also cultivated for opium. Oz. 15 cts.

RAPE, Dwarf Essex English (Brassica Napus). Largely grown in the northern United States and in Canada. It is excellent for sheep-pasture and also for soiling. It may be sown in May, and will be ready for pasturing in July and August; or, it may be sown in June or July, and yet furnish a large amount of pasture or fodder. In drills, sow 5 pounds to the acre; sown broadcast, 10 pounds to the acre. Price variable. Present quotation, lb. 25 cts., 100 lbs. \$20.

REANA luxurians (Teosinte). Short crop. A valuable fodder-plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Oz. 15 cts., lb. \$1.

RICE SEED. For sowing. Best Carolina. Lb. 25 cts., 100 lbs. \$20.

SAINFOIN. See Onobrychis, above.

SALT BUSH. See Australian Salt Bush, page 56.

SORGHUM. If sown in drills 25 pounds are required to the acre; for dry fodder, 2 bushels to the acre.

Early Amber Sugar-Cane. Ripens wherever Indian corn matures. Grows 10 to 12 feet high. Lb. 15 cts., 100 lbs. \$10.

Brown Dhoura. Lb. 15 cts., 100 lbs. \$12.

Halepense (Johnson Grass). One of the most valuable Southern fodder plants. On rich soils it may be cut three or four times in a single season, and it is claimed that hay made from it is equal in value to Timothy. Sow in August and September, 35 to 40 pounds to the acre. Price on application.

Holcus saccharatus (Sugar Millet). Rich in saccharine matter, and a large amount of nutritive fodder can be obtained from it. Lb. 25c.,

Jerusalem Corn (White Dhoura). Lb. 20 cts., 100 lbs. \$18.

Red Kaffir Corn, or Sorghum. Non-saccharine. The plant is low, stalky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Lb. 15 cts., 100 lbs. \$10.

White Kaffir Corn. Lb. 15 cts., 100 lbs. \$10. Early Orange Sugar-Cane. Ripens about 10 days after Early Amber, and is said to produce a larger crop. Lb. 15 cts., 100 lbs. \$10.

Shallu. A non-saccharine Sorghum from India, also known as Egyptian wheat. Requires more room to develop than ordinary Sorghum, and consequently needs less seed to sow an acre. Lb. 25 cts., 100 lbs. \$20.

SORGHUM, continued

White Milo Maize. Lb. 15 cts., 100 lbs. \$10. White Dhoura. See Jerusalem Corn.

Yellow Branching (Yellow Milo Maize). Non-saccharine; useful for the large amount of foliage, green feed, or cured fodder that it furnishes, and for its grain. Lb. 15 cts., 100 lbs. \$10.

SPURRY (Spergula arvensis). Annual. Grows well on poor, dry, sandy soil; may be sown every month from March to August. Excellent pasture for cattle and sheep; also of much value as a fertilizer for light soil. Sow 15 pounds to the acre. Lb. 25 cts., 100 lbs. \$20.

Giant Spurry. Lb. 25 cts., 100 lbs. \$20.

SUNFLOWER, Large Russian. Lb. 25 cts.

TEOSINTE. See Reana luxurians, page 57.

TOBACCO SEED. See page 44.

ULEX europæus. See Furze, page 57.

VELVET BEAN. See page 56.

VETCHES, Spring Tares (Vicia sativa). broadcast at rate of 60 to 100 pounds to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for peas. Price variable.

Present quotation, lb. 20 cts., 100 lbs. \$15. Sand, Winter or Hairy Vetch (Vicia villosa). Thrives on poor, arid, sandy soils. It may be sown either in fall or spring, mixed with rye for a support. Grows 3 to 4 feet high, and can be cut as soon as the bloom appears and again for seed. Perfectly hardy. Sow from 30 to 50 pounds to the acre. Price on application.

Bacteria Preparations Mulford Cultures and Farmogerm


PREPARED FOR THE FOLLOWING CROPS

White Clover Red Clover Crimson Clover

Alsike Clover Alfalfa Clover Garden Beans

Cowpeas Vetches Canada Field Peas

Garden Peas Sweet Peas Soybeans



Mulford Cultures

For inoculating all legume crops with nitrogen-fixing bacteria to increase the crop and improve the soil.

5-acre size \$5, 1-acre size \$1.50, 1/4-acre size 50 cts., small size 25 cts. The small size only supplied in 4 varieties for Garden Peas, Garden Beans, Lima Beans, and Sweet Peas. Always specify on your order what crop you want to inoculate, a different variety being used for each legume.

Farmogerm

The Original and Genuine Seed Inoculant. A preparation of high-bred, nitrogen-gathering bacteria in sealed bottles, ready to use, with water added, according to directions.

Price per acre bottle, \$2; 5-acre bottle \$8. When ordering state for what crop Farmogerm is wanted.

Also, in garden size, enough for 1,000 square feet, or a 200 foot row, at 50 cts. per bottle for Peas, Beans, Sweet Peas, and White Clover, each crop requiring a different bottle. We secure cultures, fresh from the laboratory, hence it takes two or three days to fill orders.

TREE AND SHRUB SEEDS

To preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly dry sand until the time of sowing. For this latitude the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot sun and winds, and to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes the sashes should be shaded and the frames raised at the corners 3 or 4 inches to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain one to two years before transplanting.

The propagation of Deciduous Trees from seed is less difficult than that of Evergreen species. Acorns, Hickorynuts, Chestnuts, and Walnuts should be planted in autumn, or kept during the winter in earth or moss. They shrivel up by too long exposure to the air, and many of them lose their vitality. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not germinate till the second year after planting, and if they are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple and a few other sorts ripen their seeds early in summer, and, if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about 2 feet apart, and covered about ½inch deep, according to size.

As the season advances, many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season. On account of labor trouble it has been almost impossible to collect Tree Seeds the past season. We are offering only the varieties we expect to receive.

EVERGREEN TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than one ounce of any one variety, except those quoted at 25 cents per packet

| | z. | Lb. |
|--|----|--------|
| Abies amabilis (Silver Fir)\$0 | 80 | \$8 00 |
| canadensis (Hemlock Spruce) | | failed |
| concolor (Calif. White Silver Fir) | 40 | 4 00 |
| grandis (Great Silver Fir of Oregon). | | |
| pkt. 25 cts | 50 | 5 00 |
| magnifica (Superb Silver Fir) | 30 | 3 00 |
| Martensiana (Calif. Hemlock) | | |
| pkt. 25 cts1 | 50 | |
| nobilis (Noble Fir) | 80 | 8 00 |
| Arborvitæ. See Thuja. | | |
| Arbutus Menziesii (Madrona Tree) | 30 | 3 00 |
| Arctostaphylos glauca (Great-berried | 0. | 0 00 |
| Manzanita) | 20 | 2 00 |
| Buxus sempervirens (Evergreen Box) | | |
| | 25 | 2 50 |
| Cedrus Libani (Cedar of Lebanon) | 30 | 3 00 |
| Cupressus | | |
| macrocarpa (Monterey Cypress) | 45 | 4 50 |
| Fir Tree. See Abies and Picea. | | |
| Juniperus | | |
| virginiana (Red Cedar) | 20 | 2 00 |
| Libocedrus decurrens (California White | | |
| Cedar)pkt. 25 cts | 65 | 6 50 |
| Picea Douglasii (Douglas Spruce) | 60 | 6 00 |
| Engelmannii | 80 | 8 00 |
| Menziesii (Menzie's Fir) | 75 | 7 50 |
| ajanensis. From Japan | 75 | 7 50 |
| pungens (Colorado Blue Spruce) | 50 | 5 00 |
| rubra | 75 | 7 50 |
| Pinus | 10 | , 0 |
| australis or palustris (Southern Pine). | 30 | 3 00 |
| Banksiana (Jack Pine) | 60 | 6 00 |
| contorta (Scrub Pine) | 60 | 6 00 |
| densiflora (Japan Pine) | 25 | 2 50 |
| Japan Line, it is it is a second of the seco | -0 | _ 0 - |



Abies concolor



Pinus Strobus

EVERGREEN TREE AND SHRUB SEEDS,

| continuea | | | |
|---------------------------------------|------|-------|------------|
| |)z. | Lb |) . |
| edulis (American Nut Pine)\$0 | 40 | \$4 | 00 |
| heterophylla or caribæa (Slash Pine). | | | |
| pkt. 25 cts | 70 | 7 | 00 |
| Jeffreyi (Jeffrey's Pine) | 45 | 4 | 50 |
| koraiensis. From Japan | 25 | 2 | 50 |
| Lambertiana (Sugar Pine) | 30 | 3 | 00 |
| Laricio (Corsican Pine) | 20 | 2 | 00 |
| maritima (Seaside Pine) | 15 | Ι | 50 |
| monticola (Mountain White Pine) | 8o | 8 | 00 |
| muricata (Bishop's Pine) | 60 | 6 | 00 |
| Pinea (Stone Pine) | IO | I | 00 |
| ponderosa (Heavy Pine) | 40 | 4 | 00 |
| rigida (Northern Pitch Pine) | 50 | 5 | 00 |
| Sabiniana (Sabine's Nut Pine) | 25 | 2 | 50 |
| Strobus (White Pine) | 40 | 4 | 00 |
| Torreyana (Torrey's Pine) | 45 | 4 | 50 |
| Sequoia gigantea | 25 | 12 | 00 |
| sempervirens (California Redwood) | | 7 | 50 |
| Spruce Tree. See Abies and Picea. | | | |
| Thuja | | | |
| gigantea (Giant Oregon Arborvitæ) | 60 | 6 | 00 |
| occidentalis (American Arborvitæ) | | 4 | 50 |
| Tsuga canadensis | Crop | faile | ed |
| Yucca filamentosa (Adam's Needle) | 40 | 4 | 00 |
| gloriosa | 7.5 | 7 | 50 |

DECIDUOUS TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at 25 cents per packet

| |)z. | Lb. |
|--|-----|------------|
| Acer saccharum (Sugar Maple)\$0 | 30 | \$3 00 |
| Ampelopsis Veitchii (Boston Ivy) | 50 | 5 00 |
| Aralia cordata (Udo Salad) | 30 | 3 00 |
| spinosa (Virginia Angelica Tree) | 30 | 3 00 |
| Aristolochia Sipho (Dutchman's Pipe). | 65 | 6 50 |
| Asimina triloba (Paw-paw) | 20 | I 75 |
| Berberis canadensis | 25 | 2 50 |
| Thunbergii. Fine for hedges | 25 | 2 50 |
| vulgaris (Common) | 15 | I 50 |
| Calycanthus floridus (Common Caro- | | |
| lina Allspice) | 15 | 75 |
| Camellia japonica. From Japan | 30 | 3 00 |
| Carpinus americana | 15 | I 50 |
| Carya alba (Shellbark Hickory) | | 20 |
| amara (Bitternut) | | 20 |
| sulcata (Big Shellbark Hickory) | | 20 |
| tomentosa | | 20 |
| Castanea | | |
| americana (American Chestnut) | | 30 |
| Catalpa speciosa. True Hardy Catalpa | 15 | I 50 |
| Celastrus scandens (Climbing Bitter - | | |
| sweet) | 20 | 2 00 |
| paniculatus | 20 | 2 00 |
| Chionanthus virginica (Virginia Fringe | 25 | 2.50 |
| Tree) Cornus florida (Flowering Dogwood) | 25 | 2 50 60 |
| | 15 | |
| Cratægus Crus-galli (Cockspur Thorn). | 15 | 75 |
| Dogwood. See Cornus. | | |
| Eucalyptus | | |
| amygdalina (Peppermint Gum Tree) | 45 | 4 50 |
| globulus (Tasmania Blue Gum) pkt. 25 ctsı | 00 | TO 00 |
| pkt. 25 cts1 | 00 | 10 00 |



Catalpa speciosa

DECIDUOUS TREE AND SHRUB SEEDS, continued

| continued | | | |
|---|----|--------|----|
| | z. | LI | |
| leucoxylon (Australian Iron Bush) .\$0 | 75 | \$7 | |
| obliqua (Stringy-bark Tree) | 45 | _ | 50 |
| pauciflora (White Gum) | 80 | | 00 |
| robusta (Brown Gum).pkt. 25 ctsI | 00 | 10 | |
| rostrata (Red Gum)pkt. 25 ctsI | 00 | 10 | 00 |
| Stuartiana (Apple-scented Gum Tree). | 80 | 8 | 00 |
| viminalis (Blue Gum) | 80 | | 00 |
| Exochorda grandiflora | 50 | 5 | 00 |
| Fagus americana (American Beech) | 15 | I | 50 |
| Genista tinctoria (Dyers' Broom) | 40 | 4 | 00 |
| Halesia tetraptera (Silver Bell) | 15 | I | 50 |
| Holly. See <i>Ilex</i> . | | | |
| Hibiscus syriacus (Rose of Sharon) | 15 | I | 50 |
| Ilex opaca (American Holly) | 15 | I | 50 |
| Juglans cordiformis. From Japan | 10 | | 50 |
| nigra (Black Walnut) | | | 15 |
| Kalmia latifolia | 40 | 4 | 00 |
| Larix americana | 50 | 5 | 00 |
| leptolepis (Japanese Larch) | 40 | _ | 00 |
| Ligustrum Ibota | 25 | 2 | 75 |
| Liriodendron Tulipifera | 10 | I | 00 |
| Maclura aurantiaca (Osage Orange) | 20 | 2 | 00 |
| Magnolia acuminata (Cucumber Tree). | 25 | 2 | 50 |
| glauca (Sweet Bay) | 30 | | 00 |
| grandiflora (Large-flowered Magnolia). | 25 | | 50 |
| tripetala (Umbrella Tree) | 30 | | 00 |
| Myrica carolinensis | 15 | I | 50 |
| Nyssa sylvatica (Sour or Black Gum) | 15 | I | 00 |
| multiflora (Sour Gum) | 15 | I | 00 |
| Osage Orange. See Maclura. | -0 | - | |
| Prunus americana (Wild Plum) | TE | I | 50 |
| serotina (Wild Black Cherry) | 10 | , T | 00 |
| virginiana | | | |
| Rhamnus carolina (Indian Cherry) | 15 | I | • |
| | 15 | I | 50 |
| Rosa carolina (Swamp Rose) | 15 | | 50 |
| multiflora nana | 30 | | 00 |
| Sambucus canadensis (American Elder). | 15 | I | 00 |
| Sassafras officinale (Sassafras Tree) | 15 | I | 50 |
| Sorbus americana (Mountain Ash) | 30 | 3 | 00 |
| Taxodium | | | |
| distichum (Deciduous Cypress) | 15 | I | 50 |
| | | | |



Liriodendron Tulipifera

| | z. | | b. |
|--|----|-----|----|
| Ulex europæus (Furze, Gorse or Whin).\$0 | 15 | \$1 | 50 |
| Viburnum acerifolium (Dockmackie) | 15 | ·I | 50 |
| Lentago | 15 | I | 50 |
| Opulus (Snowball) | 30 | 3 | 00 |
| prunifolium (Black Haw) | 15 | I | 50 |
| Walnut. See Juglans. | | | |
| Wisteria sinensis (Chinese Wistaria) | 40 | 4 | 00 |
| sinensis alba (White Chinese Wistaria). | 60 | 6 | 00 |

FRUIT SEEDS

| | z. Lb. | Oz. | Lb. |
|--|--------|-----------------------------------|--------|
| Apricot Pits | \$0.50 | Plum Pits, Myrobolan | \$0 60 |
| Cherry Pits, Black Mazzard | 80 | | I 00 |
| Mahaleb | I 00 | Quince Seed\$0 30 | 3 00 |
| Domestic | 50 | Raspberry, Red | 2 50 |
| Currant, Red Dutch\$0 2 | | | |
| White Dutch | 5 2 50 | | |
| Gooseberry | | Vitis æstivalis (Summer Grape) 25 | 2 25 |
| Green and Yellowpkt. 50 cts2 o | | cordifolia (Frost Grape) 25 | 2 25 |
| Redpkt. 50 cts2 0 | 0 | Labrusca (Northern Fox Grape) 25 | 2 25 |
| Peach Pits, Naturalqt. 25c., bus. \$4.50 | | riparia | _ |

SEEDS OF HEDGE PLANTS

For prices see under head of Tree Seeds

| BarberryBerberis Thunbergii | Osage Orange |
|-----------------------------|--|
| Furze or Gorse | Sheepberry (Black Haw)Viburnum prunifolium |



Branching Aster



Centaurea Cyanus



Dianthus (Pinks)



Eschscholtzia

CHOICE COLLECTIONS OF FLOWER SEEDS

FREE BY MAIL

Collection of 12 Varieties of Dwarf Annuals 93000

1 packet each, as follows, for 50 cts.

Asters, Mixed Candytuft, Mixed Convolvulus, Dwarf, Mixed Eschscholtzia, Mixed Larkspur, Dwarf Rocket, Mixed Marigold, Dwarf French, Mixed Mignonette Nasturtium, Dwarf, Mixed

Phlox Drummondii, Mixed Portulaca, Single, Mixed Sweet Alyssum Zinnia, Dwarf, Mixed

Collection of 12 Varieties of Tall Annuals 93020

1 packet each, as follows, for 50 cts.

Centaurea Cyanus, Mixed Clarkia, Mixed Collinsia, Mixed Cosmos, Mixed Larkspur, Tall Rocket, Mixed Lupinus, Mixed Marigold, African, Mixed Malope, Mixed

Poppy, Mixed Scabiosa, Tall, Mixed Sunflower Zinnia, Tall, Mixed

Collection of 12 Varieties of Dwarf Perennials 93080

1 packet each, as follows, for \$1

Alyssum saxatile compactum Arabis alpina Campanula carpatica, Blue Candytuft sempervirens Centaurea candidissima Daisy, Double, Mixed Gypsophila Lychnis Haageana Hybrids Pinks, Mixed Polyanthus, Mixed Primrose, Yellow Snapdragon, Dwarf, Mixed

Collection of 12 Varieties of Tall Perennials 93120

1 packet each, as follows, for 85 cts.

Aquilegia, Mixed Coreopsis Delphinium, Mixed Foxglove Gaillardia
Galega
Hollyhock
Lupinus polyphyllus

Poppy, Oriental Scabiosa caucasica Sweet William Valeriana

Collection of 12 Varieties of Greenhouse Seeds 93180

1 packet each, as follows, for \$2

Asparagus plumosus nanus Begonias, Single, Tuberous-Cineraria hybrida, Mixed rooted Calceolaria hybrida. Largeflowered, self-colored Coleus, Fine Hybrids Cyclamen persicum giganteum, Mixed Heliotrope Musk Plant Primula obconica grandiflora hybrida, Mixed Primula obconica malacoides Smilax Stevia serrata




Larkspur



Marigold



Nasturtium



Zinnia

FLOWER SEEDS

PRACTICAL DIRECTIONS FOR CULTURE, TREATMENT, ETC.

Hardy Annuals (hA).—Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed, or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after for succession, as well as to provide against failure the first time. For sowing seeds in there is nothing better than shallow boxes from 2 to 3 inches deep, and of any convenient size. The most suitable soil for all the smaller kinds is a very fine, rich, sandy loam. That from old hotbeds is excellent, or sods from an old pasture piled up and allowed to rot for two or three years and then mixed with a little old stable manure and sand. After the seeds are up care must be taken to give them plenty of air and moisture, yet not too much water, or they will "damp off." When the young plants are well out of the seed-leaf they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When pots cannot be had, boxes, tin cans, etc., may be substituted.

A common mistake in sowing flower, as well as other seeds, is covering too deeply. The exception to

this is the Sweet Pea which is seldom planted deep enough. As a general rule, cover only to the depth of the thickness of the seeds; or, with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but, as a rule, it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked. Seeds of Biennials and some Hardy Annuals may be sown in July and August in the open, and in September in boxes and placed in coldframes. They will make strong plants by spring, and flower early. Do not put on the sashes until heavy rains and frosts begin, and then always remove during the day whenever the temperature is above freezing in winter.

Owing to the presence in most soils of weed seeds, it is well to mark where seeds are sown in the open, so that the weeds (which are apt to germinate first) can be destroyed before they crowd out and smother

the Flower Seeds as they spring up.

Hardy Biennials (hB) and Hardy Perennials (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border from July to September. The seeds of many Perennials require several months, some even as long as two years, before they germinate. It is a good plan, at the commencement of frost, to cover the plants lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out of the ground in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may be transplanted to the flower-garden where they are to remain.

Half-Hardy Annuals (**hhA**).—These may be sown in shallow boxes, pots or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible. After the end of May sow in the border, like Hardy Annuals.

Half-Hardy Biennials (hhB) and Half-Hardy Perennials (hhP) require the same treatment. Though plants and their blooms are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of Hardy and Half-hardy Flower Seeds may be sown in the open border in a warm and sunny spot as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

Tender Annuals, Biennials and Perennials.—The best method to obtain an early bloom of the Tender Annuals (tA) and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in a very light, sandy compost, and the pots well drained by placing broken pots or bits of sod in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant them into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower-beds; not, however, before the middle of May.

Greenhouse Seeds (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally and sheltered from the hot sun

till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to make germinate unless great care be taken in the mode of sowing. Hence the supposition arises that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mold or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top so that the mold may not afterward sink materially with watering. Sow the seed very thinly and cover were lightly with a little compost or with silver and. Success is more cortain if a pane of glass is placed very lightly with a little compost or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. As soon as the young plants have two leaves they should be transplanted into similar composts in another pan or box. After transplanting they should be kept in a shady part of the greenhouse for a few days and watered very sparingly.



King Asters (see page 65)

ASTER

One of the very best Annuals for cut-flowers

The Aster has long been one of our most popular garden flowers, not only because of its beautiful blooms but because it is one of our hardiest annuals and will thrive in any soil, from a light sand to a heavy clay. It produces a profusion of bloom, and by a careful selection of early- and late-flowering varieties, its blooming season may be extended over several months. As a cut-flower it rivals the chrysanthemum in lasting properties and lovely coloring.

When planting Aster seeds, do not cover with more than ½inch of soil. If the soil is too poor, add some well-rotted stable-manure, or if that is not procurable, pulverized sheep-manure is an excellent substitute. All manures must be thoroughly mixed with the soil in order to be most beneficial, and they should be well-rotted and not applied too liberally, or there is danger of their inducing Aster diseases. Small quantities of slaked lime or fresh wood-ashes, stirred into the surface of the Aster-bed, form good tonics for the plants and keep diseases and insects from the roots.

Seed sown in the open ground in May will produce plants that will bloom finely in September and October. When the plants have three or four leaves, transplant, 12 to 18 inches apart each way, into well-prepared beds. Asters do not object to partial shade, and in such places are less subject to attacks of insects. After transplanting, stir the soil as often and as deeply as possible. Never allow a crust to form, as it prevents the air from entering the soil and allows the moisture to escape rapidly. If watering is necessary, give the plants a good soaking—do not merely sprinkle them. If a mulch of lawn clippings or other material is placed on the beds when the flower-buds have formed, it will help to retain the moisture in the soil and prevent the opening flowers from being soiled by a storm.

For July and August flowers, sow in March or April in the coldframe, spent hotbed, or in pots and boxes indoors. Water thoroughly when necessary, and allow surface to become dry before watering again. Transplant as directed above. Aster Seeds run from 3,000 to 3,500 in ¼ ounce.

BRANCHING, Semple's. Forms broad bushes, with large, long-petaled flowers, graceful and feathery in effect; excellent for cut-flowers. 2½ ft. Crimson Lavender.....50150 10 10 10 **Rose**......50160 10 TO $\frac{1}{4}$ oz. 5oc., oz. \$1.75..50170 Mixed. 10 Collection of six colors......50180

COMET, Giant. Petals wavily reflexed, curled and twisted; flowers of extraordinary size and beauty. Pkt. **Lavender**......50272 15 15 **Purple......**50282 15 Rose......50285 15 15 **Mixed.....** $\frac{1}{4}$ oz. 6oc., oz. \$2..50300 10 Collection of six colors......50310

ASTERS, continued

| | ASTERS, |
|--|---------------------------------------|
| CREGO, Giant. Superb class with ers and long petals. Comet-flower | ered; branching |
| habit. 2 ft. Crimson Dark Blue | |
| Lavender | 50425 15 |
| Shell-Pink | 50435 15 |
| Mixed | 2550445 10 |
| KING. Produces showy flowers on loblooms are very large, with long, | |
| strong grower. Crimson | Pkt. |
| Lavender | 50642 15 |
| RoseViolet | 50646 15 |
| White | 50650 15 |
| Collection of six colors OSTRICH-PLUME. Splendid class | 50660 60 |
| ting; rivals the Chrysanthemum i | n effect. Pkt. |
| Dark Blue | 50670 15 |
| White | 50680 15 5050685 10 |
| Collection of four colors QUEEN OF THE MARKET. The | 50695 40 |
| Aster, growing not over I foot for bouquets. | high; excellent |
| PurpleLavender | |
| Light BlueCrimson | 50730 15 |
| | 50738 15 |
| White | 50745 15 |
| Mixed | \$2 50760 10 50770 80 |
| ANALY MARKET | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| THE RESERVE TO THE RE | |
| | (B) |
| | |

Giant Crego Aster



Branching Asters (see page 64)

| TRUFFAUT'S PÆONY PERFECTION. Gr | ows |
|--|------|
| stiffly erect and about 18 inches tall. Rema | ark- |
| able for the brilliant colors of its great incur | ved |
| flowers. | Pkt. |
| Light Blue | 15 |
| Crimson50850 | 15 |
| Rose50855 | 15 |
| Scarlet | 15 |
| Snow-White50865 | 15 |
| Mixed | 10 |
| Collection of five colors50875 | 50 |
| VICTORIA, Tall. Large flowers, recurved pet | als: |
| | Pkt. |
| Carmine-Rose | 15 |
| Dark Blue | 15 |
| Light Blue 50985 | 15 |
| Peach Blossom | 15 |
| Rose50995 | 15 |
| Dark Scarlet | 15 |
| White51005 | 15 |
| Mixed $\frac{1}{4}$ oz. 75c., oz. \$2.5051010 | 10 |
| Collection of six colors51020 | 60 |
| IMPROVED AMERICAN VICTORIA (Daybr | eak |
| | Pkt. |
| Azurea | 15 |
| Daybreak. Shell-pink 1/4 oz. 8 oc 51060 | 15 |
| Pale Lavender | 15 |
| Purity. Snow-white | 15 |
| Rose-Pink | 15 |
| MIXED, QUILLED. oz. 35c., lb. \$3.5051130 | 05 |
| SINGLE ANNUAL MIXED. oz. 25c51140 | 05 |
| PERENNIAL MIXED. Extra-fine, from a | |
| splendid collection; sown early in spring, | |
| they will flower the same year51150 | 10 |
| | |

SWEET PEAS

Lathyrus odoratus

N. B.—Intending purchasers are strongly advised to order as soon as possible after receipt of catalogue

Through the skill of specialists the Sweet Pea has become much larger and lovelier than before it became so popular. There are flowers of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. For garden decoration it is now grown in clumps and in separate colors. The plants are more robust, dwarf and branching, and bloom more freely, some varieties showing three or four blooms on a stem.

A deep, rich, moist soil is best suited to Sweet Peas, hence a trench should be dug 1 1/2 feet deep and filled with very best loam mixed with bone meal or well-rotted manure. The vines are usually grown in double rows, with a wire trellis or a row of brush between. For each double row make the drills about 12 inches deep, and 9 to 10 inches apart. Sow plentifully, covering about 2 inches deep, and, by degrees, as the vines grow up, fill the trenches with soil, and thin out to about 2 or 3 inches apart. Spring sowings should be made just as early as the ground can be prepared, white-seeded varieties should not be sown until the ground is fairly warm. The earliest flowers are from seed sown in fall, preferably in a dry situation, and 6 to 8 inches deep, giving them level culture. Sweet Peas should not be grown on the same soil year after year. If the location cannot be changed, the soil to a depth and width of a foot or so should be removed and replaced by soil from another part of the garden or grounds. If the soil is in good, rich condition, bone meal is the best fertilizer.

We do not sell less than 1 oz., $\frac{1}{4}$ lb. or $\frac{1}{2}$ lb. at the prices quoted per oz., $\frac{1}{4}$ lb., $\frac{1}{2}$ lb. and lb. respectively. This applies to all types and to the mixtures.



Thorburn's Spencer Sweet Peas, King White

In order to assist our customers in making their selections, we group the different varieties according to color.

Thorburn's Selected Sweet Peas

| Assortment containing I pkt. each of 20 named varieties, Our Selection52010 | \$o 85 |
|--|--------|
| Assortment containing I pkt. each of 10 named varieties, Our Selection52020 | 45 |
| Assortment containing I pkt. each of 12 finest Named Exhibition Varieties of Spencer Sweet | |
| Peas. Our Selection | I 00 |

Named Large-Flowered (Grandiflora) Sweet Peas

All 5 cents per packet

| LIGHT BLUE AND LAVENDER | | | | | |
|-----------------------------------|--------|----------|--|--|--|
| Countess of Radnor. Lovely, deli- | Oz. | ⅓lb. | | | |
| cate mauve | \$0 10 | 0 \$0 30 | | | |
| Flora Norton. A pure, bright blue | | | | | |
| 52220 | 10 | 0 30 | | | |
| Lady Grisel Hamilton. Beautiful, | T. | 0 40 | | | |
| pale lavender52260 | 10 | 0 30 | | | |

DARK BLUE AND PURPLE

| DARK BLUE AND PURPLE | | | | | |
|--------------------------------------|--------|--------|--|--|--|
| Captain of the Blues. Standard pur- | Oz. | ⅓lb. | | | |
| ple; wings bright blue52350 | \$0 IO | \$0 30 | | | |
| Lord Nelson. A fine, rich bright | | | | | |
| blue | 10 | 30 | | | |
| Navy-Blue. The color is deep violet- | | | | | |
| blue 52430 | TΩ | 20 | | | |

NAMED LARGE-FLOWERED (GRANDIFLORA) SWEET PEAS, continued

| CLARET AND MAROON | | 1 | PINK AND WHITE (BICOLOR) |
|---|----------|----------------|--|
| Black Knight. Fine, self-colored, Colored deep maroon | z. 15 | ⅓lb. \$0 40 | Blanche Ferry. Pink and white; pop- Oz. 1/4lb. ular sort |
| Othello. Fine, deep maroon52520 | 10 | 30 | Dainty. White with pink edge; fine. 53260 15 |
| CRIMSON AND SCARLET | | | |
| King Edward VII. A fine, self-colored, | | | STRIPED AND MOTTLED |
| bright crimson52630 | 10 | 30 | America. White, striped orange-scar- |
| Salopian. Very fine, sunproof scarlet. | | | let53330 15 40 |
| 52690 | 10 | 30 | Aurora. White, flaked and striped |
| | | | orange-salmon53350 10 35 |
| PINK (LIGHT SHADES) | | | |
| Lovely. Shell-pink, shaded light rose | | | PURE WHITE |
| toward edges | 10 | 30 | Blanche Burpee. Snowy white. A |
| Prima Donna. Fine; large; soft pink. | | | fine, large flower53540 15 40 |
| 52930 | 20 | 6o | Emily Henderson. Early white. 53580 10 30 |
| | | | White Wonder. Double-stemmed; |
| PINK (DEEPER SHADES) | | | large, white flowers53680 10 30 |
| Apple Blossom. Bright pink and | | | |
| blush, beautifully shaded 52980 | 20 | 60 | YELLOW AND BUFF |
| Katherine Tracy. A fine, brilliant | | | Hon. Mrs. E. Kenyon. Deep prim- |
| pink53020 | 10 | 30 | rose-yellow; grand flower53770 10 30 |

Spencer Sweet Peas

These are noted for their unusually large-sized flowers, and for the waved or fluted appearance of the petals. They are also frequently referred to as "Orchid-flowering" Sweet Peas.

1 ounce will plant a row of 20 to 30 feet, and 1 packet a row of 6 to 8 feet

All 10 cents per packet, except where quoted otherwise

| nu 10 tems per puener, e | except where quoted otherwise |
|---|--|
| BLUE (LIGHT AND DARK SHADES) | Pink (Rose-Pink), continued |
| Asta Ohn. Lavender, tinted mauve; deli- Oz. | |
| cate coloring; very large53900 \$0 2 | 5 white |
| Captain of the Blues Spencer. A fine | Rosabelle. Fine, deep rose, with white |
| purple | 5 blotch at base 54290 25 |
| Flora Norton Spencer. Bright blue, slightly | SALMON AND ORANGE |
| tinged with purple53920 2 | 5 Dankara Einasalman Dirta anis ze ata |
| Masterpiece. Lavender53935 2 | 5 54310 |
| Royal Purple. Rich, warm, rosy purple; im- | Fiery Cross. Red-orange-cerise; very bril- |
| mense flowersPkts. only, 15 cts53952 | liantPkt. 15 cts54326 40 |
| Tennant Spencer. Beautiful purplish mauve, self-coloredPkts. only, 15 cts 53960 | Helen Lewis. A very fine orange-pink; |
| Wedgwood. Lovely, light Wedgwood- | most showy |
| bluePkts. only, 15 cts53962 | Mrs. Hardcastle Sykes. Beautiful light |
| | salmon-pink; large flower54350 25 |
| CRIMSON AND MAROON | SCARLET |
| Nubian. Very dark crimson-maroon; large | Onudinal Dulling interes assessments |
| | large waved flowers, borne four to a stem. |
| Othello Spencer. An elegant rich, deep | The best supproof scarlet |
| maroon54040 2 | Pkt. 15 cts., ½ lb. \$1.2554363 |
| PINK (LIGHT SHADES) | MANUTE |
| Countess Spencer. Beautiful, soft rose- | WHITE |
| | 5 America Spencer. White, striped with |
| Mrs. C. W. Breadmore. Cream, pink edged; | crimson-red |
| very large flower54172 2 | 5 Etta Dyke. A white Spencer; of fine form and substance |
| PINK (ROSE-PINK) | King White. Pure white; flowers of enormous |
| Apple Blossom Spencer. Rose standards; | size and fine formPkt. 15 cts54404 40 |
| | 5 White Spencer. Pure white; large, beauti- |
| Blanche Ferry Spencer. Carmine-rose, | fully waved flowerPkt. 15 cts54420 40 |
| with white wings | 5 |
| Constance Oliver. Buff-pink; large flower. | YELLOW SHADES |
| 54228 2 | 5 Dobbie's Cream. Fine; large; primrose |
| George Herbert. Rich salmon-rose color; | 54480 25 |
| | Primrose Spencer. Light primrose-yellow; |
| John Ingman. Rose-carmine; large; fluted | finest-formed flowers. Pkts. only, 15 cts 54490 |
| flowers54260 2 | 54490 |

New Giant, Early-Flowering, Long-Season Spencer Sweet Peas

This new race of Sweet Peas is expected eventually to take the place of all other early and late varieties, as they bloom from four to six weeks earlier than the late-blooming Spencers sown at the same time and continue blooming for four months. They are vigorous growers with immense waved flowers borne on long, strong stems in threes and fours, adaptable to our warm summers, and free-flowering. We strongly recommend a trial of these new creations.

than Early Songbird, on white ground. It seeds might be described as rose-pink on white ground; very pleasing; mostly four well-waved blossoms to each stem; free-flowering. 54544 25

Early Morning Star. Deep orange-scarlet or flame-color in standard, with rich orange-pink wings. Keeps its color well and does not burn badly. Flowers are large and waved, borne in threes and fours abundantly. Under artificial light its coloring is exquisite. 54555

Early Snowflake. The blossoms are very large



Giant Spencer Sweet Peas

| Early Song-Bird. Soft blush pink shade; large, fine flowers, borne on long stems in threes and fours. When in full growth it appears as though every stem has four blossoms, and of | seeds |
|--|-------|
| great quality | 25 |
| Early Spring Maid. The color is light pink on a cream ground. A most lovely variety, with | |
| very large, waved flowers. For an early | |
| cream-pink, Early Spring Maid is unex- celled54587 | 25 |
| Early Heather Bell. Beautiful shade of rich | |
| mauve; flowers borne on long stems and are of true Spencer form54588 | 25 |
| Yarrawa. Rose-color on first opening, changing as it develops to a charming combination of light pink standards and blush wings; of vigorous habit. The flowers are produced on | |
| long stiff stems oz. \$1.2554590 | 25 |

Early and Winter-Flowering Sweet Peas

SPENCER VARIETIES

These varieties, if sown early in fall indoors, will bloom by Christmas and continue all winter. They may also be sown outdoors in the same way as other sorts for summer flowering.

Pkt. of 50 seeds

Blanche Ferry Spencer. Pink and white.54640 25

GRANDIFLORA VARIETIES

All 10 cents ber backet

| All 10 cents per pucke | ~ | |
|--|-----------------------|--------|
| Canary-Primrose. Beautiful pri | | ¼lb. |
| rose. (Christmas.)546 | 50 \$0 15 | \$o 5o |
| Christmas Pink546 | 60 15 | 50 |
| Christmas White546 | 70 15 | 50 |
| Christmas Lavender (Mrs. Ale Wallace)546 | | 50 |
| Earliest of All. Pink and white, sembling Blanche Ferry. (Chrimas.) | st- | 50 |
| Le Marquis. Navy-blue. (Chrimas.)547 | st- ' 20 15 | 50 |
| Meteor. Bright red547 | 25 15 | 50 |
| Mixed Christmas547 | 70 15 | 50 |
| mas.) | 90 15 st- 20 15 | 50 |

Sweet Peas in Mixture

| THORBURN'S SPECIAL MIXED. Comprising the finest Eckford and | | Oz. | ¼lb. | ½lb. | Lb. |
|---|--------|--------|--------|--------|--------|
| newest and best large-flowering (Grandiflora) varieties54800 | \$0 05 | \$o 10 | \$0 35 | \$0 65 | \$1 00 |
| Spencer Varieties, Mixed. A very fine assortment of all the best | | | | | |
| varieties | | | | | 2 50 |
| Eckford, Mixed. The finest Eckford varieties only54860 | 05 | 10 | 35 | 65 | I 00 |
| Silver Gilt Medal Mixture. A blend of the most beautiful varieties | | | | | |
| of Spencers, to which was awarded the Silver Gilt Medal of the | | | | | |
| National Sweet Pea Society of Great Britain54870 | 10 | 30 | 95 | I 80 | 3 50 |
| Perennial Peas See Lathyrus | | | | | |

SELECTED LIST OF FLOWER SEEDS

We have unquestionably the largest assortment of Flower Seeds in America, and our strains are far superior to those commonly sold, often under fancy names and at fictitious prices. We avoid extravagant descriptions, meant only to effect sales.

There are many minute plants from the finer seeds killed by drenching with water while very young. In the first stage of their existence plants require moisture in a minute quantity, often repeated, and not

in such large quantities as to saturate the soil in which they are growing.

FLOWER SEEDS DELIVERED FREE BY MAIL ON RECEIPT OF THE STATED PRICE Not less than \(^1\)/40z. or 1 oz. sold at the prices quoted per \(^1\)/40z. or 1 oz. respectively. Price, on application, per ounce or pound for those not quoted.

Explanation of Signs Employed in This List

The Asterisk (*) designates ornamental-leaved plants. This mark (‡) prefixed indicates the climbers.

A represents Annual—lasting but one year. S represents Shrubs—plants of bushy habit. greenhouse plants. В Biennial—lasting two years. g Bu " Perennial—lasting three or more years. P bulbous plants.

Evergreen—retains foliage the entire year. \mathbf{E}

As a large number of Biennials and Perennials, if sown early, flower the first season from seed, this

distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic States. Farther north or south, these designations apply only in a comparative way.

The letter h represents hardy—plants for open border; hh represents half-hardy—plants that require be forwarded in pots or frames; t represents tender—requiring protection.

Customers will find it more convenient to order by number. If ordered from any catalogue other than this (1920) kindly state from which year's catalogue the numbers are taken. This will facilitate the filling of orders and will insure prompt shipment.

Many of our Flower Seeds are grown in Europe, and some sorts may not be received until later in the season than usual. At the time of going to press we expect to receive all the varieties we quote.

If permission is given us to substitute, we shall use our best judgment in sending equally good sorts for those originally ordered, or a memorandum will be kept of any items not sent and the seeds will be forwarded as soon as they arrive.

| ABRONIA umbellata grandiflora (Sand Ver- Pkt. bena). Handsome, trailing plants, these |
|--|
| hardy annuals with lilac-rose-colored flow- ers, are especially adapted for vases and rock-gardens, doing best in light, sandy soil. |
| Sow in the open ground in May55020 10 |
| ABUTILON, Mixed Hybrids (Chinese Bell-flower; Flowering Maple). Greenhouse shrub of easy culture; continuous bloomer; bell-shaped flowers; very decorative; desir- |
| able for house or garden. Grows 3 to 4 feet |
| in height |
| ACACIA (Tassel Tree). Beautiful greenhouse shrubs; elegant foliage, graceful branches, and fine racemes of richly scented, yellow flowers. Soak the seeds in hot water before sowing, then |
| plant in sandy peat in a temperature of 55 to |
| 60 degrees. Pkt. |
| Baileyana. 6 to 10 ft |
| cultriformis. 6 ft55110 10 |
| dealbata. 4 ft55130 10 |
| decurrens. 6 ft55150 10 |
| melanoxylon. 8 ft |
| floribunda. 6 ft |
| Fine Mixed |
| ACANTHUS (Bear's Breech). Hardy perennial |
| plants, flourishing in almost any soil or situation. |
| Much prized for decorative purposes. Pkt. |
| mollis. White. 3 ft |
| ACHILLEA Ptarmica, Double, "The Pearl." |
| Free-blooming, hardy perennial. The pure |
| white flowers are borne in clusters on long |
| stems. Fine for florists for cut-flowers. |
| Succeeds well in any common garden soil; |
| blooms all summer and fall. 1½ ft55340 25 |

| ACONITUM. Hardy perennial plant, with showy panicles of helmet-shaped flowers; does well in |
|--|
| shady places or under trees. 4 ft. Pkt. |
| Napellus (Monkshood). Blue55380 10 |
| ACROCLINIUM. Showy, half-hardy annuals for the summer garden, with Everlasting flowers, which are much used for winter decorations. Flower-heads, to be preserved, should be gath- |
| ered when young. I ft. Pkt. |
| T) ==================================== |
| roseum. Rose |
| roseum. Rose. .55430 5 "album. White. .55450 5 "Mixed. .55470 5 "Double Rose. .55490 5 "Double White. .55510 5 "Double Mixed. .55530 5 |
| " Double Rose |
| " Double White |
| O . |
| ‡ADLUMIA cirrhosa (Mountain Fringe; Allegheny Vine). An interesting hardy peren- |
| nial climbing vine, with beautiful dark rose flowers and delicate foliage. 15 ft55580 10 |
| ADONIS. Both the annual and perennial varieties are, with their bright flowers, great favorites in the flower-garden. All succeed well in any common soil. |
| autumnalis (Flos Adonis), hA. Crimson; Pkt. |
| fall-blooming. I ft |
| æstivalis. hA. Scarlet. 1½ ft55620 5 |
| vernalis (Ox-Eye). hP. Bright yellow; spring |
| blooming. I ft |
| AGAPANTHUS umbellatus (African Lily). Showy greenhouse plants, producing large clusters of bright blue flowers. Nearly hardy, and will thrive anywhere, in pots or tubs on the lawn, piazza, or in the greenhouse. In bloom during summer and |
| autumn. 3 ft55660 10 |



| Ageratum |
|---|
| AGATHÆA cœlestis (Blue Daisy). A tender Pkt. perennial, with beautiful blue flowers; fine pot-plant for winter-blooming in conservatory. I ft |
| AGERATUM. For strengthening the garden's color- forces in blue, no annual is so good as the Ageratum. Though ordinarily used in bedding and borders, in contrast with such plants as geraniums, perillas, etc., the rose, white and blue sorts are exceedingly attractive when mingled with alyssum, candytuft, etc. They grow well almost anywhere and bloom the whole season. The dwarf blue sorts make fine borders. Sow under glass early in the season or, later, outdoors in a mellow seed-bed. Seeds sown in August will produce good plants for winter flowering. |
| Lasseauxii. Clusters of handsome rose-col- Pkt. ored flowers. I ft |
| mexicanum. hA. Blue. Parent of the annuals below. 1½ ft55730 5 |
| album. White. 1½ ft |
| Imperial Dwarf Blue. Excellent for edgings. 9 in |
| Imperial Dwarf White. Excellent for edgings. 9 in |
| Little Dorrit. Azure-blue. Plants 6 in. high, I ft. wide |
| Little Blue Star. Bright blue flowers, fine for carpet bedding. 5 in55810 25 |
| Swanley Blue. A fine, large-flowered sort. I ft |
| Fine Mixed55840 5 |
| AGROSTEMMA. All of easiest cultivation, blooming during summer and autumn. "The Rose of Heaven" is very free-flowering and fine for cutflowers. The "Rose Campion" is excellent for naturalizing in dry situations. |
| Coeli-rosa (Rose of Heaven) hA Rose Plat |

| ACROSTEMMA, continued |
|--|
| † Coronaria (Rose Campion). hP. Rose. 2 ft |
| I ft55920 5 |
| flowering annuals of fine habit; require some protection in cold weather. Bloom continuously all through the season. I ½ to 2 ft. Pkt. linifolia. Scarlet |
| perennial. Blooms all summer. 3 ft. Pkt. pulchella. Brilliant yellow, with red streaks. 56020 |
| ALTHÆA rosea. See Hollyhock. |
| ALYSSUM. Most popular, free-blooming annuals; suitable for borders, baskets, pots, rockwork, and for cutting. In the garden sow thickly so as to form masses, early in spring or even the previous autumn. For winter bloom sow late in August, and thin the seedlings to about a dozen for a good-sized basket. Cut back after the first flowers fade and others will come. Pkt. |
| maritimum (Sweet Alyssum). hA. Fragrant |
| white flowers, in clusters, all summer. I ft. oz. 50c56050 5 |
| compactum lilacinum (Lilac Queen).56055 10 "Little Gem. Grows erect. 6 in. |
| 1/4 oz. 20c., oz. 60c 56060 10 |
| procumbens, White Carpet. Of trailing habit, forming a dense mass |
| Thorburn's Bouquet. Very dwarf and compact; for pots and borders. 3 in |
| saxatile compactum (Gold Dust). hP. Single plants cover a square foot in a year |
| and produce hundreds of yellow flower-heads; grayish foliage. I ft56090 5 |
| |
| |
| |
| |
| |
| |
| |
| A COST OF |




Alyssum maritimum

| *AMARANTHUS. Strong-growing, highly orr | ıa- |
|---|-----------|
| mental tender annuals. The Tricolor variet | ies |
| are very valuable for bedding, having elegan | nt, |
| ornamental foliage, variegated crimson, yello | OW |
| and green; also well adapted for growing in po | ts. |
| Of easy culture, doing best in rich loam so For best results sow in hotbed in April a |)II. |
| For best results sow in notbed in April a | nu and |
| plant out the end of May. Please note that so saved from the finest sorts frequently produces | in_ |
| r · , 1 , | kt. |
| *bicolor ruber. Red. 2 ft56150 | 5 |
| *cruentus (Prince's Feather). Dark red. | Ü |
| 3 ft | 5 |
| 3 ft56160 *caudatus (Love-Lies-Bleeding). Dark red. | Ü |
| 3 ftoz. 30c56170 | 5 |
| coleifolius superbus. Dark red. 3 ft56180 | 5 |
| *melancholicus ruber. Red. 2½ ft56200 | 5 |
| *salicifolius (Fountain Plant). Purple. 21/2 ft. | ŭ |
| 56210 | 10 |
| *tricolor (Joseph's Coat). Variegated. 21/2 ft. | |
| oz. 50c56220 | 5 |
| *Fine Mixedoz. 30c56250 | 5 |
| AMETHYST. See Browallia. | |
| AMMOBIUM alatum grandiflorum. White. | |
| | |
| Pretty half-hardy perennial Everlastings | |
| of easiest culture; bloom all summer. 2 ft | 5 |
| | 3 |
| ANAGALLIS grandiflora, Mixed (Pimper- | |
| nelle). Half-hardy annuals of easy culture; | |
| fine for borders or rockwork; continuously | _ |
| in bloom. 6 in56300 | . 5 |
| ANCHUSA. Both the annual and perennial variet | |
| of this attractive plant succeed well in a garden border. Fine for cut-flowers and bo | ine |
| | kt. |
| capensis (Cape Forget - Me - Not). hhA. | ĸt. |
| Azure-blue. 1½ ft56330 | 10 |
| italica, Dropmore variety. hP. Blue. 3 ft. | 10 |
| 56340 | 10 |
| ANEMONE (Windflower). Free-flowering, har | dv |
| perennials, producing large cup-shaped flower | |
| Invaluable for cutting; require rich, deep so | |
| | kt. |
| coronaria (St. Brigid Poppy - flowered). | |
| Mixed56360 | 10 |
| " Caen, Mixed56370 | IO |
| japonica alba. White56390 | 25 |
| sylvestris. White56395 | 15 |
| ANTHEMIS. A very pretty plant, producing dai | |
| like, golden yellow flowers all summer; fine | |
| cutting. | kt. |
| Kelwayi tinctoria. hP. Fine, large flowers | |
| on good stems. 2 ft56460 | IO |
| ANTIGONON leptopus. Greenhouse peren- | |
| nial climber with pink flowers56470 | 5 |
| ANTIRRHINUM. See Snapdragon. | |
| • | |
| AQUILEGIA (Columbine). Few hardy per | en- |
| nials are so easily grown from seed, and will g | |
| such unalloyed satisfaction. A most desira | |
| border plant. It forms large clumps, bloo early, long and abundantly, is useful for cutt | ing |
| and elegant in habit. Sow seed in the or | en |

AQUILEGIA (Columbine). Few hardy perennials are so easily grown from seed, and will give such unalloyed satisfaction. A most desirable border plant. It forms large clumps, blooms early, long and abundantly, is useful for cutting and elegant in habit. Sow seed in the open ground in spring, preferably where the plants are to grow, and thin to about a foot apart. Sow in the fall for flowering the following season. They thrive well under ordinary garden culture, but such rare sorts as A. cærulea and A. chrysantha do best in partially shaded, welldrained nooks.

| QUILEGIA, continued | |
|--|-------|
| californica hybrida. Orange-red and yel- | Pkt. |
| low; splendid. 2 ft56500 | 25 |
| canadensis. Scarlet and yellow; for shade. | |
| 1 ½ ft56510 | 10 |
| chrysantha. Golden yellow; flowers large, | |
| long spurred. 3 ft | 25 |
| cærulea (Rocky Mountain Blue Columbine). | |
| One of the most beautiful of our native | |
| flowers. Sepals blue, petals white. 3 ft 56530 | |
| | 15 |
| glandulosa vera. One of the handsomest hardy perennials; stems 2 feet high, with | |
| sometimes 50 to 80 blossoms 3 inches in | |
| diameter, of the deepest blue, with white | |
| corolla; a splendid flower56560 | 50 |
| Long-spurred Hybrids, Mrs. Scott Elliot's | Ü |
| Strain. Magnificent hybrids in the greatest | |
| variety of colors and shades. One of the | |
| finest strains. 2 ft | 25 |
| Skinneri (Mexican Columbine). Very hand- | |
| some and distinct; spurs and sepals long; | |
| crimson and green. 3 ft56590 | 25 |
| vulgaris, Double Mixed. Best colors. 56620 | 5 |
| " Single Mixed. Many good sorts 56630 | 5 |
| ARABIS. An early-flowering, hardy peren | nnial |
| especially suited for edgings and rockwork | . be- |
| coming a sheet of white bloom in early sp Grows about 6 inches in height and ac | ring. |
| Grows about 6 inches in height and ac | lapts |
| itself to almost any situation; of easiest | cul- |
| ture. | Pkt. |
| alpina (Rock Cress). White. 9 in56660 | 10 |
| ARCTOTIS grandis. White and lilac. The | |
| large, daisy-like blooms of this fine hardy an- | |
| nual are excellent for cutting. 2 ft56680 | 10 |



Aquilegia, Long-spurred

| ARGEMONE. Easily grown, showy, hardy an- | BALSAM, continued |
|--|---|
| nuals, with poppy-like flowers; blooms through | open ground in May, soon form handsome bushes thickly massed with large, rose-like flow- |
| the summer and autumn. 2 to 3 ft. Pkt. | ers. Transplanting two or three times has a |
| grandiflora. White | tendency to dwarf the plants into better shape |
| | and to make the flowers more double. Balsams |
| ‡ARISTOLOCHIA elegans. gP. Purple and white. Beautiful, strong-growing climbers | are not often given room for perfect develop- |
| for both greenhouse and open ground; grow | ment; they will easily cover 12 to 18 inches of |
| finely all summer. 20 ft | space each way. For the finest flowers choice seed |
| Sipho (hP). The "Dutchman's Pipe" Vine. | is more than usually essential. We offer only |
| 30 ft | the finest double sorts. 1½ ft. Pkt. |
| ASCLEPIAS. Showy plants, including both green- | Double Bright Scarlet57100 10 |
| house and hardy perennials, growing 2 to 3 feet | " Rose |
| in height and blooming throughout the summer. | " Yellow |
| Curassavica (Swallow-wort). gP. Orange; Pkt. | Finest Double, Mixed. A splendid assort- |
| free bloomer | ment |
| tuberosa. hP. Orange56840 10 | Camellia-flowered. Flowers of extra size, |
| ASPARAGUS. Beautiful, fern-like foliage; fine for | double, and full centered, with reflexed |
| bouquets; an excellent house plant; white flow- | petals. The plant grows rapidly to a good |
| ers. 4 to 6 ft. Pkt. | height and is extremely floriferous. |
| plumosus nanus. gP. The dwarf variety so | Camellia-flowered, White57170 10 |
| largely used by florists56860 25 | " Lilac57172 10 |
| Sprengeri. gP. Fine for basketwork and for | " Light Pink57174 10 |
| use with cut-flowers56890 10 | " Rose57176 10 |
| ASPERULA. Sweet-scented, pretty plants for | " " Mixed. Best colors. |
| borders or rockwork; succeed finely in shady | Oz. 50c57190 10 |
| places or under trees; continuously in bloom. | G C C C C C C C C C C C C C C C C C C C |
| I ft. Pkt. | BALSAM APPLE and PEAR. See Momor- |
| azurea setosa. hhA. Light blue56920 5 | dica. |
| odorata (Sweet Woodruff; Waldmeister). hP. White | BAPTISIA australis (False Indigo). Light |
| | blue. Very beautiful, strong-growing and |
| ASTERS. See pages 64 and 65. | ornamental, hardy, perennial border plant |
| AUBRETIA. Hardy perennial trailers for beds, | for summer blooming. 3 ft57280 5 |
| rockwork, or herbaceous borders; resemble | BARTONIA aurea. Golden yellow. Beautiful |
| alyssum in character. Pkt. | hardy annuals that bloom all through the |
| deltoidea. Lilac; very pretty56960 25 Leichtlinii. Rosy carmine; fine56990 25 | season; very fragrant in the evening. 3 ft. |
| | 57300 5 |
| AURICULA (<i>Primula auricula</i>). hP. Finest Mixed. Beautiful shades of color. These | BEGONIA. gP. Begonias are invaluable for grow- |
| early spring- | ing in beds and borders; also for pot culture, |
| blooming gar- | being perfect in habit, with very handsome foli- age. Average height about I foot. The tuber- |
| den Primroses | ous-rooted varieties produce gorgeous effects in |
| are great fa- | the garden and are one of our best summer- |
| vorites. 6 in | blooming plants. The seeds of all varieties |
| 57020 25 | should be started early. Pkt. |
| BACHELOR'S | Single, Tuberous-Rooted, Mixed57420 25 |
| BUTTON. See | Double Tuberous-Rooted, Mixed57430 50 |
| Centaurea and | gracilis luminosa. Dark scarlet; reddish |
| Gomphrena. | brown foliage; winter-flowering; fine for |
| BALLOON | pots |
| VINE (Cardi- | *Rex. Ornamental-leaved varieties in mix- |
| ospermum). A | ture |
| pretty and | tare |
| | semperflorens rosea. Rose-colored flowers; |
| fast - growing, | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 |
| fast - growing, half-hardy an- | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne |
| fast - growing, half-hardy an- nual climber, | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 |
| fast - growing, half-hardy an- | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 "Vernon. Red; for borders |
| fast - growing, half-hardy an- nual climber, with white | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 "Vernon. Red; for borders 57540 25 |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 "Vernon. Red; for borders 57540 25 "Mixed57570 25 |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 "Vernon. Red; for borders 57540 25 |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 BALSAM (Lady's- Slipper). | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 BALSAM (Lady's- Slipper). These favorite half- | semperflorens rosea. Rose-colored flowers; fine for edging57500 25 "alba. White flowers, borne in profusion57510 25 "Vernon. Red; for borders 57540 25 "Mixed57570 25 |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 5 oc 57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 BALSAM (Lady's- Slipper). These favorite half- | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 5 oc 57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are of the easiest cult- | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are of the easiest cult- ure, but love hot sun, rich soil, and plenty of water. | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10ft. oz. 5oc57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are of the easiest cult- ure, but love hot sun, rich soil, and plenty of water. The young plants | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10 ft. oz. 50c57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are of the easiest cult- ure, but love hot sun, rich soil, and plenty of water. The young plants are quick, sure | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |
| fast - growing, half-hardy an- nual climber, with white blossoms. 10ft. oz. 5oc57080 5 BALSAM (Lady's- Slipper). These favorite half- hardy annuals are of the easiest cult- ure, but love hot sun, rich soil, and plenty of water. The young plants | semperflorens rosea. Rose-colored flowers; fine for edging 57500 25 "alba. White flowers, borne in profusion |



Calendula officinalis

| Calendula officinalis | |
|--|---|
| BRACHYCOME. The well-known "Swan-R Daisy" is a beautiful, little, half-hardy ann blooms all summer; fine for edgings and bord Should be started in hotbed. I ft. iberidifolia. Blue | ual; |
| blooming annual, highly prized for summer lding or as greenhouse plants. Fine for cutt 2 ft. elata. Blue | bed- ling. Pkt. |
| elata. Blue | 10 |
| | 10 |
| "Mixed | 10 |
| 57820 | 25 |
| 3,020 | 25 |
| easily grown hardy annual, with tassel-shaflowers. I ½ ft. coccinea. Scarlet | ped Pkt. 5 |
| these interesting plants should be started in the greenhouse in moist sand57900 *CALANIPELIS scabra (†hP). Fine climber for trellises; flowers orange-scarlet. 10 ft | 25 |
| 57920 | 10 |
| calandrinia. Brightly colored, little had annuals, fine for edgings; continuously in block and do well in sunny situations. 6 in. speciosa. Purple | oom, Pkt. 5 10 and face soil, hick htly |
| or very light soil. Press the soil firmly on | the |

| · · · · · · · · · · · · · · · · · · · | |
|---|-----------------------|
| ALCEOLARIA continued | |
| seed. The watering should be done careful | lly; |
| an atomizer or brush is best. To retain the mo | ois- |
| ture the box may be covered with a pane | |
| glass, which must be removed as soon as pla | nta |
| glass, which must be removed as soon as pla | |
| | Pkt. |
| hybrida. Large-flowered; self-colored. 2 ft. | |
| 57990 | 25 |
| " Large-flowered; tigered or spotted. | 23 |
| Large-nowered, tigered or spotted. | |
| 2 ft | 25 |
| " Large-flowered; dwarf; tigered. | |
| ı ft | 25 |
| I ft | -0 |
| for healthing of the | |
| for bedding. I ft58100 | 10 |
| | |
| CALENDULA. Hardy annuals about 1 f | oot |
| high. Sow in the open early in spring and | the |
| planta will bloom confirm aummer. Colonda | ilea |
| plants will bloom early in summer. Calenda | |
| have become very popular of late. The strik | ang |
| orange, red, and yellow blooms are very ef | fec- |
| tive and attractive growing on stout b | ono |
| tive and attractive, growing on stout, lestems. They are excellent for cutting, and | 010 |
| stems. They are excellent for cutting, and | are |
| produced in great profusion, blooming until | late |
| in autumn. | Pkt. |
| officinalis fl pl. grandiflora (Orange | |
| King) Double large double | |
| King). Double; large-flowered; | |
| deep orange 58160 | 5 |
| " flpl. grandiflora sulphurea. | |
| Double; light yellow; large - | |
| Acres de Folto | ~ |
| flowered | 5 5 |
| Sulpnur Crown381/3 | 5 |
| " Nankeen. A rich, soft shade of | |
| nankeen-yellow; large flowers | |
| 58180 | ~ |
| | 5 |
| wieteor. Creamy center, edged | |
| with orange; fine for cutting | |
| oz. 25c58190 | 5 |
| 02. 2000023 | |
| " Primes of Orange Clittoring | J |
| " Prince of Orange. Glittering | J |
| orange and yellow. One of the | |
| bestoz. 30c58200 | |
| bestoz. 30c58200 | 5 |
| bestoz. 30c58200 "ranunculoides (Garden Mari- | |
| bestoz. 30c58200 "anunculoides (Garden Marigold). Orange; double flowers. | 5 |
| bestoz. 30c58200 "anunculoides (Garden Marigold). Orange; double flowers. 58210 | |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. | 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 | 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 | 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white | 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 | 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixedoz. 25c58240 | 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixedoz. 25c58240 | 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed | 5 5 5 5 5 |
| bestoz. 30c58200 ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n 's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n 's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. Sow in open | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n 's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. Sow in open | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marons and browns. Sow in open ground in | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-maroons and browns. Sow in open ground in spring, and, | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n 's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. Sow in open ground in spring, and, in thinning | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. Sow in open ground i n spring, and, in thinning or trans- | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-maroons and browns. Sow in open ground in spring, and, in thinning or transplanting, | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-maroons and browns. Sow in open ground in spring, and, in thinning or transplanting, | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-maroons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-maroons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. 58230 See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marroons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. 58230 See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n 's great forces in yellow, strengthened with rich r e d - m aroons and b r o w n s. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of g a r d e n's great forces in yellow, strengthened with rich r e d - m a roons and b r o w n s. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marroons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying necessary. Fine for Calliopsis | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. 58230 Mixed. 58230 Mixed. 58230 CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying necessary. Fine for cutting. Calliopsis | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. See, also, Marigold. CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marroons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying necessary. Fine for cutting. Pkt. bicolor (tinctoria). | 5 5 5 5 5 |
| ranunculoides (Garden Marigold). Orange; double flowers. 58210 pluvialis (Cape Marigold). White or ivory. 58220 Pongei flpl. Handsome, double, white flowers. 58230 Mixed. 58230 Mixed. 58230 Mixed. 58230 CALLIOPSIS. This hardy annual is another of garden's great forces in yellow, strengthened with rich red-marons and browns. Sow in open ground in spring, and, in thinning or transplanting, give the plants plenty of room to spread. Their tall, slender habit makes neat staking and tying necessary. Fine for cutting. Calliopsis | 5 5 5 5 5 |

| | Pkt. |
|--|------|
| bicolor Crimson King58295 | 5 |
| " marmorata. Maroon and gold. | |
| 1½ ft58310 | 5 |
| " nana radiata (Ray of Gold). Golden | Ŭ |
| yellow flowers. 6 to 8 in 58320 | 10 |
| coronata. Yellow; very fine. 1½ ft58340 | 5 |
| Drummondii (Golden Wave). Golden | U |
| brown. I ftoz. 50c58350 | 5 |
| Mixed Annual Sortsoz. 40c58370 | 5 |
| | - |
| COREOPSIS (Perennial Calliopsis). One of o | |
| finest hardy perennials; bloom practically | |
| _ / | kt. |
| grandiflora. Large flowers of rich yellow. | |
| 2 ft58400 | IO |
| lanceolata grandiflora. Large, golden yel- | |
| low flowers; fine for cutting58410 | 10 |
| CAMELLIA japonica. See Tree Seeds. | |



Campanula Medium

| CAMPANULA, continued | T)1 / |
|--|----------|
| Medium, Single Mixed58600 | Pkt. 5 |
| " Double Blue. Rich, heavy, curi- | J |
| ous flowers through summer | |
| " and fall | 10 |
| ance | 10 |
| " Double Rose58630 | 15 |
| " Double Mixed58640 | 10 |
| calycantnema (Cup - and - Sau- | |
| cer). hB. Blue; symmetrical; often has 35 to 40 flowers open | |
| at same time on a single plant; | |
| for pots or borders. 2 ft. 58650 | 10 |
| " calycanthema alba. A white- | |
| flowered variety of the above58660 | |
| " calycanthema rosea. Rose. A | 15 |
| very fine sort58670 | 15 |
| " calycanthema, Mixed. Shades | |
| of blue and white58680 | 10 |
| " Prize Mixture of all colors, Single and Double and Calycanthemas; | |
| an unequaled strain58700 | 15 |
| persicifolia grandiflora, Blue. hP. Superb | - 0 |
| large flowers and long, narrow, | |
| peach-like foliage. For finest | |
| effect plant the blue and white varieties together. 2 to 4 ft. | |
| June and July58770 | 25 |
| " grandiflora alba. A white- | -3 |
| flowered variety of the above, | |
| growing to the same height | ~ = |
| 58780 " grandiflora, Fine Mixed.58790 | 25 25 |
| pyramidalis (Chimney Bellflower). hhP. | 23 |
| Spikes 3 to 4 feet tall, erect, | |
| pyramidal; flowers large and | |
| of beautiful blue; blooms in late summer and autumn. | |
| 58800 | 10 |
| " alba. White58810 | 10 |
| " Mixed58815 | 10 |
| See, also, Platycodon, page 97. | |
| ‡CANARY-BIRD FLOWER (Tropæolum ca- | |
| nariense). Also known as Canary Creeper. | |
| Fine, half-hardy annual; yellow flowers. 10 ft | 10 |
| | |
| CANDYTUFT (Iberis). The Candytufts | are |
| among our best hardy annuals for edgings, ding, massing or rockeries, and for cutt | |
| Several of the varieties are fragrant, and all | are |
| profuse in bloom. Sow outdoors in April, | and |
| thin well when the plants grow about an i | nch. |
| Sow again in a month, and late in July for flowers. Give rich soil and water freely. | tall |
| affinis. Neat and pretty bedder. 6 in. 58870 | 5 |
| amara. White. I ftoz. 25c58875 | 5 |
| coronaria (Rocket Candytuft). Of candel- | ŭ |
| abra form; flowers in upright | _ |
| spikesoz. 40c58880 Empress. White. I ft | 5 |
| ½0z. 20c., oz. 50c58885 | 5 |
| " Giant Hyacinth-flowered. | ., |
| White flowers borne in large | |
| trusses | 5 |
| 58900 | 5 |
| umbellata. Purple. 1 ft58905 | 5 5 |
| " carminea. Bright carmine. | |
| " carnea. Flesh-colored. I ft | 10 |
| | |
| 58915 | 5 |

ю

| CANDYTUFT, continued Pkt. |
|---|
| umbellata Dunnettii. Dark crimson. |
| ı ft58920 5 |
| " lilacina. Lilac. 1 ft58925 5 |
| " Tom Thumb. White58932 5 |
| Dwarr Hybrids. Wrixed colors. |
| 6 in |
| WIIXed 50936 5 |
| Mixed Annual Sortsoz. 30c58940 5 |
| PERENNIAL CANDYTUFT. Hardy evergreen |
| plants, making a magnificent showing the |
| second year from seed. They bloom very early, |
| cushioning rock ledges, borders, etc., with |
| banks of bloom. Sow outdoors in spring or fall |
| in any banny place. |
| sempervirens. White flowers remain fresh |
| nearly a month. I ft58990 15 |
| *CANNA (Indian Shot). hhP. One of our best bed- |
| ding plants; beautiful, ornamental foliage and |
| large, brilliant flowers. Much employed in sub- |
| tropical gardening, groups on lawns and mixed |
| flower-beds. Soak the seed before planting. |
| 4 ft. Pkt. *Dark-leaved Sorts, Mixed59030 10 |
| · · · · · · · · · · · · · · · · · · · |
| indica, Fine Mixed59035 5 |
| *Finest Mixed, Crozy's Hybrids. Very |
| fine |
| CANTERBURY BELLS. See Campanula. |
| CARNATION (Dianthus Caryophyllus). The |
| splendid Carnation of the florist is a very inter- |
| esting plant to grow from seed and it is not |
| esting plant to grow from seed, and it is not over-exacting. Sown under glass in early spring, |
| or later in the open ground, the plants will |
| or later in the open ground, the plants will flower finely the second summer. For largest, |
| richest flowers we recommend culture in pots of |
| rich soil. With many they are also garden |
| favorites, and, grown in this way, flowers of |
| good quality may be enjoyed all summer if |
| given plenty of water, good soil, and a mulch |
| about their roots. With the tall varieties, staking |
| and tying are necessary. Young plants are per- |
| and tying are necessary. Young plants are perfectly hardy outdoors, but when two or three years old they are injured by winter cold, so |
| years old they are injured by winter cold, so |
| that sowings should be made every year. The |
| more expensive sorts produce the finest flowers. The prices we quote, although seemingly high, are |
| most reasonable for strains such as we offer. |
| · · |
| MARGARET CARNATIONS are an extra-vig- |
| orous race, especially adapted for outdoor culture. They are very neat in habit, and remark- |
| able for their rich profusion of flowers, produced |
| five months from sowing. Grown as annuals |
| from seed every spring, they are most satis- |
| factory. Pkt. |
| Double White. Large, perfect flowers. |
| 1 ½ ft |
| Double Yellow. A clear, soft shade. 1½ |
| ft |
| Double Mixed. 1½ to 2 ft |
| oz. \$1.5059140 10 |
| Giant Margaret. Malmaison Strain. |
| Extra large and perfect, flowering in a |
| rich variety of colors; 80 per cent of the |
| flowers generally come double. A splendid |
| sort for cutting. I ft |
| PERPETUAL CARNATIONS. This race has |
| large, elegantly formed flowers, continually |
| abloom, upon closely branched symmetrical |
| plants, often called, from their neat habit, Tree Carnations. |
| Tree Carnations. |
| |

| CARNATION, continued | |
|---|-------|
| Chabaud Perpetual Double. Mixed— | D1-4 |
| Yellow, Red, White, etc. Blooms in six | rkt. |
| months. 1½ ft | 25 |
| Jeanne Dionis. Enormous flowers of the | 23 |
| purest white and most perfect form.59190 | 75 |
| Chabaud Yellow59230 | 25 |
| Giant Perpetual, Fine Mixed. Enormous | -3 |
| flowers; perfectly double; splendid colors. | |
| 59240 | 50 |
| BORDER CARNATIONS, etc. We invite at | ten- |
| tion to the splendid collection below. | Pkt. |
| Red Grenadine, Double. Brilliant scarlet. | |
| 2 ft59270 | 25 |
| Early Dwarf Vienna, Double Mixed. | |
| Fine for garden culture and for cutting. | |
| ı ft59290 | 15 |
| Double Mixed | 10 |
| CASSIA artemisioides (Senna). gP. A very | |
| pretty shrub, with finely cut, silvery foli- | |
| age and yellow flowers; sweet-scented; will | |
| stand drought very well. 4 ft59450 | 15 |
| CASTOR-OIL PLANT. See Ricinus. | |
| CATCHFLY. See Silene. | |
| CELOCIA (C | |
| CELOSIA (Cockscomb). | 71 |
| CRISTATA. An annual of easy culture. | ney |
| are most effective in the border. Transplan into a rich soil about the time the combs b | |
| to form makes the flower-heads much lai | |
| | Pkt. |
| Glasgow Prize. Dark leaves and crimson | r Kt. |
| combs; fine for solid beds and | |
| for edgings. I ft59520 | IO |
| Dwarf Crimson | 10 |
| " Dark Yellow. Yellow combs | 10 |
| 59550 | 10 |
| " Light Yellow | 10 |



CELOSIA, continued
PLUMOSA (Plumed or Ostrichfeather). Beautiful annual foliage plants, blooming in late summer and autumn, and producing large, showy plumes, curled and a n d curved, much resembling ostrich feathers. Elegant for beds and borders. 2 to 3 ft. Ostrich - Feather, Pkt. Crimson . . 59590 10 Ostrich - Feather, Finest Mixed... 59605 10 Pride of Castle Gould. Handsome, compact, feathery plumes. In shades of bloodreds, carmines, yellow, and orange....59620 Celosia plumosa Thompsonii. Feathered; red; superb... magnifica alba 59621 10 aurea...59622 IO carminea . 59623 Kermesina. 59624 66 coccinea 59626 IO lutea....59628 purpurea.. 59630 Rouge Feu.. 59632 Yellow. . 59638 44 Mixed. Superb assortment of the plumed varieties.........59640 Pompon (Chinese Woolflower). Brilliant scarlet; quite distinct......59680 **CENTAUREA.** The popular Cornflower, Cen-


CENTAUREA. The popular Cornflower, Centaurea Cyanus, is also known as Blue Bottle, Ragged Sailor, and sometimes as Bachelor's Button. Bright-flowered plants of the hardiest nature and simplest culture, among the most attractive and graceful of all the old-fashioned flowers. The perennial sorts increase rapidly and bloom profusely.

PERENNIAL, SILVER-LEAVED. These are used for borders or edgings, and thrive anywhere. Flowers white, leaves grayish; half hardy. I ft.

candidissima. Silvery white leaves . 59740 10 gymnocarpa. Silvery white, small leaves .

HARDY ANNUALS. Flower finest in full sun and thin soil. Sow in open ground in spring. 1½ to 2 ft.

CENTAUREA, continued americana. Large, lilac-purple flowers; Pkt. bushy plants; very fine; constant and profuse bloomer......59780 **alba.** Pure white.....59785 imperlalis (Giant). A hardy annual of great beauty. The fluffy flowers, borne on long, stiff stems —yellow, purple, lilac, rose and white in color—are very beautiful. They are splendid for cutting, and the cut blooms, if placed in water, are very lasting. White. Very large-flowered. 44 hardy, and floriferous . 59790 Purple. Beautiful, velvety purple......59798 10 **Lilac.** Very large-flowered; hardy; the same as the white. except in color......59810 10 Rose. Charming, glowing rose. 59818 Yellow. Bright yellow flowers; very fine for use as cut-flowers......59830 10 Mixed. Very large-flowered; hardy......59840 10 odorata Margaritæ. Pure white; 21/2 inches across; laciniated and scented; forms stocky, well-budded little bushes. 1½ ft......59880 atropurpurea (Purple moschata Sweet Sultan). Large flowers on long stems....59900 10 atropurpurea alba (White Sweet Sultan)......59910 10 atropurpurea, Mixed. (Mixed Sweet Sultan). 59930 10 (Yellow Sweet Sultan). suaveolens Fine......59950 TO



Centaurea imperialis

| CENTAUREA, continued | |
|---|---|
| Cyanus (Cornflower). Blue; delightful, old- | · Pkt. |
| fashioned flowers, blooming pro- fusely all summer; borne on long | |
| stiff stems, and fine for cutting. | |
| I to 2 ft | 5 |
| " Emperor William. Blue; one of the finest of all Cornflowers, and | |
| much used for cutting | |
| oz. 5oc 59980 | |
| " Double Blue59985 | 15 |
| " Rose. Distinct shade; flowers borne on long stems; good for cutting | ; |
| 60010 | 5 |
| " Victoria, Dwarf Compact. For | |
| pots and edgings; azure blue; 9 in. 60020 | |
| " Pure White. Very fine60030 | |
| " Mixedoz. 40c60040 | |
| " Double Mixed | _ |
| ¹ / ₄ oz. 25c., oz. 8oc60050 " Mixed Dwarf Hybrids | 5 |
| ¹ / ₄ oz. 25c., oz. 8oc60060 | 10 |
| Collection of five varieties <i>Centaurea</i> | |
| imperialis60065 | |
| centranthus. Very pretty, free-flow annuals, suitable for rockeries, vases, and | |
| garden border. I ft. | Pkt. |
| macrosiphon. Red60120 | 5 |
| " Mixed60150 | |
| CERASTIUM (Snow-in-Summer). Pretty, si leaved, trailing, hardy perennials; fine ed | |
| plants, also for rockeries. 6 in. | Pkt. |
| plants, also for rockeries. 6 in. tomentosum. White60190 | 25 |
| CHELONE. Beautiful, decorative, hardy pe | |
| nials, worthy of a place in every gai | |
| 2 to 3 ft. | 701 |
| | Pkt. |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 | 10 |
| barbata coccinea. Scarlet60300 | 10 |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 CHRISTMAS ROSE. See Helleborus. | 10 |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 CHRISTMAS ROSE. See Helleborus. CHRYSANTHEMUM. Do not confetthese annuals with the winter-flowering statement. | 10 10 ound sorts |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 CHRISTMAS ROSE. See Helleborus. CHRYSANTHEMUM. Do not confetthese annuals with the winter-flowering of the florists. They bloom profusely from the second confetting that the second confetting is the second confetting to the florists. | 10 10 ound sorts early |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 CHRISTMAS ROSE. See Helleborus. CHRYSANTHEMUM. Do not conference annuals with the winter-flowering of the florists. They bloom profusely from a summer until frost, and, when grown in the summer until frost is the summer until frost in the sum | ound sorts early large |
| barbata coccinea. Scarlet60300 "hybrida, Mixed60310 CHRISTMAS ROSE. See Helleborus. CHRYSANTHEMUM. Do not confet these annuals with the winter-flowering of the florists. They bloom profusely from a summer until frost, and, when grown in beds or masses, their bright colors make a specific colors. | ound sorts early large |
| barbata coccinea. Scarlet | ound sorts early large olen- loom |
| barbata coccinea. Scarlet | ound sorts early large olendow-the |
| barbata coccinea. Scarlet | ound sorts early large olendow-the lants |
| barbata coccinea. Scarlet | ound sorts early large olen- loom dow- the lants 8 to |
| barbata coccinea. Scarlet | ound sorts early large olen-loom dow-the lants 8 to owth crage |
| hybrida, Mixed | ound sorts early large olen- loom dow- the lants 8 to |
| hybrida, Mixed | ound sorts early large clen- loom dow- the lants 8 to owth erage Pkt. |
| hybrida, Mixed | ound sorts early large plendown the lants 8 to both erage Pkt. |
| hybrida, Mixed | ound sorts early large clendow the lants 8 to owth crage Pkt. |
| barbata coccinea. Scarlet | ound sorts early large plendown the lants 8 to both erage Pkt. |
| hybrida, Mixed | ound sorts early large blendow-the lants 8 to bwth rage Pkt. |
| hybrida, Mixed | ound sorts early large plendoom dow-the lants 8 to both erage Pkt. |
| hybrida, Mixed | ound sorts early large olen-loom dow-the lants 8 to owth erage Pkt. 5 5 5 cings are |
| hybrida, Mixed | ound sorts early large olen-loom dow-the lants 8 to owth erage Pkt. 5 5 5 cings are |
| hybrida, Mixed | ound sorts early large clendow the lants 8 to with crage Pkt. 5 5 5 cings are long |
| hybrida, Mixed | ound sorts early large blen-blen the lants 8 to with rage Pkt. 5 5 5 cings are long Pkt. |
| barbata coccinea. Scarlet | ound sorts early large clendow the lants 8 to with crage Pkt. 5 5 5 cings are long |
| barbata coccinea. Scarlet | ound sorts early large blen-blen the lants 8 to with rage Pkt. 5 5 5 cings are long Pkt. |
| barbata coccinea. Scarlet | ound sorts early large plendown the lants 8 to with rage Pkt. 5 5 ings are long Pkt. |



Centaurea Cyanus

| CHRYSANTHEMUM, continued | Pkt. |
|--|------|
| tricolor, Scarlet. Dark and rich60490 | IO |
| " Yellow | 5 |
| " White | 5 |
| " Single Mixed. All colors | 3 |
| | _ |
| '' Pouble Colder (Dumpettii) | 5 |
| " Double Golden (Dunnettii) | |
| 60530 " Davida White (Davida Hill) 60540 | 10 |
| Double white (Dunnettii).00540 | IO |
| Double nybridum, Mixed (Dun- | |
| nettii) | |
| $\frac{1}{4}$ oz. 40c., oz. \$1.2560550 | 10 |
| frutescens (Paris Daisy; Marguerite). gP. | |
| Beautiful for cutting and pot culture; long- | |
| stemmed, single, white flowers, with golden | |
| centers. A favorite variety with florists | |
| 60610 | 10 |
| | 10 |
| inodorum, Double. Pretty, white flowers, | |
| carried on long, stiff stems; fine for cutting. | |
| I ft | 10 |
| Leucanthemum (Shasta Daisy). hP. Extra- | |
| large flowers, with pure white petals and | |
| brilliant, golden yellow center. 2 to 2½ ft. | |
| 60630 | 10 |
| Leucanthemum secundum (June Mar- | |
| guerite). Flowering in succession to the | |
| Shasta Daisy | 15 |
| | 13 |
| segetum, Morning Star. Large, yellow | _ |
| flowers; for cutting 60650 | 5 |
| nellos, Evening Star. Fine for | |
| cutting; pure golden yellow | |
| flowers of gigantic size, borne on | |
| long stems60660 | 5 |
| Collection of five varieties <i>Chrysanthemum</i> | |
| tricolor | 40 |
| | |
| PERENNIAL VARIETIES. This section inclu | |
| the large-flowered sorts, and the pretty, ha | |
| Pompons that make bright masses of colo | r in |
| our gardens long after heavy frosts have | cut |
| down other flowers. We wish to make quite of | |
| the distinction between this class and the Ann | |
| Chrysanthemums described above, so that, as | has |
| sometimes happened heretofore, customers r | nay |
| not order seed of the summer-blooming gar | den |
| | |

50 25

strain.................60840



| Annual Chrysanthemum |
|---|
| chrysanthemum, perennial, continued varieties, expecting them to yield the grand show flowers of late fall. For ordinary culture and room decoration, plants pinched back to |
| form a number of branches, and holding from five to ten flowers, are satisfactory. Average height of show kinds, 3 ft. Pkt. |
| indicum, Single. Will produce superb |
| flowers of different types and colors; fine for forcing and cut-flowers |
| dwarfs, with bright, clustered flowers, which brighten up the garden late in autumn. 1 ½ |
| ft |
| 60750 50 |
| CINERARIA. One of the most useful and ornamental of greenhouse plants, with flowers of the richest and most brilliant colors and shades, and of the finest texture. It is rather a difficult plant to grow if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming sow in April and May in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, water moderately and carefully. Average height, 2 ft. Large-flowered Crimson. Very brilliant |
| and showy60800 50 |
| " Stella, Mixed. Twisted and fluted petals; large flowers of very rich and |
| bright colors60820 50 |
| " White. Handsome60830 25 " Prize Mixed. Magnificent |
| |

| CINERARIA, continued | Pkt. |
|--|--|
| Large-flowered Half Dwarf, Prize Mixed. | |
| Exquisite. I ft60850 Self Colors, Mixed60855 | 60 50 |
| Splendid Mixed. All fine sorts 60860 | 25 |
| " Double60870 | 60 |
| stellata (Polyantha). Mixed60880 hybrida, Extra-choice Mixed60890 | 25 |
| HALF-HARDY PERENNIALS. Require s | 50 |
| protection. | Pkt. |
| maritima (Dusty Miller). Silvery leaves. | |
| 60910 " candidissima. Beautiful white | 5 |
| " foliage; the best60920 | 10 |
| " Diamond. Pure white foliage; | |
| very fine60930 | 10 |
| CLARKIA. One of the prettiest and show | viest |
| of hardy annuals that bloom freely and he flowers of such various bright colors that a | nave |
| of them in full bloom is a beautiful sight; us | seful |
| for hanging-baskets, vases and as edging | s to |
| beds of larger growing plants. Sow outdoor | |
| early spring and grow in partial shade. plants keep up a continuous bloom thro | The |
| midsummer to late autumn. Average hei | |
| I½ ft. | Pkt. |
| elegans alba, Double. White60960 rosea, Single. Rose60970 | 10 5 |
| " rosea, Double. Rose60980 | 10 |
| " Salmon Queen, Double. Salmon- | |
| pink | 10 |
| scarlet | 10 |
| " Single Mixed | 5 |
| " Double Mixed | 5 |
| South and Single Wixed | 3 |
| pulchella alba. White61030 | 5 |
| | 5 5 5 5 5 |
| " Red | |
| | |
| " Red | 5 5 5 5 |
| " Red | 5 5 |
| "Red | 5 5 |
| " Red | 5 5 5 |
| " Red | 5 5 5 ardy |
| "Red | 5 5 5 ardy ver- Pkt. |
| "Red | 5 5 5 ardy ver-Pkt. 25 |
| "Red | 5 5 5 ardy ver- Pkt. |
| "Red | 5 5 5 ardy ver-Pkt. 25 |
| "Red | 5 5 5 ardy ver- Pkt. 25 10 |
| "Red | 5 5 5 ardy ver- Pkt. 25 10 |
| "Red | 5 5 5 5 ardy ver- Pkt. 25 10 10 25 |
| "Red | 5 5 5 5 ardy ver-Pkt. 25 10 10 25 aual, 7 in |
| "Red | 5 5 5 5 ardy ver- Pkt. 25 10 10 25 |
| "Red | 5 5 5 5 ardy ver-Pkt. 25 10 10 25 aual, 7 in |
| "White Tom Thumb, Double 61060 "Single Mixed | 5 5 5 5 5 7 5 7 5 7 10 25 10 10 25 10 Pkt. |
| "White Tom Thumb, Double 61060 "Single Mixed | 5 5 5 5 5 7 5 7 5 7 10 25 10 10 25 10 Pkt. |
| "Red | 5 5 5 5 5 7 5 7 5 7 10 25 10 10 25 10 Pkt. |
| "Red | 5 5 5 5 5 7 5 7 5 7 10 25 10 10 25 10 Pkt. |
| "Red | 5 5 5 5 7 5 7 7 8 10 10 25 10 10 Pkt. 10 |
| "Red | 5 5 5 5 5 7 5 7 5 7 10 25 10 10 25 10 Pkt. |
| "Red | 5 5 5 5 5 5 7 5 7 7 8 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| "Red | 5 5 5 5 5 5 7 5 7 7 8 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| "Red | 5 5 5 5 5 5 7 5 7 7 8 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10 |

| | _ |
|--|---|
| ‡COBÆA. Tender climbing perennials of rapid | Ì |
| growth. 20 ft. Pkt. | 1 |
| ‡scandens. Purple, bell-shaped flowers | ı |
| oz. 50c61330 10 ‡ " alba. White61340 15 | l |
| ‡ "alba. White61340 15 COCKSCOMB. See Celosia. | 1 |
| | ı |
| *COLEUS. gP. Splendid bedding plants with beautifully colored foliage; very useful for | ı |
| decorative purposes. 2 ft. Pkt. | |
| Fine Hybrids, Mixed | ١ |
| Large-leaved, Finest Mixed 61420 50 | 1 |
| COLLINSIA. Free-flowering annuals. If sown in | |
| autumn, will stand the winter and flower early in spring. All are brightly colored and are ex- | |
| cellent for growing in patches or clumps; grows | |
| in any garden soil. I to 1½ ft. Pkt. | |
| bicolor. Lilac and white61490 5 | |
| " alba. White | ı |
| grandiflora. Blue | ١ |
| " alba. White | |
| Mixed | |
| COLLOMIA. Hardy annuals suitable for massing; | |
| fine for bees. Pkt. | |
| coccinea. Scarlet and yellow. I ft61590 5 | |
| COLUMBINE. See Aquilegia. | |
| favorite plants for pots and gardens. 1½ ft. Pkt. | |
| favorite plants for pots and gardens. 1½ ft. Pkt. | ١ |
| cœlestis. Blue | Ì |
| CONVOLVULUS | ١ |
| TALL. Beautiful and easily grown annual; rapid | l |
| in covering screens, trellises, etc. aureus superbus. hhA. Golden yellow. Pkt. | |
| 5 to 10 ft | |
| major (Tall Morning-Glory). Mixed. Fin- | |
| est colors. 10 ft. upoz. 25c61690 5 | |
| mauritanicus. hP. Blue; trailing habit; | |
| fine for baskets and rockeries61700 10 For Japanese Morning-Glory, see Ipomæa. | l |
| DWARF. Dwarf Morning-Glories are elegant an- | l |
| nuals for growing in clumps or beds; also for | ı |
| edgings and hanging-baskets; bushy, of easiest | İ |
| culture; bloom all season. 12 in. Pkt. | |
| tricolor (minor). Blue | ١ |
| ** Rose | ١ |
| " White | ١ |
| | |
| CORDYLINE. See Dracæna. | |
| COREOPSIS. See Calliopsis. | |
| CORNFLOWER See Centaurea Cyanus. | |
| COSMOS. One of the notable fall flowers. A | l |
| strong, tall-growing annual, with bold flowers | l |
| of exquisite daintiness and airiness heightened | ļ |
| in effect by their foliage setting of feathery green. It is most effective when planted in | |
| broad masses, or long background borders | |
| against evergreens or fences. We offer only the | |
| choice, large-flowering strains. To make sure of flowering early, Cosmos should be started indoors | |
| nowering early, Cosmos should be started indoors | |
| and transplanted into dry, sandy, or poor soil, in a sunny situation. | |
| EARLY FLOWERING. If seed is started early | |
| in the house or frame, this fine strain will pro- | |
| duce flowers a month earlier than Mammoth | |
| Perfection. Pkt. | |
| Crimson 61880 10 Pink 61890 10 | |
| White | |
| Mixed | |
| | |



Mammoth Cosmos

| COSMOS, continued | Pkt. |
|---|--------|
| Lady Lenox. Lovely, large, shell-pink | i ice. |
| flowers of great substance. One of the | |
| finest of Cosmos | 10 |
| finest of Cosmos | |
| except as to color | 15 |
| MAMMOTH PERFECTION. Large flowers | Ŭ |
| on long stems, lasting until frost. | |
| Conchita. Crimson | |
| ½ oz. 20c., oz. 60c61930 | 10 |
| Erlinda. White. ½0z. 20c., oz. 60c 61940 | IO |
| Rosita. Pink. 1/40z. 20c., oz. 60c 61950 | 10 |
| Mixed | 10 |
| Klondyke. Orange-colored; distinct foliage. | |
| 61990 | 25 |
| Marguerite. Petals deeply and irregularly | |
| fringed; in various bright colors. An | |
| attractive flower | 10 |
| Striped. Charming and distinct; large, white | TO |
| centers; petals striped white62030 NEW DOUBLE VARIETIES. | 10 |
| Crimson. Full, round, double flowers; | |
| | 25 |
| very fine | 25 |
| son | 15 |
| Pink Beauty, Crested, Soft pink, 62074 | 15 |
| Pink Beauty. Crested. Soft pink62074 White Queen. Crested. Pure white .62076 | 15 |
| These called double crested, are not fu | ılly |
| double, but are double crested, having dou | ıble |
| centers and a row of petals around the base of | the |
| flower; very effective. See Novelties, also. | Pkt. |
| COWSLIP (Primula officinalis hybrida). hP. | |
| Favorite spring flower; fragrant; mixed | |
| colors. 6 in | IO |
| Yellow62085 | 10 |
| CUCUMIS. Very luxuriant, half-hardy, climb | ing |
| annuals of extremely rapid growth; bear | ing |
| curious fruits; flowers yellow. 10 to 15 ft. | Pkt. |
| flexuosus (Snake Cucumber)62140 | 5 |
| grossulariæformis (Gooseberry Gourd) | |
| 62150 | 10 |
| CUCURBITA. See Gourds. | |
| | ine |
| border and pot planes. I to 1/2 | Pkt. |
| miniata. Rich scarlet | 10 |
| platycentra (Cigar Plant). Long-shaped, | TO |
| scarlet flowers all summer | 10 |
| Roezlii. Red | 25 |

C



Cyclamen Papilio

CYCLAMEN. These bulbous greenhouse plants are all very beautiful and are unapproached among winter-flowering plants for duration of bloom, variety of shades, and wealth of coloring. They are among the best plants recommended for house culture, as they thrive well and bloom profusely in the average temperature of the living-room. Sow the seed in small boxes or seed-pans in a compost of well-rotted manure, leaf-mold and sand, in the early winter months. Cover lightly with moss, which should be kept moist and should be removed after the seed germinates. Prick out into small pots when the young plants have two leaves. If grown steadily without any check, they will flower in from ten to twelve months. Average height 9 in.

| 9 m. | |
|--|------|
| PERSICUM GIGANTEUM— | Pkt. |
| album, Mont Blanc. White62300 | 25 |
| albo-rubrum. White with red eye | |
| 100 seeds, \$1 62310 | 25 |
| atropurpureum. Dark red62320 | 25 |
| Brilliant Red. Wine-color62322 | 50 |
| Christmas Cheer. Blood-red62324 | 50 |
| Daybreak. Light pink62325 | 50 |
| Glory of Wandsbek. Dark salmon. 62326 | 50 |
| Lavender. Dark and light shades62328 | 50 |
| Princess May. Purest white, tipped crim- | O |
| son; very handsome62340 | 25 |
| Rose of Marienthal. Pink62345 | 50 |
| roseum. Rose62350 | 25 |
| Rosy Morn. Rich rose, shading to purplish | Ū |
| tinge | 25 |
| Victoria. White, pink edge, fringed.62362 | 50 |
| Pure White | 50 |
| White, Pink Eye | 50 |
| Mixed. Finest sorts62380 | 25 |
| Covent Garden Strain, Mixed 62370 | 25 |
| Papilio, Mixed (Butterfly Cyclamen). 62400 | 25 |
| Mixed | 10 |
| | 10 |
| YPERUS alternifolius (Umbrella Plant). A | |
| perennial grass-like plant of fine habit; | |
| grows well in water and damp places. | T = |
| 2 ft62450 | 15 |

CYPRESS VINE. See Ipomæa Quamoclit.

| †DAHLIA. This favorite, half-hardy perennia | lis |
|--|------|
| most easily grown from seed sown early in | the |
| house or greenhouse. Will bloom freely outdo | ors |
| until frost the first season. 3 to 6 ft. | Pkt. |
| Double Mixed | 10 |
| Single Mixed | 10 |
| Single Cactus, Mixed62500 | 10 |
| Double Cactus, Mixed62505 | 25 |
| DAISY (Bellis perennis, etc.). hP. May be so | wn |
| in February or March in shallow boxes of lig | ght, |
| rich soil, covering the seeds to about three times | nes |

DAISY (Bellis perennis, etc.). hP. May be sown in February or March in shallow boxes of light, rich soil, covering the seeds to about three times their own thickness, and pressing soil firmly over them. Keep in a warm window, hotbed, or greenhouse. When well out of the seed-leaf, transplant to new boxes, and set out in the open ground when danger from frost is past. Or, sow in beds outside in August or September; protect with straw or litter over winter, and transplant to their permanent position in the spring. They make delightful borders to beds of taller-growing annuals and can be used very effectively in beds of spring-blooming bulbs. 4 in.

| 4 in. | | Pkt. |
|--------|--|------|
| Double | Red 62590 | 10 |
| " | delicata rosea | 10 |
| " | Rose (Longfellow)62600 | 10 |
| " | White (Snowball) 62610 | 10 |
| " | Mixed. Very fine62620 | 10 |
| " | maxima alba. Extra large; white | |
| | 62630 | 15 |
| 4.4 | maxima rosea. Extra large62640 | 15 |
| " | maxima, Mixed. Extra large. 62650 | 15 |
| " | monstrosa alba. Snowy white | Ü |
| | flowers | 25 |
| " | monstrosa rosea. Deep rose. 62654 | 25 |
| " | monstrosa red | 25 |
| " | monstrosa, Mixed62660 | 25 |
| | | |

SHASTA DAISY. See Chrysanthemum Leucanthemum.

DAISY, Paris. See Chrysanthemum frutescens.

DAISY, Swan River. See Brachycome.

beauty of its blue tints, which are as numerous as they are charming, no other plant can equal the Delphinium. The brilliant flowers are strongly effective in beds or masses, in borders, shrubberies, or in combination with white lilies. Improvements are continually being made in the size of the flowers, as well as in the length and fullness of the spikes. Some of the species flower both early and late; the season for all can be prolonged by cutting away withered flower-stems. All varieties are easily cultivated and adaptable to many conditions, but in a soil deeply dug and well enriched with fine old manure, their blooms are the finest. Setting them 1½ to 2 feet each way is not too much for the taller sorts.



| | DELPHINIUM, continued | ٠ |
|--|---|---|
| | ANNUAL VARIE- | |
| | TIES. These include | |
| 10 kg | the Rocket or Hya- | |
| | cinth - flowered, so called from their | 2 |
| | long, narrow flower- | |
| The second of the second | spikes. They bloom | , |
| | best in a rather cool | , |
| | moist soil. Sow seed | |
| | in the open border | |
| | either in spring or | |
| | fall, preferably the latter, so that germi- | 2 |
| | nation may take | 2 |
| | place very early in | 1 |
| | the spring. As the | |
| | seedlings grow, thir | |
| | them to stand 6 to 18 | |
| | inches apart, according to variety. The | |
| | varieties are seldon | 1 |
| | kept separate, as | |
| | they are quite as | 3 |
| | pretty and conve- | - |
| | nient for cutting | |
| | when sown in mix- | |
| | ture. Some of these are really hardy bi- | |
| | ennials, but, because | |
| | they bloom the first | |
| | season, we treat them | 1 |
| | as hardy annuals | |
| E TOTAL STATE OF THE STATE OF T | The shades of color | |
| | cover a very wide | |
| | 1411801 | ٠ |
| | Ajacis, Dwarf Rocket. | |
| | Finest colors; | |
| | very beautiful | |
| 《人》 《新疆》 | for bedding. | |
| (GS) | I ft | |
| | oz. 40c 62810 | 5 |
| peror Branching Delphinium | Ajacis, Tall | - 1 |
| | | |
| PATER 1 1 | Rocket, White. | |
| PHINIUM, continued | 2 ft 62830 | 5 |
| PHINIUM, continued Ajacis, Tall Rocket, N | 2 ft62830 5 Nixed Colors. 2 ft. | |
| Ajacis, Tall Rocket, N | 2 ft62830 § **Alixed Colors. 2 ft. 62840 § | |
| " Tall Branchi 2 ft | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh-color62860 5 | 5 |
| " Tall Branchi 2 ft | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh-color62860 5 ng, White. Fine | 5 |
| " Tall Branchi 2 ft for cutting . | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh-color62860 5 ng, White. Fine62862 10 | 5 |
| " Tall Branchi 2 ft | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh - color62860 5 ng, White. Fine62862 10 ng, Choice mixed. | 5 |
| " Tall Branchi 2 ft " Tall Branchi for cutting . " Tall Branchi for cutting . " Tall Branchi 2 ft. ¼oz. 20 | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh - color. 62860 5 ng, White. Fine 62862 10 ng, Choice mixed. 60c., oz. 60c62870 5 | 5 |
| "Tall Branchi 2 ft "Tall Branchi for cutting. "Tall Branchi for cutting. "Tall Branchi 2 ft. 1/4 oz. 20 cardiopetalum. Bear | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh - color62860 5 ng, White. Fine62862 10 ng, Choice mixed. oc., oz. 6oc62870 utiful blue flowers. | 5 5 5 |
| "Tall Branching for cutting 2 ft "Tall Branching for cutting "Tall Branching 2 ft. 1/4 oz. 20 cardiopetalum. Beat I ft Emperor, Branching, | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh - color62860 5 ng, White. Fine62862 10 ng, Choice mixed. oc., oz. 6oc62870 10 utiful blue flowers62880 5 Rose. This and the | 5 5 5 |
| "Tall Branchi 2 ft | 2 ft62830 5 flixed Colors. 2 ft. 62840 5 ng, Flesh - color62860 5 ng, White. Fine62862 10 ng, Choice mixed. oc., oz. 6oc62870 10 utiful blue flowers62880 5 Rose. This and the olendidly bright and | 5 5 5 |
| "Tall Branching for cutting . Tall Branching for cutting . Tall Branching . Emperor, Branching, next are specified. | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh-color62860 ng, White. Fine62862 oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the blendidly bright and then giving ten to | 5 5 5 |
| "Tall Branchi 2 ft | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh-color. 62860 ng, White. Fine 62862 ng, Choice mixed. 0c., oz. 60c62870 utiful blue flowers. 62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers. | 55 |
| "Tall Branchi 2 ft | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers62890 | 5 |
| "Tall Branchi 2 ft | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color. 62860 ng, White. Fine 62862 ng, Choice mixed. 60c., oz. 60c62870 utiful blue flowers. 62880 Rose. This and the plendidly bright and ten giving ten to ect spikes of flowers. 62890 ng Dark Blue 62897 | 55 |
| "Tall Branchi 2 ft "Tall Branchi for cutting . "Tall Branchin for cutting . "Tall Branchin 2 ft. 1/4 oz. 20 cardiopetalum. Bear I ft Emperor, Branching, next are sp showy, of twenty ere 2 ft "Branching, "Branching, "Branching, "Branching, "Branching, | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color. 62860 ng, White. Fine 62862 ng, Choice mixed. 60c., oz. 60c62870 utiful blue flowers. 62880 Rose. This and the blendidly bright and ten giving ten to ect spikes of flowers. 62890 Dark Blue 62895 Light Blue 62897 White. Beautiful | 55 |
| "Tall Branching of cutting of cut | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 ng, Choice mixed. oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers62890 Dark Blue.62895 Light Blue.62897 White. Beautiful g62900 | 5 |
| "Tall Branching of cutting of the state of t | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 ng, Choice mixed. oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers62890 Dark Blue.62895 Light Blue.62897 White. Beautiful G62900 Mixed. | 5 |
| "Tall Branching of cutting of twenty ere 2 ft "Branching for cutting of the state of the st | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 ng, Choice mixed. oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the blendidly bright and ten giving ten to ect spikes of flowers62890 Dark Blue.62897 Light Blue.62897 White. Beautiful g62900 Mixed 5c., oz. 75c62910 | 5 |
| "Tall Branching of cutting of twenty ere 2 ft "Branching, next are specified by the sp | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 oc., oz. 60c62870 utiful blue flowers62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers62890 Dark Blue.62895 Light Blue.62897 White. Beautiful g62900 Mixed 5c., oz. 75c62910 se-colored and very | 5 |
| "Tall Branching of cutting of twenty ere 2 ft "Branching, next are specified by the standing of twenty ere 2 ft "Branching, Branching, Branching, Branching, Branching, Branching, Branching, Branching, Branching, Branching, Tall Branching, Tall Branching, Branching, Branching, Branching, Branching, Branching, Branching, Tall Branching, Branc | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color62860 ng, White. Fine62862 oc., oz. 6oc62870 utiful blue flowers62880 Rose. This and the olendidly bright and ten giving ten to ect spikes of flowers62890 park Blue.62897 putitud Blue.62897 potential blue.62897 putitud Blue.62897 potential blue.62900 potential blue.62910 po | 5 |
| "Tall Branching of cutting of twenty ere 2 ft "Branching, next are specified by the sp | 2 ft62830 flixed Colors. 2 ft. 62840 ng, Flesh - color. 62860 ng, White. Fine 62862 ng, Choice mixed. 60c., oz. 6oc62870 utiful blue flowers. 62880 Rose. This and the blendidly bright and ten giving ten to ect spikes of flowers. 62890 Dark Blue.62895 Light Blue.62897 White. Beautiful g | 5 |

| PERENNIAL VARIETIES. These are usual | . 11 |
|---|--------------|
| taller than the annuals, requiring more sp | |
| between the plants. If sown in the fall or v | erv |
| early spring, nearly all will bloom the first | sea- |
| son. Foliage clean and pretty; habit strong neat; flower-spikes long and dazzling. | and Pkt. |
| Barlowii. Large, dark blue flowers; extra | |
| fine. 3 ft | 25 |
| Belladonna. Lovely pale blue; handsome plant; comes very true from seed. 4 ft | |
| 62940 | 15 |
| cardinale. Orange-scarlet. A California | |
| native. 2 ft | 25 |
| flowers, ranging from pure white to in- | |
| digo-blue. Young seedlings will bloom | |
| from midsummer until frost. 2 ft. 62980 | 10 |
| chinense azureum. Beautiful distinct | 10 |
| shade of blue. 2 ft | IO |
| blue; tall spikes. 3 ft63000 | 10 |
| " hybridum, Finest Mixed. Very | |
| showy | 10 |
| especially fine 3 ft | 25 |
| formosum cœlestinum. Clear blue; | _ |
| handsome | 25 |
| of blue from best named single-flowering | |
| varieties. 3 ft | 25 |
| Zalil (sulphureum). hP. Long spikes of | |
| yellow flowers. 2 ft | 30 |
| DENDROMECON rigidum (California Yellow Tree Poppy). An easily grown green- | |
| house shrub with yellow flowers. 2 ft.63250 | 25 |
| DIANTHUS. See Pinks, Carnations, and Picot | |
| DICTAMNUS (Gas Plant). Ornamental ha | |
| perennials; can remain for years undistur | |
| the leaves, when rubbed, have a lemon o | dor. |
| 3 ft. | Pkt. |
| Fraxinella. Red | 10 10 |
| DIGITALIS. See Foxglove. | |
| DIMORPHOTHECA (African Orange Dai | isv). |
| Easily grown, hardy annuals of great bea | uty. |
| | Pkt. |
| aurantiaca. Orange; very fine63340 hybrida. New fine varieties, | 10 |
| | 10 |
| | nual |
| †DOLICHOS. Very rapid-growing hardy and climber, bearing pea-shaped blossoms | and |
| ornamental seed-pods. Fine for covering scre | ens, |
| etc. 10 ft. Lablab (Hyacinth Bean). Purple | Pkt. |
| oz. 30c63390 | 5 |
| " albus. Whiteoz. 30c63400 | 5 5 |
| " Mixedoz. 30c63410 Purple Soudan. Purple flowers in racemes; | 5 |
| good foliage | 5 |
| *DRACÆNA. Ornamental greenhouse plants; | |
| for pots, vases, or beds. | |
| *australis. Dark green foliage. 3 ft63495 *indivisa. Narrow green leaves. 4 ft63500 | 25 25 |
| DRACOCEPHALUM Moldavica (Balm). An | 23 |
| easily grown hardy annual; blue flowers; | |
| fine for bees. 2 ft | 5 |
| ECHEVERIA. Interesting greenhouse succuplants extensively used for "carpet" bedd | lent |
| plants extensively used for "carpet" bedd | ıng; Pkt. |
| Didish gicen leaves. If so a re- | |
| metallica. Yellow63590 | 25 |




| Dimorphotheca aurantiaca hybrida |
|--|
| ‡ECHINOCYSTIS lobata (Wild Cucumber). Pkt. A rapid-growing annual climber 63620 5 |
| ECHINOPS Ritro. A hardy perennial of stiff growth; flowers blue; fine for bees.2 ft.63630 10 |
| EMMENANTHE penduliflora (California Golden Bells). A bushy-growing, hardy annual, with long-lasting yellow flowers. I ft |
| ENKIANTHUS japonicus. Showy, deciduous shrub, hardy as far north as Washington, D. C. White flowers; leaves dying off in autumn a brilliant golden marked with red, with contrasting black berries63680 |
| ERICA (Heath). Charming greenhouse shrubs |
| ERODIUM moschatum. Pretty, little hardy annual; good for borders; purple flowers. 3 in |
| ERYNGIUM. Extremely ornamental, hardy perennials, well adapted for the garden border. Pkt. giganteum (Silver Thistle). Blue. 4 ft. 63820 10 |
| erysimum. Free-flowering, hardy annuals of neat habit and bright colors; style of wall-flowers. I to 1½ ft. Pkt. arkansanum. Yellow |
| Perofskianum. Orange63850 5 |
| California Poppy. The state flower of California. This much-esteemed hardy annual is very bright and rich in its pure tints of yellow, orange, etc. The plants average about a foot in height, with silvery foliage, and produce their large, poppy-like flowers from early spring until frost. They are most effective when grown in beds of considerable size, over which the seed may be sown broadcast thinly, and lightly raked in. These sowings may be made early in spring or late in autumn for earlier germination, blooming the next spring. Useful as a pot-plant and for cut-flowers. THORBURNII. Coppery orange; the effect |
| of a plant in bloom is simply gorgeous; the flowers are larger than those of other Esch-scholtzias, and are borne with equal pro- |
| fusion; finest of all |
| |

| ESCHSCHOLTZIA, continued | |
|---|--------------|
| californica alba flpl. Fine sort, with double, creamy white flow- | Pkt. |
| ers63930 | 10 |
| " Carmine King. Carmine - | 10 |
| rose; beautiful63950 Rose - Cardinal. Carmine - | 10 |
| rose | 10 |
| crocea. Pure, deep orange | 5 5 |
| Mandarin. Red-gold flowers, orange within | 3 |
| and scarlet without | 5 |
| maritima, Golden West. A superb variety | |
| with very large flowers of deep yellow; bloom all summer. 2 ft | _ |
| Vesuvius. Wallflower-red64055 | 5 |
| See Novelties, also. | |
| Mixed. Many sorts. ½0z. 20c., oz. 50c.64060 | 5 |
| EUCHARIDIUM grandiflorum. Graceful | |
| and showy; little hardy annuals, nearly allied to clarkia; fine for edgings and pots; | |
| rosy red flowers. I ft64080 | 5 |
| †EUPATORIUM Fraseri. Splendid hardy | 3 |
| perennials; clusters of white flowers; fine | |
| for cutting. 1½ ft | 5 |
| †EUPHORBIA. Very ornamental-leaved, str | |
| | and |
| borders. 2 to 3 ft. variegata (Snow-on-the-Mountain). Green- | Pkt. |
| and-white foliage | 5 |
| and-white foliage | 3 |
| green-and-carmine leaves64120 | 10 |
| EUTOCA viscida. Dark blue64160 | 5 |
| FENZLIA. Pretty, hardy annuals for edgings, | |
| bon-gardening or pots. About 3 in. dianthiflora. Rosy lilac64190 | Pkt. |
| " alba. White64200 | 25 25 |
| FERNS. gP. Assorted varieties for the green- | -3 |
| house. Sow in sandy, peaty loam, covering | |
| the pots with pieces of glass64220 | 25 |
| FEVERFEW. See Matricaria. | |
| FLAX. See Linum. | |
| FORGET-ME-NOT (Myosotis). T | hese |
| dainty little flowers love cool, moist soils, | and, |
| like pansies, bloom most freely in fall and e | |
| spring. They make beautiful close borders edgings, and will bloom nicely in winter | |
| cool room or coldframe. They establish the | iem- |
| selves by self-seeding. Sow in spring in a wa | ırm, |
| sunny border. Most varieties bloom freely | |
| first season and profusely the second. Averaged height, 6 to 8 in. | rage Pkt. |
| alpestris (hB). A pretty plant of erect habit, | 1 120. |
| with blue flowers64260 | IO |
| arba. White howers, very damity in | τ. |
| effect | 10 |
| " Indigo-Blue. New. Compact. | _0 |
| Fine for pots or border64305 | 25 |
| robusta granulliola (Eliza Fon- | |
| robert). Grown extensively for cutting. Large, sky-blue florets | |
| with yellow eye, in large clus- | |
| ters | 15 |
| " rosea. Rosy flowers; pretty contrast with blues and whites.64330 | 10 |
| " Victoria. Strong-growing; dwarf; | 10 |
| flowers large, globular, sky-blue, | |
| abundant; fine for borders, pots | |
| or cutting64340 "Mixed64350 | 15 10 |
| | |

| FORGET-ME-NOT, continued | . |
|---|------------|
| hybrida, Ruth Fischer. hB. Pure Forget- I me-not blue. Fine for cutting and for hang- | kt. |
| ing-baskets. Can be forced successfully | 1 |
| and, owing to its extreme hardiness, it is | |
| valuable for spring bedding in open | 25 |
| ground | 25 |
| palustris (True Forget-me-not). hP. Dark blue; stems creeping at the | |
| base; blooms the second year | - |
| abundantly all season; the best | |
| known of all64410 | 15 |
| " semperflorens. hP. Bright blue; | Ì |
| a dwarf form of M. palustris, | |
| blooming from spring until autumn; foliage a good shade of | |
| green64420 | 15 |
| FOUR O'CLOCK (Mirabilis). Favorite h | |
| hardy annual of the easiest culture and v | ery |
| suitable for large beds and borders. Called F | our |
| O'Clock because it opens its blossoms at t | hat |
| hour in the afternoon. Also known as Mar of Peru. Handsome, free-flowering, swe | vel et- |
| scented; blossoms variegated, striped and | of |
| | kt. |
| Hybrids, Mixed. Fine assortment. 2 ft | |
| oz. 25c64460 | 5 |
| longiflora alba. White. 2 ft64480 | 5 |
| Variegated-leaved. Many colors. 2 ft. 64490 | 5 |
| Tom Thumb, Mixed. Very fine. 1 ft. 64510 | 5 |
| FOYCLOVE (Protests) (The college of the college of | 1 |
| FOXGLOVE (Digitalis). The tall flower-spi of the Foxglove, often 2 to 3 feet in height, | kes |
| particularly handsome when grown amo | ng |
| shrubbery or in bold masses, and as a ba | ck- |
| ground for lower-growing plants they are v | ery |
| attractive. Hardy perennials, they are m | ost |
| satisfactory when treated as biennials. Sow seed out-of-doors in spring and transplant | |
| seedlings into their permanent places. The | iev |
| will bloom magnificently the following spri | |
| - | Pkt. |
| purpurea, Purple. The well-known va- | |
| riety | IO |
| 64590 | IO |
| " White. Fine and attractive.64600 | 5 |
| " Mixed64610 | 5 |
| gloxinioides, Purple64620 | 10 |
| " Rose. Bright, showy flowers | |
| borne profusely on fine | |
| spikes64630 | 10 |
| White. Very handsome, gloxinia-like flowers; robust; | |
| beautiful for cutting 64640 | 10 |
| " Mixed. All the choice colors | 10 |
| 64650 | ю |
| grandiflora lutea, Yellow. Large-flow- | |
| ered; long racemes of bell-shaped blossoms; | |
| dwarf | 10 |
| monstrosa, Splendid Mixed. Very large, | |
| bell-shaped flowers of exquisite beauty, borne on long spikes. 4 ft64680 | IO |
| | |
| FUCHSIA (Ladies' Eardrops). The well-knowspring-blooming greenhouse plants; also | own |
| tor the window-garden. As bedding pla | nts |
| they do splendidly in the summer if gi | ven |
| partial shade and rich soil. | Pkt. |
| hybrida, Finest Single, Mixed64790 | 50 |
| " Finest Double, Mixed64800 | 50 |

| GAILLARDIA (Blanket Flower). Both the ann | nual |
|--|------|
| and perennial varieties of Gaillardia are v | ery |
| showy and free bloomers all summer long u | ntil |
| frost; good in any situation and easily gro | wn. |
| The individual flowers are of large size, v | ery |
| durable, and most brilliant in color; fine | for |
| | Pkt. |
| Amblyodon. hP. Fiery red64870 | IO |
| †grandiflora maxima. hP. Golden yellow. | |
| 2 ½ ft64890 | IO |
| " Extra-fine Mixed (hP)64910 | IO |
| All the following Picta sorts are most elegant | an- |
| nuals and well deserve very generous planti | ngs. |
| picta. hA. Red and yellow; very brilliant | Pkt. |
| 64930 | 5 |
| " Lorenziana. Double; mixed colors; | O |
| flowers large64940 | 5 |
| " salmonea. Salmon-red; fine 64950 | 10 |
| " Mixed. Finest colors64960 | 5 |
| GALEGA. Ornamental, tall-growing, hardy | ner- |
| ennials, well suited for borders or cutting; blo | |
| all summer. 3 to 4 ft. | Pkt. |
| officinalis. Blue | 5 |
| " alba. White | 10 |
| | • |
| GAURA Lindheimeri. Free-flowering, hardy | |
| annual, very effective in clumps; red-tinted | |
| white flowers. 2 to 3 ft65070 | 10 |



Foxgloves



| GENISTA canariensis. Ornamental and free- | |
|---|----|
| flowering tender perennial; yellow flowers. | |
| 2 ft65090 | 10 |

GENTIANA. Showy hardy perennials, valued for their beautiful, intense blue flowers early in the season.

acaulis (Blue Gentian). Dark blue. 3 in.. 65100 to

| | 00200 | |
|---------------------------------------|---------|------|
| GERANIUM. Most valuable greenho | | |
| blooming continuously. For bedd | ling in | tne |
| outdoor garden nothing equals them. | | |
| zonale. Scarlet | .65130 | 10 |
| Apple-scented. Pink; fragrant foliage | . 65150 | 25 |
| Choice Mixed | .65152 | 25 |
| See, also, Pelargonium. | | -3 |
| CERREDA (Transveral Daisve) Vary | arattar | half |

GERBERA (Transvaal Daisy). Very pretty half-hardy perennials, fine for garden border and also winter forcing; grows about 2 feet in height and blooms all through the season.

diversity of colors, from pure white to dark red; fine for cutting. (25 seeds in a packet)

GEUM. Handsome hardy perennials; bloom freely all season; fine for bouquets. 11/2 ft. atrosanguineum fl.-pl. Double; crim-Mrs. J. Bradshaw. Large; brilliant scar-

GILIA. Pretty hardy annuals that bloom most freely and continually the whole season. Do finely in any situation; look well on lawn and in beds; are good for rockeries, and can be

Mixed......65380

†GLAUCIUM (Horned Poppy). Showy, hardy perennial, with large, poppy-like flowers and

GLOBE AMARANTH. See Gomphrena.

| GODETIA. Favorite, free-blooming, hardy a | an- |
|---|-------------------------------------|
| nuals, with widely opened flowers of satiny to | ex- |
| ture, and of the most delicate and lovely cold They are beautiful for solid beds, border lin | ors. les. |
| pots, and for growing in shaded places, wh | ere |
| so few really fine flowers will flourish. S seed in the open border in spring, or in a co | ow 1d- |
| frame, and transplant seedlings to stand a fe | oot |
| apart in rather thin soil. Fine for cut-flower | ers. |
| Average height, I ft. Bijou. Of dwarf, bushy habit; lovely | kt. |
| blush-white flowers borne in great pro- fusion | 5 |
| Crimson Glow. Intense, dazzling crimson; | |
| fine, compact grower; very floriferous.65460 Duchess of Albany. Sating white65470 | 15 10 |
| Fairy Queen. Large white flowers, with | |
| carmine spots | 10 |
| gloriosa (Lord Roberts). Darkest red; dwarf | 10 |
| Lady Albemarle. Dark crimson65510 | 10 |
| Lady Satin Rose (G. Whitneyi compacta, Brilliant). Bright carmine65530 | _ |
| Rosamund. Large; glossy pink65560 | 5 |
| rubicunda splendens. Brilliant red; fine | |
| 65570 | 5 |
| The Bride. White and crimson65580 Whitneyi, Brilliant. Carmine; very showy. | 5 |
| 65610 | 5 |
| Mixed, Tall Varieties 1/40z. 20c 65620 | 5 5 |
| ¹ / ₄ oz. 25c., oz. 75c65630 | 5 |
| GOLDEN FEATHER. See Pyrethrum. | |
| GLOXINIA. Greenhouse plants with magnific flowers of great brilliancy; very decorative. | ent |
| the seed is started early in the season, | the |
| plants bloom the same summer; do best | |
| light, rich soil; fine pot plants for the wind garden. I to $1\frac{1}{2}$ ft. | Pkt. |
| hybrida grandiflora— | |
| Mixed | 50 50 |
| crassifolia erecta, Mixed65689 | 50 |
| Defiance. Glowing scarlet; superb; fine | 50 |
| foliage | 50 |
| rich colors; splendid65710 | 50 |
| GOMPHRENA (Globe Amaranth). These w | ell- |
| known, hardy annuals are among the most pular of the Everlastings for dried winter b | |
| quets; also well adapted for beds and edgi | ngs |
| in the garden. Their round heads of flowers also called Bachelor's Buttons. I ft. | are Pkt. |
| globosa rubra. Purplish red65750 | 5 |
| " alba. White | 5 |
| " variegata. Striped65780 | 5 5 5 5 |
| valiable of positive in the second | |
| " Mixed | ~ |
| " Mixed | ow- |
| "Mixed | ow- oli- |
| "Mixed | ow- foli- s or ces, |
| "Mixed | ow- foli- s or ces, im- |
| "Mixed | ow- foli- s or ces, im- |

Dipper-shaped...... 65890

Dish-cloth (Chinese Luffa). Interior useful

| GOURDS, continued | Pkt. |
|---|------------------|
| Egg-shaped. White, egg-like fruits65910 | 5 |
| Hercules' Club. Long, green fruits65920 | 5 |
| Knob-Kerrie Gourd. Green-and-yellow fruits; ball-shaped, with long handles. 65930 | 10 |
| Mock Orange. Orange-shaped fruits. One | 10 |
| of the best known | 5 |
| Pear-shaped. Very showy65950 | 5 |
| Sugar Trough | 5 5 5 5 |
| Mixed. A fine assortment65980 | 5 |
| GREVILLEA robusta (Silk Oak). Graceful | |
| evergreen, greenhouse plant, easily raised from seed; fern-like foliage; fine for table | |
| decoration | 10 |
| GUNNERA (Chilian Rhubarb). Hardy peren | inial |
| decorative lawn plants; leaves gigantic, o | ften |
| 3 feet in diameter; flowers reddish pur | ple. |
| Need rich soil and plenty of water. 4 to 6 ft. manicata | 25 |
| scabra | 25 25 |
| GYPSOPHILA (Baby's Breath). Both the an | |
| and perennial varieties are most easily gro | own; |
| very graceful and delicate flowers and foli | age; |
| fine for rockwork or shrubbery and bouqu | |
| 2 ft. elegans grandiflora alba. hA. Large-flow- | Pkt. |
| ering; whiteoz. 40c66100 | 10 |
| " carminea. hA. Rose-carmine; ele- | |
| gant | 10 |
| " rosea. hA. Rose66120 muralis. hA. Pink; dwarf; very fine. | 5 |
| 6 in | 10 |
| 6 in | |
| 66150 | 10 |
| " flpl. hP. Fine clusters of double white flowers; rare; | |
| foliage very dainty and filmy; | |
| very fine for cutting66160 | 50 |
| †HEDYSARUM. Hardy biennials, with race | emes |
| of beautiful, pea-shaped flowers; adapted | for |
| borders and rockwork. Of the easiest cult | ure. |
| So-called "French Honeysuckle," but not lated to that vine. Not a climber. 3 ft. | Pkt. |
| coronarium. Scarlet | 5 |
| " album. White66250 | 5 |
| HELENIUM autumnale superbum (Sneeze- | |
| wort). Late-flowering, hardy perennials; broad heads of elegant, golden yellow | |
| flowers; fine for cutting. 5 to 6 ft 66270 | 10 |
| HELICHRYSUM (Eternal Flowers). A most | |
| ular, hardy annual; the flowers are large and | |
| color bright; highly prized for winter bouque | iets. |
| Flowers intended for drying should be gath | ered |
| when partially unfolded and suspended heads downward in cool and airy place. | with t to |
| 2 ft. | Pkt. |
| bracteatum. Single-flowering; yellow.66290 | 5 |
| aibum. White00300 | 5 5 |
| " Mixed 1/4 oz. 25c 66330 monstrosum, Double Mixed 66340 | 10 |
| " Dwarf Double Mixed 66350 | 10 |
| HELIOPSIS Pitcheriana. This well-known | |
| TALLO WILL AND WILL | |
| hardy perennial is esteemed highly for the | |
| hardy perennial is esteemed highly for the garden border and for cutting; bears beau- | |
| garden border and for cutting; bears beautiful golden yellow flowers all summer. | |
| garden border and for cutting; bears beautiful golden yellow flowers all summer. 3 ft | 10 |
| garden border and for cutting; bears beautiful golden yellow flowers all summer. | orite ghly |

| HELIOTROPIUM, continued peruvianum. Light blue | Pkt. IO IO |
|---|---------------------------|
| flowers | 15 10 10 |
| niger. White | ials ed, ekt. 10 |
| Mixed Hybrids. Very fine66570 HESPERIS. See Rocket. | 25 |
| | 1 |
| sanguinea. Crimson; fine for pots and cut- | for ing Pkt. |
| ting66600 " splendens. Dark red; splen- | 15 |
| did66610 | 25 |
| " hybrida, Mixed. Many effec- | |
| tive varieties | 15 |
| HIBISCUS (Mallow). All the species bear v showy flowers and are easily grown; should | ery |
| | Pkt. |
| africanus. hA. Free-flowering, fine annual; | |
| flowers yellow and purple. 2 ft66640 coccineus (speciosus). gS. Large rose-red | 5 |
| dowers (speciosus). go. Large rose-red | 10 |
| flowers | 10 |
| splendid in borders. 4 ft | 10 |
| Golden Bowl. hP. Very large flowers of a | |
| deep rich cream-color, with velvety maroon center | 10 |
| moscheutos roseus. hP. Large rose- | 10 |
| colored flowers. 4 ft66670 | 10 |
| HOLLYHOCKS (Althæa rosea). Altho | ugh |

Hollyhocks are very permanent and hardy for

the first winter, it is advisable to sow seed every year of these splendid, hardy perennials, as the flowers on young, vigorous plants are much finer than on old ones. Sowings should be made in April or May, and not later than June, to flower the next year. In final transplanting give each seedling a foot or more space each way for development. They succeed best in an ordinary deep, rich soil. They make a glorious



show in the garden
with their splendid
spires of flowers.
Water well in dry weather. Average height,
 Bright Rose
 \$\frac{1}{4}\text{oz.} 60c. ...66720\$

 Bright Scarlet
 \$\frac{1}{4}\text{oz.} 60c. ...66730\$
 1010 **Crimson....** ½0z. 60c...66755 10



| Imperial | Japanese | Morning-Glory |
|----------|----------|---------------|
|----------|----------|---------------|

| HOLLYHOCKS, continued | Pkt. |
|---|---------|
| Maroon | 10 |
| Salmon | IO |
| Snow-White ½0z. 60c66800 | 10 |
| Yellow | 10 |
| Mixed Double | 10 |
| " Allegheny, Fringed | |
| " Single $\frac{\frac{1}{4}\text{oz.}}{4}\text{oz.}$ 75c66830 | 15 5 |
| †HONESTY (Lunaria biennis). Hardy biens | nial, |
| with silvery seed-vessels; prized for wi | nter |
| decorations. 2 ft. | Pkt. |
| Purple | 10 |
| HORNED POPPY. See Glaucium. | |
| HUMEA. Half-hardy biennial; white, sw | eet- |
| scented flowers; keep in pots the first sea | |
| | Pkt. |
| elegans | 15 |
| thumulus (Climbing Hop). The well-known | wn, |
| | tó |
| 20 ft. | Pkt. |
| japonicus (Japanese Hop). Beautifully cut | |
| green foliage; makes fine shade. | |
| oz. 60c 66960 | 5 |
| " variegatus. With white-variegated leaves; fine | |
| ¹ / ₄ oz. 25c., oz. 75c66970 | 10 |
| HUNNEMANNIA fumariæfolia. Very showy, | |
| hardy annual, with large golden yellow | |
| flowers and feathery, glaucous foliage. | |
| I ½ ft | Ю |
| IBERIS. See Candytuft. | |
| ICE PLANT (Mesembryanthemum crystalli- | |
| num). Half-hardy annual; its succulent | |
| leaves are covered with watery vesicles re- | |
| compling pieces of ice white flowers | |
| sembling pieces of ice; white flowers. | |

| IMPATIENS (Touch-Me-Not). Charming gra | |
|--|---|
| house and window-garden plants that blo profusely and almost continuously. Good for bedding. I to I ½ ft. | oom also Pkt. |
| Holstii. Large vermilion flowers; quick grower; splendid67060 | 25 |
| " hybrida, Mixed. Finest colors 67070 | 25 |
| Sultani. Bright, rosy carmine; fine for pots | 25 |
| " hybrida, Mixed. Splendid mix- ture | 25 |
| glanduligera. tA. Purple flowers; bright foliage67110 | 10 |
| *INCARVILLEA. Ornamental, hardy perenn with brilliant, gloxinia-like flowers; continu | ials, |
| bloomers; succeed well in any situation, | and |
| | Pkt. |
| Delavayi. Rosy carmine; splendid border plant | 25 |
| †IONOPSIDIUM (Diamond Flower). hhP. acaule, White. Pretty67180 "Lilac67185 | 25 25 |
| ‡IPOMCEA (Moonflower; Morning-Glo | arv. |
| Cypress Vine). Of all climbers for garden | and |
| greenhouse these are the quickest and most uriant in growth. Ipomæas grow so easily f | |
| annual sowings that it is no longer thou | ıght |
| necessary to winter over roots or young cut plants under glass. The large, thorny seed | ting |
| some varieties should be soaked in hot w | ater |
| before planting. For early flowers sow in | hot- |
| beds, or pots and boxes under glass, and tr plant to rich, deep soil in summer quarter | ans- |
| soon as danger of frost is over, when sow | |
| 1 | ings |
| may also be made in the open ground. Not finer for porches, trellises, etc. | hing |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow | hing |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea | ings and son, |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from the sea of th | ings and son, rost. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from nox. (Good Night; Evening-Glory). | ings and son, rost. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from hox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by freely until cut down by freely until cut flowers. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by for the b | ings and son, rost. Pkt. |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by form the sea often blooming freely until cut down by form the sea often blooming freely until cut down by form the sea often blooming freely until cut down by form the sea of | rings and son, rost. Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from the blooming freely until cut down by from the flowers open in the evening. Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from hox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from hox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by from nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 5 RY. e are wers blues Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea of t | ings and son, rost. Pkt. 5 RY. are wers blues Pkt. 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by firinged. *bona nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 7 8 8 15 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by fi *bona nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 55 RY. 2 are wers blues Pkt. 55 15 10 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by firms. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 5 RY. are wers blues Pkt. 5 15 10 5 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea of the | ings and son, rost. Pkt. 5 Framework are wers blues Pkt. 5 15 10 5 10 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by fire bona nox. (Good Night; Evening-Glory). Large, blue flowers open in the evening. 15 ft | ings and son, rost. Pkt. 55 RY. 2 are wers blues Pkt. 55 10 10 |
| finer for porches, trellises, etc. ANNUAL VARIETIES. From early sow these begin to bloom about midsummer, are full of beautiful flowers all the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea often blooming freely until cut down by fine the sea of the | ings and son, rost. Pkt. 5 Framework are wers blues Pkt. 5 15 10 5 10 |

| IPOMOEA, continued | DI. |
|---|-------|
| rubro-cærulea, Heavenly Blue. The very large, clustered flowers of beautiful sky-blue | Pkt. |
| open early in the morning. Distinct and | |
| handsome. Sow early. 10 ft67370 rubro-cærulea grandiflora. Early flowering. | 10 |
| Produces gorgeous sky-blue flowers with | 1 |
| rose-colored markings, from 4 to 5 inches | |
| across, in great abundance. Rapid grower. If sown in boxes or hotbeds the young | 1 |
| plants may be set out in April or May in a | |
| sunny situation, where they will flower from | |
| about midsummer until frost. Flowers remain open all day. 15 to 18 ft67390 | 15 |
| Quamoclit (Cypress Vine; Star Flower). A | |
| tender annual, with finely cut leaves and | |
| small, star-shaped flowers. This, the type, is scarlet-flowered. 10 ft | 5 |
| QUAMOCLIT HYBRIDA—CARDINAL | |
| CLIMBER. One of the best annual climbers | |
| introduced for many years. Rapid grower, with branching habit; flowers all summer | |
| in fiery cardinal-red clusters. 25 ft67440 | 25 |
| White67460 | 5 5 |
| Mixed Cypress Vine67470 setosa (Brazilian Morning-Glory). A green- | 5 |
| house climber. The vine makes an immense, | |
| thick growth of great, lobed leaves lighted | |
| by a profusion of large, rosy flowers, with a satiny pink star in the center. The red | |
| pubescent stems and seed-pods add to its | |
| attractiveness. 10 to 20 ft67530 | 10 |
| IPOMOPSIS. Showy and beautiful, tender be misley the goods should be started in the beautiful. | ien- |
| nials; the seeds should be started in the ho flowers very bright in color. 2 ft. | Pkt. |
| elegans, Mixed67590 | 10 |
| IRIS Kaempferi. These most desirable, hardy, | 1 |
| herbaceous perennials begin to bloom the second year from seed. Our assortment is | |
| saved from a fine collection. 2 ft67620 | 10 |
| JACOB'S LADDER (Polemonium). Beaut | iful, |
| old-fashioned, hardy perennial border pla flowers in clusters. 2 ft. | nts; |
| Blue | 5 |
| White67660 | 5 |
| JACOBÆA (Senecio). Very free-flowering, ha | |
| annuals of easy culture; good for both pots bedding. I to I ½ ft. | Pkt. |
| elegans flpl., Tall Double, White 67680 | 5 |
| " " " Purple .67690 Mixed67700 | 5 5 |
| JOB'S TEARS. See Coix Lacrymæ, page 108. | 3 |
| JOSEPH'S COAT. See Amarantus. | |
| KAULFUSSIA. Hardy annual, succeeding | well |
| in any good soil; fine for edgings and pots; g | good |
| habit and bright colors. I ft. amelloides. Blue | Pkt. |
| " Kermesina. Violet-red. 67790 | IO |
| " Mixed67800 | 10 |
| KENILWORTH IVY. See Linaria. | 1 |
| KOCHIA trichophylla (Improved Summer | |
| Cypress). A rapid-growing, hardy annual; foliage green, turning to fiery red in autumn; | |
| very ornamental on the lawn. 2 to 3 ft | 1 |
| ½0z. 25c., oz. 40c 67860 | 5 |
| ‡KUDZU VINE (Pueraria Thunbergiana). A | |
| perennial climber from Japan; fine when once established, often growing 40 feet in a | |
| season. Purplish violet, fragrant, wisteria- | |
| like flowers; good foliage67880 | 10 |

| †LANTANA, Fine Mixed. Rapid-growing, ten- Pkt. |
|--|
| der perennial, forming small bushy shrubs; |
| fine for bedding and pot culture. 2 ft. 67930 5 |
| LARKSPUR. See Delphinium. |
| LATHYRUS latifolius (Perennial Pea). hP. These |
| have not the fragrance of sweet peas, but bloom |
| through a long season; are hardy and will live |
| for years; they make a beautiful screen for |
| rocks, stumps, fences, etc. 4 to 8 ft. Pkt. |
| Crimson. Beautiful shade68000 10 Pink Beauty. Blossoms white, veined, edged |
| and shaded pink |
| and shaded pink |
| summer |
| Mixedoz. 60c68025 10 |
| LAVATERA. Very showy and free-flowering; splen- |
| did for large beds in the garden, where they |
| bloom all summer; fine for cut-flowers. Pkt. |
| trimestris. hA. Red; makes a brilliant show |
| in the garden. 2½ ft68080 5 |
| aipa nA. wnite |
| arborea (Tree Mallow). hB. Purple. 6 ft |
| - |
| LAYIA elegans. Pretty, dwarf-growing, hardy annual, with yellow-and-white flowers; of |
| easiest culture. I ft68140 |
| LEMON VERBENA. See Verbena. |
| |
| LEPTOSIPHON. Elegant, hardy annuals, and should be in every garden; fine for edgings or |
| rockeries; blooms in masses. I ft. Pkt. |
| androsaceus. Lilac |
| " albus. White68210 IC |
| densiflorus. Blue68240 10 |
| " albus. White68250 10 |
| Mixed Hybrids |
| LEPTOSYNE. Fragrant, half-hardy annuals; large |
| marguerite-like flowers on long stems, good for |
| cutting. I to 2 ft. Pkt |
| maritima. Yellow |
| Stillmanii. Golden yellow; blooms six weeks |
| after sowing |
| LIMNANTHES Douglasii. A vigorous, dwarf- |
| growing, hardy annual, with yellow and |
| white, fragrant flowers, 1 ft 68350 10 |



Kochia trichophylla



| VENUE AND A CONTRACTOR OF THE PARTY. |
|--|
| Lupinus polyphyllus |
| LINARIA (Toad Flax). Snapdragon-shaped flowers, fine for cutting. The dwarf-growing varieties are desirable for edgings and rockwork; all of the easiest culture. bipartita. Purple. I ft |
| maroccana. hA. Purple. 9 in68410 5 "Mixed Hybrids. hA. Very |
| fine. 9 in |
| LINUM (Flax). Pretty, free-flowering garden plants of easy cultivation. Pkt. |
| grandiflorum rubrum. hA. The favorite Scarlet Flax. Large-flow- ered. I ft |
| quickly from seed and flower all through the season. For beds, edgings, baskets and pots there is nothing prettier. Sow outdoors in early spring where the plants are to grow, and thin moderately; or transplant several inches apart in rich, open soil. Some stimulant given when they are in bloom greatly improves the flowers. Almost all are also good winter conservatory plants of trailing habit. The perennial or tall varieties are handsome, showy plants and will be found quite effective for backgrounds and grouping. ERINUS VARIETIES. tA. Pkt. gracilis. Blue; trailing; beautiful for baskets |
| alba. White flowers68610 10 |
| |

| LOBELIA ERINUS, continued | |
|---|--|
| Variable Chimagon 60600 | Pkt. |
| Kermesina. Crimson68620 | 10 |
| Lindleyana. Rose, white eye68630 | IO |
| Barnard's Perpetual. Deep blue, with | - |
| cocto | |
| white eye; very fine68650 | IO |
| Royal Purple. Deep blue, with a distinct | |
| white eye | 10 |
| Mixed | 10 |
| WIIACU | 10 |
| erecta, Crystal Palace compacta. Dark | |
| blue; for bedding. 6 in68690 | 20 |
| " Emperor William. Light blue; | |
| | 20 |
| very fine | 20 |
| Golden Queen. Dwarf; blue now- | |
| ers, yellow leaves; very fine | |
| sort | 25 |
| sort | - 0 |
| ared white 68720 | τ.ο. |
| ramosa. ered white | 10 |
| ramosa. Blue; nowers profusely in fall. | |
| 1½ ft | 10 |
| ramosa, Mixed | 10 |
| PERENNIAL VARIETIES- | |
| | |
| cardinalis (Cardinal Flower). Standing | |
| bold and erect with its crimson-scarlet | |
| flowers, this handsome, native perennial | |
| Lobelia is invaluable for the border or | |
| | |
| grouping among evergreens. 2½ ft. 68780 | 10 |
| Tupa. Flowers crimson; strong-growing | |
| perennial suitable for border. 8 to | |
| 10 ft | 15 |
| | - |
| ‡LOPHOSPERMUM scandens. A splendid, | |
| tender annual climber, with trumpet- | |
| tender annual climber, with trumpet- shaped, dark rose flowers. 10 ft68840 | 10 |
| LOVE-LIES-BLEEDING. See Amarantus caud | |
| | |
| LOVE-IN-A-MIST (Nigella). Pretty and of | orna- |
| mental, hardy annuals, with feathery fer | nnel- |
| like foliage and curious flowers; of easiest | 011 |
| Al a 11.1 (D. 11. D. 1) | |
| | I to |
| 1 ½ ft. | Pkt. |
| Double Blue | |
| | |
| Double White | 5 |
| Double White | 5 5 |
| Double White | 5 5 |
| Miss Jekyll. Beautiful; double; cornflower-blue | 5 5 |
| Double White | 5 5 |
| Double White | 5 5 |
| Double White | 5 5 |
| Double White68900Miss Jekyll.Beautiful; double; cornflower- blue68910Blue Spanish68930White Spanish68940Mixed, All Sortsoz. 3oc. 68970 | 5 5 10 5 5 |
| Double White68900Miss Jekyll.Beautiful; double; cornflower- blue68910Blue Spanish68930White Spanish68940Mixed, All Sortsoz. 3oc. 68970 | 5 5 |
| Double White .68900 Miss Jekyll. Beautiful; double; cornflower-blue .68910 Blue Spanish .68930 White Spanish .68940 Mixed, All Sorts .0z. 30c68970 LUPINUS (Lupine) | 5 5 10 5 5 5 5 5 |
| Double White | 5 5 10 5 5 5 5 5 orites |
| Double White | 5 5 10 5 5 5 5 5 orites |
| Double White | 5 5 10 5 5 5 5 5 orites ardy |
| Double White | 5 5 10 5 5 5 5 5 ardy |
| Double White | 5 5 5 5 5 5 5 orites ardy usiest |
| Double White | 5 5 5 5 5 5 5 orites ardy usiest beds, Pkt. |
| Double White | 5 5 5 5 5 5 orites ardy siest beds, Pkt. |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Miss Jekyll. Beautiful; double; cornflowerblue | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Miss Jekyll. Beautiful; double; cornflowerblue | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Miss Jekyll. Beautiful; double; cornflowerblue | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |
| Double White | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 |

| LUPINUS, PERENNIAL, continued | at the said of the said of the |
|--|---|
| compactly about 3 to 5 feet in height, and bloom continuously and profusely during the summer. | |
| They are excellent for grouping or massing in | |
| separate colors, and they suit themselves to | |
| almost any position in the border, making a good cut-flower, and of easy culture, requiring | |
| ordinary moist soil, deep as possible, but well | |
| drained, with plenty of old stable manure, in any open, sunny position. Sow seeds in April | |
| in their permanent places, transplanting or | |
| thinning as may be required. Pkt. | |
| arboreus. Yellow Tree Lupine69160 10 "albus (Snow Queen). Pure | A SASSE |
| white; very fine69170 25 | |
| polyphyllus. Blue | |
| " albus. White69210 5 " Mærheimii. Rose and white; | |
| of rather dwarf habit; very | |
| beautiful69230 25 | |
| Foseus. Rose; magnincent 69240 25 | |
| " Mixed69260 5 | |
| tricolor elegans. Orange, rose and white | African Marigold |
| 69280 5 † LYCHNIS. Free-flowering, hardy perennials, | MARIGOLD, AFRICAN, continued Pkt. |
| with brilliantly colored flowers; excellent for | Orange. Rich |
| massing in beds and borders. Pkt. | Pride of the Garden. Extra-large, double flowers of richest yellow; dwarf and |
| chalcedonica. Scarlet. 2 ft69330 5 "alba. White69340 5 | neat |
| Haageana hybrida, Mixed. Fine colors. | Prince of Orange. Beautiful orange- |
| I ft | color |
| and L. Haageana; many new and lovely | FRENCH VARIETIES— |
| colors. If sown early will flower in autumn. | Tall Dark Brown. Reddish brown; ex- |
| I to 2 ft | tremely floriferous69640 |
| MALLOW. See Hibiscus. | Dwarf Striped. Flowers handsomely marked69650 10 |
| MALOPE. Very pretty, free-blooming, hardy annuals with mallow-like flowers. Sow the seed | marked |
| early; good for beds and borders. 2 to 3 ft. Pkt. | brown |
| grandiflora alba. White | " Legion of Honor (Little Brownie). Single; golden yellow marked vel- |
| " rubra. Red69460 5 | vety red69670 10 |
| " Mixed | Tall Mixed, Double |
| MALVA. Handsome garden plants that bloom continuously all summer and are very fine for cut- | $\frac{1}{4}$ oz. 25c., oz. 75c69680 5 Dwarf Mixed, Double |
| flowers. Pkt. | ½ oz. 25c., oz. 75c69690 |
| moschata alba (Musk Mallow). †hP.White; | See, also, Calendula. |
| fragrant. 2 ft69500 10 "rosea. †hP. Rose-flowered va- | MARTYNIA. Curious and handsome, half-hardy annuals for the border, with bright flowers |
| riety; fine69510 10 | borne in profusion and followed by quaint pods |
| MANDEVILLEA suaveolens. gP. This fine | which are used for pickling. 1½ ft. Pkt. proboscidea. Reddish white69790 5 |
| greenhouse climber has deliciously sweet and beautiful, snowy white flowers. | MARVEL OF PERU. See Four o'Clock. |
| 10 ft69530 10 | MATHIOLA bicornis. A charming little an- |
| MARIGOLD (Tagetes). These, like the cal- | nual of no particular beauty, but it has a |
| endulas, are valuable because they light the | most delicious odor perceptible at a con- |
| garden with such a grand glitter of yellow far into the frosts of autumn. The dwarf varieties | siderable distance and in the evening per- meating the whole of the atmosphere |
| make a fine border for taller sorts, and both are | surrounding it with its delightful fra- |
| effective when planted in groups or in garden borders. Hardy annuals. Average height, I to | grance |
| 2 ft. All our own special strains, vastly different | MATRICARIA. Free-flowering, hardy annuals, with a profusion of dainty flowers; bloom all |
| from the ordinary sorts commonly sold. | summer; good for bedding or pots. 1½ ft. Pkt. |
| AFRICAN VARIETIES— Pkt. | capensis flpl. (Feverfew). Small, double, |
| Eldorado. Large, quilled, perfectly double; brilliant shades of yellow69570 5 | white flowers; pretty and neat69830 5 eximia, Golden Ball. Golden yellow; fine |
| Lemon Queen. Very rich lemon-yel- | for pots69840 15 |
| low69580 5 | " flpl. Double; white69850 5 |

| ‡† MAURANDYA. Rapid-growing, half-hardy pennial climbers that can be treated as annu Fine for garden or greenhouse; bloom all sumer in hanging-baskets and vases or on trelli | als. im- ses. |
|--|---------------------|
| | Pkt. |
| Barclayana. Blue | 10 |
| " alba. White | 10 |
| purpurea grandiflora. Purple69910 | 10 |
| Mixed69920 | 10 |
| MELILOTUS cærulea. Ornamental, hardy annual like the lotus; sweet-scented, blue flowers; good for bees. 2 ft69970 | 5 |
| ‡MELOTHRIA scabra. An interesting, half-hardy annual tropical vine with light blue flowers. 10 ft69990 | 10 |
| MESEMBRYANTHEMUM. These beautiful, h hardy annuals flower profusely in dry a sunny situations; fine as edging plants. 6 in. 1 | and |
| foliage; very dwarf; a fine variety for carpet bedding or for edging and for rockwork | 15 |
| tricolor. Crimson, pink, and white; fine in dry situations | 5 |
| MIGNONETTE (Reseda odorata). Seed | of |

this popular, hardy annual can be sown at any time, and if successive sowings are made its fragrant, modest-colored flowers may be gathered outdoors until November. Sow in pots or boxes under glass in February or March, and thin or pot off the seedlings to make good plants for bedding out in April. Sow outdoors in rows



| MIGNONETTE, continued |
|---|
| about April 1, and again regularly at intervals |
| of about three weeks till August, a row or two |
| at a time for succession. The July sowing will make good winter-flowering plants. Ift. Pkt. |
| Reseda odorata grandiflora (Sweet Mignon- |
| ette)oz. 25c70060 5 |
| Allen's Defiance. Spikes of great length: |
| very fragrant and fine for cutting. 1½ ft. |
| Light Crimson Giant (ameliorata). Red-flow- |
| ered |
| Golden Queen. Golden yellow70120 10 |
| Goliath. Red; enormous spikes; striking: |
| very sweet-scented70130 15 |
| Machet, Dwarf. Deep red70140 10 Golden70160 10 |
| " Golden70160 10 Ruby (Rubin). Very fine |
| strain of Machet, with |
| coppery scarlet flow- |
| ers70170 10 White Pearl. The best |
| white variety70180 15 |
| Miles' Spiral. I ft |
| MIMOSA pudica (Sensitive Plant). A curi- |
| ous and interesting half-hardy annual, with pinkish flowers; leaves close when touched. 1½ ft |
| with pinkish flowers; leaves close when touched 11/6 ft 70280 |
| |
| †MIMULUS (Monkey Flower). Showy, half-hardy perennial; do best in a moist situation |
| in the garden; easily grown. I ft. Pkt. |
| cardinalis. Scarlet70300 10 |
| cupreus, Mixed |
| moschatus (Musk Plant). Yellow; fragrant |
| foliage |
| 70330 ₁₅ |
| tigrinus. Tigered and spotted varieties |
| " grandiflorus (Queen's Prize). |
| |
| Large - flowered variety of |
| Large - flowered variety of above |

NASTURTIUM

We do not sell less than 1 ounce of any one kind by weight

A marvelous range of new colors has been developed in this favorite flower which, for three or four months of the season, makes a better display than almost any other plant. No other hardy annual will produce such a lavish profusion of flowers for so long a time with the same small outlay of time and labor. The maximum of bloom is produced on thin soils, and never flags through the hottest weather. In soils too rich, leaves predominate, and the plants are apt to rot off in wet weather, especially if standing too close.

All 30 cts. per oz., except where quoted otherwise

| DWARF or TOM THUMB (<i>Tropæolum nanu</i> These have a neat, compact habit and attract | tive |
|---|-------------|
| foliage; they bloom in two months from sowing, most profusely the whole season. I ft. | and Pkt. |
| Beauty. Yellow and scarlet70600 | 10 |
| Bronze-color. Distinct70610 | 10 |
| Chameleon. Mottled crimson, bronze, and yellow; very fine | 10 |
| Crystal Palace Gem. Yellow and carmine | 10 |
| Deep Scarlet | 10 |
| Empress of India. Deep crimson; fine dark | |
| foliage | 10 |
| Golden Cloth. Golden yellow leaves; scarlet flowers | ю |
| Golden King. Golden yellow70670 | 10 |
| King of Tom Thumbs. Scarlet; fine | |
| color | 10 |
| King Theodore. Black, velvety; darkest of all | 10 |
| Queen of Tom Thumb. (Original Queen.) Brilliant crimson with white-veined variegated-leaved foliage | 10 |
| Queen of Tom Thumb, Mixed. Splendid | |
| range of colors of variegated-leaved sorts 70760 | ю |
| Ruby King. Ruby-red; large flowers; dark-leaved; fine and very profuse70780 | ю |
| Vesuvius. Salmon-rose; extra-large flowers in | |
| profusion; fine | IO |
| White, or Pearl (Moonlight)70800 | 10 |
| Mixed, Golden-leaved Sorts70820 | 10 |
| " ivy-leaved | 10 |
| " All Sorts. oz. 20c., ¼lb. 60c., ½lb. | |
| \$1.10, lb. \$2 | 10 |
| TALL or CLIMBING (<i>Tropæolum majus</i>). Besides their ordinary garden use for trailing | over |
| fences, trellises, stone walls, etc., these can also | o be |
| grown as pot plants for winter flowering, as screen | ens, |
| 8 8 | 8 to |
| | Pkt. |
| Chameleon. Various colors70910 20 | 10 |
| Dark Crimson | 10 |

Edward Otto. Brownish lilac 70940

hemisphæricum. Orange.......70970

King Theodore. Black......70990

Pearl (Moonlight). Whitish......71010

Scarlet.....71020

Scheuerianum, Spotted......71030

Yellow (luteum)......71090

Sunlight (Dunnett's Orange).

coccineum.

striped..........71040

20

Scarlet

10

10

10

10

10

10

10

10

10

| Variegated-leaved, Mixed. Beautifully variegated foliage; distinct and charm- | Oz. I | Pkt. |
|---|-------|------|
| ing71110 | 20 | 10 |
| Ivy-leaved, Tall Mixed71115 | 20 | ю |
| Fine Mixed | 15 | 10 |
| | | |




| NASTURTIUM, continued | | |
|--|-----------------|----|
| This class is remarkable for the intensely be colors of its flowers. In moderately rich so climb high and bloom brilliantly. Average | rillia il th | ey |
| | Oz. P | |
| Blood-Red71190 | | |
| | 15 | 5 |
| Firefly. Dark orange-yellow, spotted bright scarlet; dark-leaved71210 | 15 | 5 |
| Geant des Batailles. Light yellow, with | | |
| bright red spots | 15 | 5 |
| Ivy-leaved, Mixed71260 | 15 | 5 |
| Lilliput, Baby Rose. White and soft pink. | | |
| A splendid variety | 15 | 5 |
| Lilliput, Snow Queen. Cream-white, | | |
| very delicate tint | 15 | 5 |
| Lily Schmidt (Victoria). Scarlet71280 | 15 | 5 |
| Lucifer. Dark scarlet; dark leaves71300 | 15 | 5 |
| Spitfire. Brilliant scarlet. Very fine71310 | 15 | 5 |
| Queen Wilhelmina. Queen of the Lobb | 13 | 3 |
| varieties. The foliage is veined and marbled white, setting off the rich rosy scarlet flowers to great advantage. One of the most effective of the list71320 | 15 | 5 |
| Madame Gunther Hybrids. A French | -0 | 0 |
| strain noted for wide range of colors 71330 | 15 | 5 |
| fimbriatum, Mixed. Fringed sorts, mixed. | Ť | _ |
| ½lb. 55c71340 | 15 | 5 |
| Finest Mixture | 10 | 5 |
| NEMESIA. Very pretty and neat-flowering | hare | dv |
| annual for edgings; attractive, bright-flowers. I ft. | color | ed |
| | | |



Pæonia chinensis

| compacta alba (White Gem). White; Pkt. attractive fresh green foliage | NEMESIA, continued |
|--|--|
| age | attractive fresh green foli- |
| strumosa Suttonii grandiflora. Many rich and rare colors; flowers large; foliage beautiful. 71480 25 NEMOPHILA. Very pretty, dwarf-growing, hardy annuals of easy culture; continuous bloomers; cup-shaped flowers of brightest colors. Good in pots, edgings, rockeries or beds; moist soil and partial shade is favorable for them. 1 ft. Pkt. atomaria. White and purple. 71500 5 crambeoides. Pale blue. 71510 5 discoidalis. Black-brown, white-margined. 71520 5 insignis. Sky-blue. 71530 5 "aba. White. 71530 5 "aba. White. 71540 5 "marginata. Blue, mottled white. 71550 5 maculata. Lilac-white, brown-spotted.71560 5 Mixed. 20. 23 co. 71580 5 Mixed. 20. 23 co. 71580 5 Mixed. 20. 23 co. 71580 5 Mixed. 20. 25 co. 2 | age 71460 10 |
| profusion | cærulea (Blue Gem). Blue |
| rich and rare colors; flowers large; foliage beautiful | profusion71470 10 |
| NEMOPHILA. Very pretty, dwarf-growing, hardy annuals of easy culture; continuous bloomers; cup-shaped flowers of brightest colors. Good in pots, edgings, rockeries or beds; moist soil and partial shade is favorable for them. I ft. Pkt. atomaria. White and purple | strumosa Suttonii grandiflora. Many |
| NEMOPHILA. Very pretty, dwarf-growing, hardy annuals of easy culture; continuous bloomers; cup-shaped flowers of brightest colors. Good in pots, edgings, rockeries or beds; moist soil and partial shade is favorable for them. I ft. Pkt. atomaria. White and purple | rich and rare colors; flowers large; foliage |
| annuals of easy culture; continuous bloomers; cup-shaped flowers of brightest colors. Good in pots, edgings, rockeries or beds; moist soil and partial shade is favorable for them. I ft. Pkt. atomaria. White and purple | |
| cup-shaped flowers of brightest colors. Good in pots, edgings, rockeries or beds; moist soil and partial shade is favorable for them. Ift. Pkt. atomaria. White and purple | annuals of easy culture; continuous bloomers: |
| and partial shade is favorable for them. I ft. Pkt. atomaria. White and purple | cup-shaped flowers of brightest colors. Good |
| atomaria. White and purple | and partial shade is favorable for them. If the Pkt. |
| discoidalis. Black-brown, white-margined | - XX71 |
| insignis. Sky-blue | crambeoides. Pale blue |
| insignis. Sky-blue | |
| " alba. White | |
| maculata. Lilac-white, brown-spotted.71550 5 maculata. Lilac-white, brown-spotted.71560 5 Mixed | " alba. White |
| maculata. Lilac-white, brown-spotted.71560 Mixed | " marginata. Blue, mottled white. |
| Mixed | • |
| NICOTIANA. Species of tobacco. Showy and free-blooming half-hardy annuals; great garden favorites; in flower all summer; tubular-shaped flowers. 3 ft. Pkt. affinis. White; very fragrant | • • |
| blooming half-hardy annuals; great garden favorites; in flower all summer; tubular-shaped flowers. 3 ft. Pkt. affinis. White; very fragrant | |
| flowers. 3 ft. affinis. White; very fragrant | blooming half-hardy annuals; great garden |
| affinis. White; very fragrant | flowers, 3 ft. Pkt. |
| "hybrida. Beautiful shades, mixed. 71660 10 Sanderæ Hybrids. Many brilliant colors 71680 10 "Purple-Carmine | 7771 °. |
| "Purple-Carmine | " hybrida. Beautiful shades, mixed. |
| "Purple-Carmine | |
| sylvestris. Large clusters of white flowers; sweet-scented. 4 ft | 71680 10 |
| NIEREMBERGIA. Pretty half-hardy perennials of slender growth that bloom freely the first year from seed; cup-shaped flowers. Fine for edgings or hanging-baskets. I ft. Pkt. gracilis. Lilac and white | Purple-Carmine71085 10 |
| NIEREMBERGIA. Pretty half-hardy perennials of slender growth that bloom freely the first year from seed; cup-shaped flowers. Fine for edgings or hanging-baskets. I ft. Pkt. gracilis. Lilac and white | |
| of slender growth that bloom freely the first year from seed; cup-shaped flowers. Fine for edgings or hanging-baskets. I ft. Pkt. gracilis. Lilac and white | |
| edgings or hanging-baskets. I ft. gracilis. Lilac and white | of slender growth that bloom freely the first |
| gracilis. Lilac and white | year from seed; cup-shaped flowers. Fine for |
| NOLANA. When in flower these hardy annuals are very showy, and are fine for the garden border; of trailing habit. I ft. Pkt. atriplicifolia. Blue | |
| NOLANA. When in flower these hardy annuals are very showy, and are fine for the garden border; of trailing habit. I ft. atriplicifolia. Blue | |
| are very showy, and are fine for the garden border; of trailing habit. I ft. Pkt. atriplicifolia. Blue | NIGELLA. See Love-in-a-Mist. |
| are very showy, and are fine for the garden border; of trailing habit. I ft. Pkt. atriplicifolia. Blue | NOLANA. When in flower these hardy annuals |
| atriplicifolia. Blue | are very showy, and are fine for the garden |
| "grandiflora alba. White; large-flowered71760 5 Mixed | To the second to |
| NYCTERINIA. Pretty half-hardy annuals, forming dwarf, compact plants; excellent for beds and borders. 9 in. Pkt. capensis. White; fragrant in evening.71810 10 selaginoides. White, flushed lilac; graceful | " grandiflora alba. White; |
| NYCTERINIA. Pretty half-hardy annuals, forming dwarf, compact plants; excellent for beds and borders. 9 in. Pkt. capensis. White; fragrant in evening.71810 10 selaginoides. White, flushed lilac; graceful | large-flowered71760 5 |
| ing dwarf, compact plants; excellent for beds and borders. 9 in. Pkt. capensis. White; fragrant in evening.71810 10 selaginoides. White, flushed lilac; graceful | • |
| capensis. White; fragrant in evening 71810 10 selaginoides. White, flushed lilac; graceful | ing dwarf, compact plants; excellent for beds |
| selaginoides. White, flushed lilac; graceful | |
| ful | |
| PÆONIA. Among hardy perennial plants none are more prized than the Peonies with their large and handsome blooms. 2 to 3 ft. Pkt. officinalis. Red; single-flowered71960 5 | |
| are more prized than the Peonies with their large and handsome blooms. 2 to 3 ft. Pkt. officinalis. Red; single-flowered71960 5 | ŒNOTHERA. See Evening Primrose. |
| officinalis. Red; single-flowered71960 5 | PÆONIA. Among hardy perennial plants none |
| officinalis. Red; single-flowered71960 5 | are more prized than the Peonies with their |
| | officinalis. Red; single-flowered71960 5 |
| chinensis, Mixed. Fine double varieties 71970 10 | chinensis, Mixed. Fine double varieties |



Thorburn's Superb Pansies

PANSY (Viola tricolor; Heartsease)

OUR STRAINS HAVE NEVER BEEN EXCELLED

The Pansy is a plant that we all delight to grow in plentiful supply for flowers all the year. For very early outdoor bedding the seed is sown from August to October, in a coldframe, or in rich, moist garden beds, from which the plants can be transferred to a coldframe, setting them 2 to 3 inches apart each way before severe winter weather begins. In spring three-fourths of them can be lifted out for bedding and the rest left to bloom in the frame. For winter blooming in a frame set the plants about twice as far apart, and thin out half of them in the spring. Cover the blooming plants with sashes, adding a covering of matting or straw in very cold weather. In mild weather remove the mats and tilt the sashes to admit light, heat, and fresh air. In outdoor beds, raised a few inches above the ground, with a mulch of dry leaves and some brush to hold them in place, Pansies will often winter nicely and bloom until midsummer, when a relay of young, vigorous plants should be ready to replace them. Spring sowings should be made early so as to secure good flowers during the early rains. Seed sown in a cool, moist place in June and July, and well tended, will give good flowering plants for fall. If they come into bloom in the heat of the summer, the flowers may be small at first, but, as the weather becomes cooler they will increase in size and beauty, and make a glorious show in the garden. Through summer heat the flowers are finer in a somewhat shaded place, but in almost any situation good Pansy seed will give fine flowers in spring and fall. Early fall sowings give the finest flowers in spring, and a bed of Pansies is one of the most beautiful sights a garden can show. The higher-priced sorts produce the largest flowers and the most brilliant colors. This should be borne in mind when ordering.

We do not sell less than 1/4 ounce of a kind by weight

| Thorburn Superb. The richest and most choicely varied mixture possible. It produces only the finest colors, largest flowers and most beautiful forms72030 | 1/0z. | Oz. | Pkt. |
|--|-------|------|------|
| Bugnot Superb Blotched. An exceedingly large, three-blotched strain, with upper | | | |
| petals finely lined; great diversity of finest colors | I 50 | 5 00 | 25 |
| Cassier, Finest Mixed. Flowers of grand size, beautifully spotted72050 | | | 25 |
| Masterpiece. Curled, wavy petals; splendid colors; distinct | I 75 | 6 00 | 25 |
| " Exhibition Strain | 3 00 | | 35 |
| Madam Perret. A splendid giant-flowered strain comprising all shades of red from | | | |
| light rose to dark purple, some of them finely striped | I 25 | 4 00 | 25 |
| Parisienne, Mixed. Handsome, large-flowering strain | | | 25 |
| Red Shades, Mixed | I 00 | 3 50 | 25 |

| PANSY, continued | | |
|---|---|--|
| Fine Large English. All colors mixed. 72130 \$0 75 \$2 50 \$0 2 French. Large flowers; fine mixed. 72135 85 3 00 2 Mixed. Ordinary strain. 72140 65 2 00 II Azure-Blue. Very fine color. 72160 85 3 00 2 Black-Blue. Dark velvety blue. 72170 85 3 00 2 Black (Faust; King of the Blacks). Almost coal-black 72180 85 3 00 2 Bronze. Golden bronze. 72190 I 00 3 50 2 Cardinal. Brilliant red; very fine. 72200 I 25 4 00 2 | 25 25 25 25 25 25 25 | |
| Dark Blue. 72215 I 25 4 00 2 Pale Bright Blue. Splendid; very showy. 72240 I 25 4 00 2 Fairy Queen. Light blue, with white border. 72250 I 25 4 00 2 Fire King. Golden with purple. 72270 85 3 00 2 Golden Queen (Yellow Gem). Pure yellow. 72290 I 50 5 00 2 Lord Beaconsfield. Deep purple-violet, shading to light blue. 72310 I 00 3 50 2 Mahogany-colored. 72315 I 00 3 50 2 Meteor. Bright yellow and brown, attractively blotched and margined. 72320 I 00 3 50 2 Odier, Five-blotched, Improved. Extra-choice strain. 72330 2 00 7 00 2 President Carnot. Pure white petals, each with a deep blotch. 72360 I 25 4 00 2 Snow Queen (candidissima). Pure satiny white. 72390 I 25 4 00 2 White, with Black Center. Very showy. 72410 I 00 3 50 2 Yellow, Golden, without Eye. Pure yellow. 72435 I 00 3 50 2 | 5 5 5 5 5 5 5 5 5 5 | |
| "Azure-Blue. Light-blue; pure color. 72500 I 50 5 00 2 "Indigo-Blue. Very rich color. 72540 I 50 5 00 2 "Lord Beaconsfield. Lavender and purple. 72550 I 50 5 00 2 "White. 72590 I 50 5 00 2 "White, with Dark Eye. 72600 I 50 5 00 2 "Yellow. Dark center. 72610 I 50 5 00 2 "Pure Yellow (Golden Crest). 72620 I 50 5 00 2 | \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 | |
| This new type of Pansy is valuable on account of its hardiness and earliness. If given slight protection they will be found perfectly hardy in this latitude and even farther north, beginning to bloom about the end of March. Flowers are very large and have a sweet perfume. Celestial Queen. Beautiful light blue with yellow eye. Ice King. Silvery white with dark blue blotches. March Beauty. Fine dark velvety blue with yellow eye. Winter Sun. Rich golden yellow with maroon blotches. Hymalis, Mixed. Choice Collections of Specially Selected Giant Pansies, or Heartsease Each collection 72705 \$1 72705 \$1 72715 \$1 4000 \$1 40 | ne et. 0 0 0 0 0 0 0 0 0 5 | |
| PARIS DAISY. See Chrysanthemum frutescens. †PASSIFLORA (Passion Flower). Pkt. cærulea. hhP. Blue | | |

| ЭĒ | TUNIA HYBRIDA. hhA. Once fairly |
|----|---|
| | started, Petunias grow almost as easily as weeds |
| | and furnish a glorious succession of bloom from |
| | early summer until frost. The large-flowered |
| | strains are very beautiful and of almost endless |
| | variety. Seed of the double and Giant-flowered |
| | Petunias is made expensive by the great amount |
| | of labor involved in hand-fertilization, and it is |
| | well to handle seed and tiny seedlings with some |
| | care. Sow in hotbed, coldframes, or in boxes of |
| | fine soil in the sunny windows of a warm room |
| | in April or May, and transplant about I foot |
| | apart in garden beds. Seed of the double varie- |
| | ties has not so much vitality as that of single |
| | sorts and needs a little more care in watering to |
| | be sure of germination. We have no better |
| | plants than the Petunias for beds and masses, |
| | borders, window-boxes, baskets and vases. |
| | They will grow in almost any soil and bloom |
| | profusely through long droughts. The newer |
| | varieties are of brilliant colors. The highest |
| | priced sorts produce the finest and handsomest |
| | flowers, and those we offer are from the most care- |
| | fully selected strains, saved at great expense. |
| | Apparently similar sorts offered at lower prices |
| | are not to be compared with those we offer. Aver- |
| | age height, 1 1/2 ft. |
| | |

| SINGLE LARGE-FLOWERING. These h | iave |
|---|------------|
| flowers 4 or more inches across. Our strains superb and the collections offered contain of | |
| the finest varieties. | Pkt. |
| Purple King. Royal in color and size. 73000 | 25 |
| Rose. Brilliant rose; a charming shade 73010 | 50 |
| superbissima, Mixed. Large, yellow- | 30 |
| throated varieties; they make a brilliant | |
| show in the garden | 50 |
| usual size | 25 |
| | |
| | hese |
| FRINGED, LARGE-FLOWERING. Thave deeply cut and fluted margins. | hese |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, | |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed 73400 | |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed 73400 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant- | Pkt. |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed 73400 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most beautiful colors. | Pkt. 40 |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed 73400 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most beautiful colors. Very valuable | Pkt. |
| have deeply cut and fluted margins. Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed 73400 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most beautiful colors. | Pkt. 40 |

| DOUBLE LARGE-FLOWERING. Our seed |
|--|
| will produce flowers large, fragrant, elegantly |
| formed and beautiful either for house, garden |
| or conservatory. Only a small proportion of the |
| double strains bear double flowers. The reason of |
| this is the fact that the seed must be selected from |
| single flowers, the double ones not producing seed. |
| The single flowers must be pollinated with pollen |
| from the double ones. Cuttings may be made |
| from double-flowered plants and inserted in |
| light, sandy loam for rooting, thus increasing |
| the percentage of double-flowering plants Pkt. |
| |

| 1 8 Parties | |
|---|-------------|
| Mixed73470 | Ú 50 |
| Fringed Crimson. Gorgeous colors; extra | |
| large flowers | |
| Fringed Heliotrope. Mauve and helio | |
| trope colorings | |

large and much beruffled......73510 75

Fringed Perfection, Mixed. Flowers



Thorburn's Century Prize Petunias

PETUNIA, continued

SINGLE BEDDING VARIETIES. Smallerflowered sorts, found most valuable for beds and masses. Ift. 10 Howard's Star. Rich crimson; distinct white star in center; very showy...73550 IO Rosy Morn. Bright, rosy pink, with white throat; very charming, compact, and free flowering; for bedding.......73560 15 Variously colored; beautifully venosa. veined..... IO White. Pure white; compact grower. 73580 IO Inimitable, Mixed. Striped and spotted. 73590 IO

PHACELIA. Showy, hardy annuals of easy culture, doing best in a sunny situation; bell-shaped flowers; excellent for bees.

campanularia. Rich, deep blue. 9 in. 73690

5

PHLOX DRUMMONDII (Flame Flow-

er). The hardy annual Phloxes are dazzling in effect, particularly so when sown in masses or ribbon beds of contrasting colors. Few flowers are so easy to grow from seed, so pretty and compact in habit, so quick to bloom, or give such a brilliant display of color for so little cost and care. There are few desirable colors beyond their range, and if given good soil and plenty of water, they will furnish a long supply of delicate flowers. For pot culture dwarf varieties are valuable and as an undergrowth for tall, barestemmed plants they are also valuable. first sowings should be made as soon as the frost is out of the ground in spring, later ones in May, either where the plants are to bloom, or in a seed-bed, as the Phlox transplants readily. In transplanting set the taller kinds about a foot apart; if planted too thickly they suffer from mildew. Cutting away the flowers and seed-



Phlox Drummondii

PHLOX DRUMMONDII continued pods makes the plants more bushy and compact, and lengthens their blooming time. Average height, 1 ft.

GRANDIFLORA. This section has beautiful, round-petaled flowers, larger than in the older sorts; showy and constant, blooming in the greatest profusion from early summer to frost. Our strain is far superior to that ordinarily

alba. Pure white flowers borne in profusion oculata. White, with violet eye.73780 10 atropurpurea. Dark purple......73790 Chamois-Rose. A soft shade.....73800 IO 10 Crimson. Bright color...........73820 \mathbf{Io} 10 IO 10 TO **Mixed.** Splendid, large-flowering sorts...

1/4 oz. 6 oc., oz. \$2..73870 **DWARF VARIETIES.** Plants of this charming section grow only 6 to 8 inches high and form dense masses of bloom all summer. They are especially useful for beds, edgings, pots, etc. Pkt. Chamois-Rose. Very fine.......73950 Fireball. Flame-red; fine for pots and for Purple. Rich dark color.........73965 15

Snowball. Pure white; fine for pots.73980 grandiflora nana compacta. Mixed.... ¹/₄oz. \$1..**74010** STAR PHLOX-

cuspidata. Star-shaped; many colors... **PERENNIAL PHLOX.** This hardy sort makes

bushes about 3 feet high bearing large heads of finely colored flowers. decussata, Large - flowered Hybrids,

Mixed......74110 15

†PHYSALIS Francheti (Chinese Lantern Pkt. Plant). A splendid hardy perennial, very ornamental; has large orange fruits which, dried, are beautiful in winter bouquets.

PHYSOSTEGIA (Obedient Plant). A valuable, summer-flowering, hardy perennial border plant; delicate, white flowers on long stems; good for cutting. 3 ft.

grandiflora virginica. Rosy pink....74190 25 alba......74200 25

PICOTEE (Picotee Pink). These beautiful greenhouse varieties have richly colored edged flowers and are finely perfumed; very attractive. 11/2 ft.

Extra-Fine, Mixed. Show varieties...74250 50

PINKS (Dianthus). In this large and greatly varied genus are some of our most beautiful and best-loved flowers, unsurpassed for color and fragrance. They are hardy biennials that bloom finely the first season, remaining green all winter and blooming the next year also, if lightly protected. Old plants flower the earliest, but as young ones give the largest, finest flowers, sowings are made every year. Seed can be sown under glass in the spring, or in an open, sheltered bed. The seedlings are easily transplanted and should stand 8 to 12 inches apart; dwarf ones about 6 inches. If especially large, brilliant flowers are desired, a bed of well-mixed turfy loam, leaf-mold and well-decayed manure should be prepared for them. Average height,

CHINENSIS (China or Indian Pinks). The flowers of all are double and showy.


Double White China Pink.......74280

"Mixed China Pinks. All best colors, ¹/₄oz. 25c., oz. 75c. . . **74290**



Dianthus plumarius (see page 97)

| PINKS, continued | Pkt. |
|---|--------|
| HEDDEWIGII (Japan Pinks). Unusually | |
| large and brilliant; often oddly edged | , |
| striped and ringed. | |
| Single, The Bride (Little Gem). White | , |
| with purple center |) IO |
| handsome, dark red, on long | |
| stiff stems |) 10 |
| " Eastern Queen. Rose-colored | l |
| flowers, 2 to 4 inches across; finely | 7 |
| striped and stained74340 " Queen of Holland. Splendid | . 10 |
| white |) 10 |
| " Mixed. 1/4 oz. 25c., oz. 75c 74360 | 5 |
| " Mixed, Giant-flowered74370 |) 10 |
| wilked nobilis (Royal Pink) | |
| Large, frilled and fringed flowers | |
| of glowing blood-red, shading to carmine and pink and | - |
| even white; vigorous and tall- | • |
| growing; abundant, continuous | 3 |
| bloomer; fine flower for cu | t- |
| ting | |
| Double, Mixed. A splendid assortment. 4/40z. 40c., oz. \$1.2574385 | |
| " diadematus flpl. (Diadem | |
| Pink). Double; magnificent in | |
| color and variety74390 |) 10 |
| " Fireball. Brilliant scarlet; very | 7 |
| compact and floriferous vines for massing74400 | ; |
| " Mourning Pink. Very large |) 10 |
| double flowers of blackish crim | , - |
| son, fringed white; very effec | - |
| tive, and a handsome cut | |
| flower | 0 10 |
| LACINIATUS- | _ |
| Fireball, flpl | 5 10 |
| richly marked with pink, white, etc.7444 | |
| punctatus. Dark-shaded Princess Pink | |
| Quite peculiar colors, such as purplish vio | |
| let, blood-red, dark salmon, etc 74450 | |
| Salmon Queen. Beautiful rosy salmon handsome single flowers74460 | |
| Single, Mixed. Fringed flowers of al |) 10 |
| colors 1/40z. 50c., oz. \$1.5074500 |) 10 |
| Double, Mixed |) 10 |
| Fringed Double, Mixed7451 | 5 10 |
| IMPERIALIS FLPL. (Double Imperial I | Pink). |
| Robust, bushy grower, with large, d | |
| flowers. Double, Mixed74530 | Pkt. |
| | |
| PLUMARIUS (Sweet May Pinks). Thes | e are |
| fine, fragrant, hardy perennials of the old | -time |
| gardens, still reckoned among the most be ful for massing and cutting. | Pkt. |
| Pheasant's Eye. Pretty fringed flowers. | |
| 7460 | |
| scoticus (Double Scotch Pink). A serie | s |
| of exquisite colors; ours is the fines | |
| strain | |
| semperflorens (Perpetual Pink). Double semi-double, and single; of variou | , |
| colors7463 | |
| Single Pinks, Mixed | |
| ¹ / ₄ oz. 25c., oz. 6oc 7465 | 0 10 |
| Double Dwarf, Mixed7467 | |
| Double Mixed. Extra fine7469 | 0 10 |



Platycodon grandiflorum

PLATYCODON (Wahlenbergia; Large Chinese Bellflower). Handsome, hardy perennials that do best in light, dry situations; bushy growth; bear large, bell-shaped flowers in great profusion.

Pkt.

grandiflorum. Deep blue. 2 ft.....74800 10 "album. White. 2 ft..74810 10 See, also, Campanula.

POLEMONIUM. See Jacob's Ladder.

†**POLYANTHUS** (*Primula clatior*). Fine springblooming and free-flowering, hardy perennials, alike suitable to pot or garden culture. 9 in. Pkt.

Gold-laced. Very attractive and showy.... 74920 25

POPPY (Papaver). Before tulips are fairly gone our gardens begin to be gay with Poppies. Few flowers have the same grace of stem, airiness of poise, and delicacy of tissue. For beds and borders, with a background of green, there is nothing finer. Some sorts are admirable for naturalizing in open wooded grounds; others, like the Shirley, are beautiful for cutting. A sandy loam suits Poppies best, and, as their strong tap-roots are difficult to transplant, it is well to sow the seed where the plants are to bloom. Sowings made in fall and at intervals in spring will provide a long succession of flowers. Sow thinly, covering very lightly, and thin the plants to stand about a foot apart. The best plants are those grown from early sowings while the soil is cool and moist.

| DODDIEC continued | |
|--|-----|
| POPPIES, continued | 1 |
| PERENNIAL VARIETIES. Tall, large-flower | |
| and showy. Average height, 2 to 4 ft. | kt. |
| bracteatum. Glowing scarlet; on long | |
| stems. 3 ft | 5 |
| orientale. Enormous flowers of deep, | |
| flashing scarlet, with black | |
| spots in center; entirely hardy | |
| anywhere; fine for cutting. | |
| ally where, line for cutting. | 10 |
| 3 ft | 10 |
| Brilliant. Vivid scarlet; beau- | |
| tiful | 10 |
| " Mixed Hybrids. Finest | |
| shades75010 | 10 |
| nudicaule (Iceland Poppy). These dwarf, | |
| bright yellow Poppies form | |
| one of the chief attractions | |
| of the garden through several | |
| months. They are most beau- | |
| tiful when grown in masses | |
| from seed sown every year; if | |
| sown very early they bloom | |
| same season. I ft75030 | 10 |
| " aurantiacum coccineum. | • |
| Orange-red. All of this class | |
| have crimped petals and pe- | |
| culiar grace75040 | 10 |
| " album. Pure white 75050 | 10 |
| | |
| Wiixed75000 | 10 |
| ANNUAL VARIETIES. This section include | des |
| fine double and single flowers of greatly vary | ing |
| sizes, self-colored, and daintily edged. All | are |
| easily cultivated and greatly admired. Average | age |
| | kt. |
| Thorburn Giant White. White flowers | |
| of grand form and size, with silky petals. | |
| 3 to 4 ft | _ |
| 5 to 4 tt | 5 |
| Danebrog. Large; single; scarlet, with | |
| white cross at base of petals75100 | 5 |
| English Scarlet Field Poppy | |
| oz. 50c75110 | 5 |



Shirley Poppies

| OPPIES, continued | Pkt. |
|---|--------|
| Flag of Truce. Pure white; large and | |
| showy flowers | 5 |
| Maid of the Mist. Pure white; single; | |
| very large; deeply fringed. 3 to 4 ft.75130 | 5 |
| Mephisto rosea. Fine single 75145 | 5 5 |
| Miss Sherwood. Large; single; satiny | |
| white, with upper half of petals chamois- | |
| rose | 5 |
| Shirley Best Mixed. Indescribably bright, | |
| dainty and gauzy; a favorite for cutting | |
| ting | 5 |
| glaucum (Tulip Poppy). Striking, tulip- | |
| shaped flowers of intensely brilliant scarlet; dwarf | |
| | 10 |
| Single Mixedoz. 25c75215 Double American Flag. White, bordered | 5 |
| with scarlet; exceedingly bril- | |
| liant flowers75220 | _ |
| " Cardinal. The immense scarlet | 5 |
| flowers last unusually well . 75230 | 5 |
| " Carnation-flowered Hybrid, | 3 |
| White Swan. Pure white.75250 | 5 |
| " Carnation - flowered, Mixed, | 3 |
| Very double; fringed | |
| oz. 3oc 75260 | 5 |
| " Mikado. Large, white flowers, | O |
| attractively fringed with rose | |
| 75270 | 5 |
| " Pæony-flowered, Dwarf, Fire- | |
| ball. Deep scarlet; very large- | |
| flowering | 5 |
| " Pæony - flowered, Snowball. | |
| Pure white; very large-flower- | |
| ing | 5 |
| " Pæony-flowered, Dwarf, Mixed | |
| Hybrids. Hybrids of compact | |
| growth; splendid75300 | 5 |
| Pæony-nowered, wilked. Large, | |
| handsome flowers of many | |
| colors | 5 |
| queen. Abundant nowers of the | |
| Shirley type, but double. Of the most delicate and brilliant | |
| colors, ranging from palest pink | |
| to rosy scarlet75315 | |
| See Novelties also. | 25 |
| " Ranunculus-flowered, Mixed. | |
| Flowers small, finely formed, | |
| double oz. 40c75320 | |
| " somniferum (Opium Poppy) | 3 |
| oz. 15c75322 | 5 |
| " Mixed, All Sorts. oz. 25c 75340 | 5 5 |
| | |
| PORTULACA. This charming little h | ardy |
| annual is unrivaled for brilliancy among p | |
| of low growth, and, although it flourishes t | |
| almost all conditions, hot sun and a light, s | |
| soil suit it best. Nothing is prettier for | |
| edgings, rockwork, etc. As an undergrowt | |
| taller plants it is also valuable. Through | the |

driest, hottest seasons it flourishes amazingly, carpeting the ground with a mat of succulent foliage that, in the forenoon, is hidden by gayest of flowers. The seed does not germinate until hot weather, and should be sown late. This plant requires little care and can be transplanted in full flower. Average height, 6 in in full flower. Average height, 6 in.


SINGLE VARIETIES. Each strong plant will cover a space of about I foot or more in diameter.

splendens. Crimson......75460

| PORTULACA, SINGLE, continued | Pkt. |
|---|--|
| | |
| Thellussonii. Scarlet75470 | 10 |
| Thorburnii. Beautiful, bright yellow | |
| 75480 | 10 |
| Mixed | 10 |
| | |
| DOUBLE VARIETIES. These flowers are so | full |
| and perfect as to resemble tiny roses. Tow | |
| the close of the season they will increase in | |
| | |
| and beauty. As the full, double flowers do | not |
| produce seed, it must be saved from the se | emi- |
| double flowers growing with the full-double | oles. |
| The product of that seed will produce m | 2037 |
| 1 de la | ally |
| single flowers. As these bloom earlier they | can |
| be pulled out like weeds. When the full-dou | bles |
| appear cuttings can be made from them | and |
| the bed extended indefinitely with only | full_ |
| | |
| double flowers. Our strains must not be confi | |
| | Pkt. |
| Double Bright Red75510 | 20 |
| " Kermesina. Crimson75515 | 20 |
| | |
| purpurea. Purple | 20 |
| " Rose75530 | 20 |
| " Scarlet75560 | 20 |
| " Sulphur-Yellow75570 | 20 |
| " Vollan 75500 | |
| Tellow | 20 |
| wilked. Grown from cuttings; a | |
| splendid assortment of colors | |
| 75600 | 20 |
| | |
| POTENTILLA. Handsome and brilliant in flo | |
| are these desirable, hardy perennials. Fol | |
| ornamental; bloom all summer; of the east | siest |
| cultivation. 2 ft. | Pkt. |
| Mixed. Brilliant colors | 10 |
| Wilked. Dilmant colors | 10 |
| PRIMULA | |
| CHINESE PRIMROSE. gP. Primula | |
| CHINESE PRIMINUSE. gl. 11111111112 | i, Oi |
| Chinese Primrose, stands in the first rank am | iong |
| greenhouse plants, and is fine for winter | and |
| spring blooming. It is free-flowering and | d is |
| especially valuable for cut-flowers and for ho | |
| and window-culture. A cool place suits it h | nast |
| | |
| Sow the seeds in drills in a light, rich soi | |
| shallow boxes, at any time from the middle | le of |
| March to the end of May; the earliest sown | seed |
| will naturally produce the earliest bloom. Co | Dood |
| | OTTOR |
| the good shout I finch and progethe soil on t | |
| the seed about 1/8 inch and press the soil on t | hem |
| with a board or the bottom of a pot. W | hem ater |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl | hem ater ants |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl | hem ater ants |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, | hem ater ants and |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. | hem ater ants |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 | hem ater ants and |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 fimbriata Bright Rose. Dainty | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice. 75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice. 75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice. 75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice. 75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 25 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 35 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 25 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 25 |
| with a board or the bottom of a pot. W moderately; avoid forcing the seed. The pl must be well ventilated, well watered, slightly shaded. Average height, 9 in. sinensis fimbriata alba. White; fringed 75720 "fimbriata alba magnifica. Pure white; fringed; extra-choice.75730 "fimbriata Bright Rose. Dainty fringed flowers | hem ater ants and Pkt. 25 35 35 35 25 |

PRIMULA, continued sinensis fimbriata King George V. A Pkt. dense crimson, almost giant size, beautifully fringed and very free-flowering. The darkest Primula yet offered......75786

fimbriata Orange King. Said to be an entirely new pleasing 60 color. Extra free-flowering and of 60 beautiful fimbriated blooms; very fimbriata Extra-Fine Mixed. Fringed......75790 25 fimbriata filicifolia. All these are fringed and have fern-like fimbriata filicifolia alba. White 75810 50 fimbriata filicifolia Mixed.75830 50 " fimbriata plena. Beautifully fringed, double flowers. fimbriata plena rubra. Red. 75870 50 fimbriata plena alba. White. 75880 50 fimbriata plena Mixed...75890 stellata, Blue Star Improved. This is a strain of really Giant Blue Star Primulas. The dark blue flower harmonizes with the pale green foliage. Very desirable. .75895 **Crimson.** The grandest colored of all Star Primulas. The rich crimson blooms are very bril-



Primula stellata

| PRIMULA, continued | REHMANNIA angulata. Splendid, half-Pkt. |
|--|--|
| stellata, Giant White Star. Pure white Pkt. | hardy, herbaceous perennials, with beauti- |
| massive blooms, produced in | ful, large, rosy purple flowers, similar to |
| great abundance, admirably re- | those of <i>Incarvillea Delavayi</i> . For pot- |
| lieved by dark foliage75899 50 | culture or outdoors in sheltered situations. |
| " Salmon-Pink. Greatly improved | 3 ft |
| strain. Fine for table decora- | RHODANTHE. Beautiful, delicate-looking Ever- |
| tion, as a companion to the | lasting flowers, much prized for winter bou- |
| White Star 75900 50 | quets. These half-hardy annuals are also |
| " Mixed (Star Primulas). Very | valuable garden plants. Glaucous gray foliage. |
| floriferous | + T / S4 |
| OBCONICA. gP. For open border; also do well | |
| in the house window-garden. Continuous and | 11 D 11 |
| free bloomers during the winter months. Pkt. | 11 |
| | ** * ** D |
| | |
| " carminea. Carmine76010 35 Blue76015 35 | RHODODENDRON arboreum hybridum. |
| " hybrida, Mixed76030 25 | The well-known, hardy evergreen shrub. |
| " gigantea Kermesina, Car- | Mixed varieties. 10 ft76640 25 |
| mine. Red76080 50 | PICINIIS (Coston Oil Plant) Distance 1 |
| " gigantea, Rose76110 50 | RICINUS (Castor-Oil Plant). Picturesquely |
| " gigantea, Mixed. Giant | showy and imposing, the Ricinus gives to the |
| flowering | garden magnificent semi-tropical effects. Grown |
| malacoides. gP. Dainty, soft lilac-pink; | as a specimen it makes a perfect pyramid of |
| fine for pot culture. 18 in. | gigantic leaves; a dozen plants in a large bed |
| 76150 25 | show a glorious mound of glistening colors and |
| " alba. Fine white 76160 25 | may be admired from a long distance; planted |
| • | thickly it soon forms a handsome screen or |
| HARDY VARIETIES. The hardy Primroses | hedge; the lower-growing dark-leaved sorts are |
| are among the most prized of our spring- | beautiful for dotting here and there among |
| blooming plants. A slight protection, while | cannas, scarlet pelargoniums, etc. Tall varieties grow from 8 to 10 feet high, with leaves several |
| not always needed, will be found beneficial. | feet across and beautifully lobed. Half-hardy |
| I to I½ ft. Pkt. | annuals. Pkt. |
| japonica (Japanese Primrose). hP. Pur- | |
| ple; called the "Queen of Prim- | borboniensis arboreus. Green foliage. |
| roses." I½ to 2 ft76220 IO | 15 ft |
| nybrida, wiixed. III. 110III a | cambogensis. Glistening dark maroon; |
| fine collection | stems black. 5 ft |
| vulgaris (English Primrose). hP. Yellow; | Gibsonii. Dark red. 5 ft |
| fragrant; a favorite variety. | Cambogensis and Zanzibarensis. Huge, |
| 6 in | dark brown leaves; blue-powdered stems; |
| See, also, Auricula, Cowslip, and Polyanthus. | upright habit |
| PRIMROSE, Evening (Enothera). The Eno- | sanguineus. Red stems and seeds. 6 ft.76760 5 |
| thera, or Evening Primrose, blooms all summer | zanzibarensis, Red. Distinct and hand- |
| very freely. The bright, poppy-like flowers open | some |
| early every evening and last well into the next | " Finest Mixed. 8 to 10 ft |
| day; of the easiest culture in sunny situations. | 05 050 76790 5 |
| Enothera Drummondii. hA. Light yel- Pkt. | oz. 35c76780 5 Mixed. Fine sortsoz. 30c76790 5 |
| low. 1½ ft | Collection of Ricinus, including 6 varieties, |
| Lamarckiana. Inb. Large yel- | choicest sorts |
| low flowers. 3 ft76320 10 | |
| rosea (mexicana). IIA. Diigit | ROCKET (Sweet Rocket; Hesperis). Spring-flower- |
| rose. 6 in | ing, hardy herbaceous perennials; fragrant; |
| e l | easily grown in light soil; transplant frequently; |
| PUERARIA Thunbergiana. See Kudzu Vine. | very free blooming. Pkt. |
| PYRETHRUM. Showy, hardy perennials growing | matronalis. Purple. 3 ft |
| 2 feet in height, with most brilliant and lasting | 1/40z. 20c., oz. 50c |
| flowers. The dwarf Golden Feather is the | alba. White; the cut-nower. |
| well-known variety used for carpet bedding, | 3 ft |
| edgings, and borders. Pkt. | " Mixed76910 5 |
| atrosanguineum. Red and dark red | ROMNEYA Coulteri (California Tree, or |
| shades | Matilija Poppy). This beautiful, half- |
| roseum hybridum, Single, Mixed76400 10 | hardy perennial Poppy should have a |
| " hybridum, Double, Mixed. 76410 25 | sheltered position in the garden. Fine, |
| †parthenifolium aureum (Golden Feather). | fragrant, white flowers. 4 ft76930 25 |
| Yellow, fern-like leaves; | ROSA polyantha nana multiflora. †hP. |
| fine for edgings. 6 to 8 in. | Dwarf, compact bushes covered with |
| 76460 5 | small, single and double blossoms in vari- |
| " aureum selaginoides. | ous colors. These Roses flower the first |
| Bright yellow leaves; | season from seed. 2 ft |
| very compact76470 10 | ROSE CAMPION. See A grostemma coronaria. |
| Tchihatchewii. White and yellow; for | |
| poor soils | ROSE OF HEAVEN. See Agrostemma Cæli-rosa. |

| RUDBECKIA (Coneflower). Attractive and cor | n- |
|--|--|
| pact-growing plants, most suitable for beds an | nd |
| borders or clumps among shrubs; showy, larg yellow flowers with dark central cones; easi | lv |
| grown. | st. |
| amplexicaulis. hA. Pure golden yellow. | |
| bicolor superba. hA. Golden yellow; long | 5 |
| stoms of the store | _ |
| stems. 2 ft | 5 |
| | ю |
| Newmannii. hP. Vivid orange-yellow. | |
| 0 | 10 |
| RUMEX hymenosepalus. An ornamental | |
| hardy perennial from California, with long gray-green leaves; also known as Pie-Plant | |
| there, as the leaf-stalks are used the same as | |
| rhubarb. Of economic value as well, as its | |
| roots produce tannin. It is of easy cultivation; fine erect grower. 3 ft | |
| | 10 |
| SAINTPAULIA ionantha (The Usambara | |
| Violet). A lovely greenhouse perennial, violet-like in appearance; large, deep blue | |
| | 25 |
| SALPIGLOSSIS (Painted Tongue). These show | |
| half-hardy annuals bear beautiful, funne | el- |
| shaped flowers having dark veins on a groun | ıd |
| which varies from white to crimson, yellow orange, etc., and intermediate shades. They a | w, |
| easily grown, require a light, rich, sandy loa | m |
| and will respond to liberal treatment. Bloo | m |
| from late summer until frost. 2 ft. Pk | ct. |
| grandiflora, Extra-Choice, Mixed. A fine | |
| | Ю |
| " superbissima (Emperor), Mixed. Finest strain of very | |
| wincut i mest stram or very | |
| | I 5 |
| large flowers | 15 10 |
| large flowers | |
| large flowers | 10 10 |
| large flowers | 10 10 <i>n</i> - |
| large flowers | 10 10 <i>n</i> - ne n. |
| large flowers | n- ne n. |
| large flowers | n- ne n. c., |
| large flowers | n- ne n. c., in |
| large flowers | n- ne n. C., in nd y, ct |
| large flowers | n- ne n. c., in nd y, ct |
| large flowers | none n. c., iin ad yy, ctts iil. |
| large flowers | m-ne n. c., iin nd y, ct tts iil. |
| large flowers | m-ne n. c., iin nd y, ct tts iil. |
| large flowers | m-ne n. c., iin nd y, ct tts iil. |
| large flowers | m-ne n |
| large flowers | m-ne n |
| large flowers | m-ne n. C., in nd y, ct ts iil. m |
| large flowers | m-ne n. C., in ad y, ct ts iil. m |
| Tall Mixed | n-ne n |
| Tall Mixed | n-ne n. C., in dy, ct ts iil. m |
| Tall Mixed | m-ne n. C., in ad y, ct ts il. m tt. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m tt. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m tt. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m et. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m tt. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m et. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m et. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m et. 5 |
| Tall Mixed | m-ne n. C., in dy, ct ts il. m et. 5 |



Salpiglossis grandiflora

| SALVIA SPLENDENS, continued | Pkt. |
|--|--------------------------|
| The freest blooming of all, seemingly on fire all the time, with dense, flaming scarlet spikes. 2½ ft. ¼oz.\$1.50, oz.\$577400 Early Dwarf Zurich. Grows only 12 to 15 inches high, with many fine, erect, slender spikes to each plant, borne well above its | 10 |
| handsome foliage. Color brilliant scarlet; splendid bedding variety, earliest of all. 77410 Lord Fauntleroy. Only 18 inches high; very compact, with the brilliant scarlet | 25 |
| flower-spikes standing clear above the foliage. Fine for bedding in masses or for borders around beds of taller sorts; also fine for pots. Very early flowering .77420 Scarlet Dragon. A superb bedding plant for summer and autumn; flowers are | 25 |
| nearly twice the size of the old Scarlet Sage; when full grown the plants form bushes about 3 feet in height, and the same in diameter, and are a mass of bloom. 77430 Silverspot. Rich, green leaves elegantly spotted with yellow. The intense, bright scarlet flowers are large and lavishly borne; neat and compact. 2½ ft77440 | 25 25 |
| SANVITALIA procumbens flpl. Beautiful dwarf-growing, hardy annual for beds or borders; bright yellow, double flowers; blooms all summer. 6 in | 10 |
| " calabrica. hA. Red | es- long Pkt. 5 |
| liant | 5 5 |
| blooms early; fine for rockwork. 6 in 77540 | 10 |

| SCABIOSA (Mourning Bride; Scable | us, |
|--|-------------|
| etc.). Well-established garden favorites. T | hey |
| grow about 2 feet high and flower through | the |
| summer until frost. The flowers are borne | e on |
| long stems and last a long time when cut. I | ine |
| for beds or borders. Sow seed outdoors in sp | ring |
| when danger from from a past. | Pkt. |
| caucasica (Blue Bonnet). hP. This hardy | |
| perennial should be in every garden. The | |
| flowers are large and semi-double, of pale lavender color, growing on long stems; splendid for cutting | |
| lavender color, growing on long stems; | |
| splendid for cutting | 10 |
| HARDY ANNUALS— | |
| candidissima flpl. (Snowball). Double; | |
| white | 10 |
| minor aurea flpl. Double; golden yel- | |
| low | 10 |
| Tall Black-Purple | 10 |
| " Flesh-Color | 10 |
| " Tall Lavender | 10 |
| " Scarlet77640 | 10 |
| " Yellow | 10 |
| atropurpurea maxima. Very double; | |
| mixed | 15 |
| Mixed, Tall. Large flowers of bright | v |
| colors | 5 |
| Mixed, Dwarf | 5 |
| | v |
| SCHIZANTHUS. Very beautiful and showy, ha | ray |
| annuals, fine for beds and borders in the s | |
| mer garden. Grown in pots in early spring the greenhouse they become elegant follows: | |
| plants, with masses of flowers. ½ to 2 ft. | iage Di+ |
| papilionaceus. Purple, yellow, and crim- | I Kt. |
| papilionaceus. Turpie, yenow, and crim- | _ |
| son | 5 |
| | 5 |
| retusus. Red; splendid | 5 |
| " albus. White, inside yellow; very | _ |
| fine77780 | 5 |



Scabiosa

| wicotomomoio | | |
|--|--|---|
| wisetonensis. | Light shades; long and pro- | Pkt. |
| | fuse blooming; fine pot- | 2- |
| 66 | plant | 25 |
| | pink and white. Free from | |
| | any markings or darker | |
| | tints. Dwarf, compact, | |
| | pyramidal habit 77830 | 25 |
| Mixed | | 5 |
| SEDUM (Stonec | rop). Showy and useful 1 | ittle |
| plants for ca | rpet bedding, edgings, rockwetc. Will do well in any soil | ork, |
| stone walls, e | etc. Will do well in any soil | and |
| dry situations | | Pkt. |
| cæruleum. hA | A. Blue. 4 in77910 | 10 |
| SENECIO. See J | acobæa. | |
| SENSITIVE PLA | ANT. See Mimosa pudica. | |
| | fly). Bright-colored and f | fraa |
| flowering har | dy annuals, suitable for rocky | vork |
| or garden bed | ds and borders, blooming all s | um- |
| mer; succeed | finely in any light, loamy | soil. |
| I ft. | | Pkt. |
| | | 5 |
| aina | • White | 5 |
| | | 5 |
| aipa | White | 5 |
| Dou | ble Rose | 5 |
| | ems | _ |
| | ed78010 | 5 5 |
| | | 3 |
| ISMILAX (Myr. | siphyllum asparagoides). A reenhouse climber, with small, | |
| dark green fo | bliage; of great value in floral | |
| work. 8 ft | | 10 |
| CNADDDAG | ON C | |
| SNAPPRAC | CON (Antirrhinum). | The |
| Snapdragon | is one of our finest perenn first year from seed. Its bri | 110 6 |
| nowering the | mst vear nom seed. Hs bri | iais, |
| colored citie | ously formed flowers always ex | ight- |
| | ously formed flowers always ex | ight- xcite |
| interest. The ting, and kee | ously formed flowers always ex e rich spikes are beautiful for ep fresh a long time. Flower | ght- xcite cut- pro- |
| interest. The ting, and kee fusely throug | ously formed flowers always exercise rich spikes are beautiful for exp fresh a long time. Flower the summer until frost. For exp | ight- xcite cut- pro- early |
| interest. The ting, and kee fusely throug flowers, sow t | ously formed flowers always exercise rich spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and express in February or Managery of M | ight- xcite cut- pro- early |
| interest. The ting, and kee fusely throug flowers, sow t | ously formed flowers always exercise rich spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and express in February or Managery of M | ight- xcite cut- pro- early |
| interest. The ting, and kee fusely throug flowers, sow tand transpla moderately er | ously formed flowers always exercich spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and into beds of warm, dry nriched. The Snapdragon is tre | ight- xcite cut- pro- early arch, soil ated |
| interest. The ting, and kee fusely throug flowers, sow tand transpla moderately er | ously formed flowers always exercicly spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and into beds of warm, dry nriched. The Snapdragon is treland the seed sown every y | ight- xcite cut- pro- early arch, soil ated |
| interest. The ting, and kee fusely throug flowers, sow and transpla moderately eras an annua Average height | ously formed flowers always exercicly spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and the beds of warm, dry nriched. The Snapdragon is trell and the seed sown every the street of the street. | ight- xcite cut- pro- early arch, soil ated year. |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average height | ously formed flowers always exercicly spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and the beds of warm, dry nriched. The Snapdragon is trell and the seed sown every the street of the street. | ight- xcite cut- pro- early arch, soil ated year. Pkt. |
| interest. The ting, and kee fusely through flowers, sow and transpla moderately error as an annual Average height TALL VARIET album. Wh | ously formed flowers always exercicly spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and into beds of warm, dry nriched. The Snapdragon is trell and the seed sown every yet, 2 ft. | ight- xcite cut- pro- early rch, soil ated year. Pkt. |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately ender as an annual Average height TALL VARIETALL WARIETALL | cously formed flowers always exercic spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and the seds of warm, dry cariched. The Snapdragon is tred and the seed sown every the state. TIES— ite | ight- xcite cut- pro- early arch, soil ated year. Pkt. |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average height TALL VARIETALL VARIETALL WARIETALL | cously formed flowers always exercic spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and the seed so warm, dry nriched. The Snapdragon is tred and the seed sown every year, 2 ft. TIES— ite | ight- xcite cut- pro- early rch, soil ated year. Pkt. 5 |
| interest. The ting, and kee fusely through flowers, sow that and transpla moderately ends as an annual Average height TALL VARIETALL WARIETALL WARIETALL Coral-Red Cottage Main white throse | cously formed flowers always exercicly spikes are beautiful for the presh a long time. Flower the summer until frost. For example, and the seed so warm, dry nriched. The Snapdragon is treat and the seed sown every year, 2 ft. TIES— ite | ight- xcite cut- pro- early rch, soil ated year. Pkt. 5 |
| interest. The ting, and kee fusely through flowers, sow that and transplated moderately ends and annual Average height TALL VARIETALL WARIETALL WA | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For example, and the seds of warm, dry the summer until frost. For example, and the seds of warm, dry the sed sown every the seds of the seds | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately ender as an annual Average height TALL VARIETALL WARIETALL | cously formed flowers always exercic spikes are beautiful for exp fresh a long time. Flower the summer until frost. For example, and the seds of warm, dry mriched. The Snapdragon is treated and the seed sown every years. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately ender as an annual Average height TALL VARIETALL WARIETALL | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For example, and the seds of warm, dry the summer into beds of warm, dry the summer shaped and the seed sown every the state. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 10 |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average heigh TALL VARIET album. Wh atrococcines Coral-Red Cottage Mai white throa Delicate Ros Fairy Quee throat luteum. Ye | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each summer glass in February or Mannet into beds of warm, dry nriched. The Snapdragon is treat and the seed sown every year, 2 ft. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 10 10 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately end as an annual Average height TALL VARIETALL WARIETALL WA | cously formed flowers always exercic spikes are beautiful for the present a long time. Flower the summer until frost. For example, and the seds of warm, dry the summer into beds of warm, dry the summer shaped and the sed sown every the state. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 10 10 5 5 5 |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average heigh TALL VARIET album. Wh atrococciner Coral-Red Cottage Mai white throat Pelicate Ros Fairy Quee throat luteum. Ye Mixed TALL, LARGI | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each summer until frost. For each summer until frost. For each summer glass in February or Mannet into beds of warm, dry nriched. The Snapdragon is treated and the seed sown every the part of the seed sown every the seed. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 5 5 5 |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average heigh TALL VARIET album. Wh atrococciner Coral-Red Cottage Mai white throat Delicate Ros Fairy Quee throat Iuteum. Ye Mixed TALL, LARGI Blood-Red. | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each summer until frost. For each and the seds of warm, dry nriched. The Snapdragon is treated and the seed sown every the part of the sed sown every the seds. TIES— ite | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 5 5 5 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately ends as an annual Average height TALL VARIETALL VARIETALL WHATE COTAL COTAL REDUCTION OF A COTAL CO | cously formed flowers always exercic spikes are beautiful for the present a long time. Flower the summer until frost. For each of the summer until frost. For each of the summer until frost. For each of the summer until frost of the summer until frost. For each of the summer of the summer of the summer of the seed sown every the seed sown every the summer of the seed sown every the seed sown ev | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 5 5 5 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately end as an annual Average height TALL VARIETALL VARIETALL WHATE COTAL COTAGE MAN WHITE THE AND PROBLEM TALL, LARGIE Blood-Red. Delilah. When the through the content of the con | cously formed flowers always exercic spikes are beautiful for the present a long time. Flower the summer until frost. For each of the summer of the summ | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 5 5 5 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately end as an annual Average height TALL VARIETALL VARIETALL WHATE COTAL COTAGE MAIN WHITE THE AND PROBLEM TO TALL, LARGIE Blood-Red. Delilah. When the through the second of the second | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each of summer until frost. For each of the summer until frost. For each of the summer until frost. For each of the summer of the summ | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 10 10 10 5 5 5 10 10 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately end as an annual Average height TALL VARIETALL VARIETALL VARIETALL COTAGE MAINTER WHITE THE AND THE THE AND THE THE AND THE | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For example, and the seds of warm, dry the summer into beds of warm, dry the summer of the Snapdragon is treated. The Snapdragon is treated and the seed sown every the sum. Dark scarlet. 78080 TIES— ite. 78080 TROSS THES— ite. 78090 TROSS | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 5 5 5 |
| interest. The ting, and kee fusely throug flowers, sow u and transpla moderately er as an annua Average heigh TALL VARIET album. Wh atrococciner Coral-Red Cottage Mai white throat Delicate Ros Fairy Quee throat luteum. Ye Mixed TALL, LARGI Blood-Red. Delilah. Wh Feltham Be mous deep center Firefly. Scar | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each of summer until frost. For each of the summer until frost. For each of the summer until frost. For each of the summer of the summ | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 10 25 |
| interest. The ting, and kee fusely through flowers, sow the and transplated moderately ends as an annual Average height TALL VARIETALL VARIETALL COTAL COTAGE MAN WHITE THE COTAGE MAN WHITE THE COTAGE MAN WHITE THE COTAGE MAN WHITE THE COTAGE MINER COTAGE MINER COTAGE MAN WHITE THE COTAGE MINER COTAGE MAN WHITE TALL, LARGING BIOOD-RED. TALL, LARGING BIOOD-RED. COTAGE MINER COTAGE MAN MAN TELL THE COTAGE MAN T | cously formed flowers always exercic spikes are beautiful for the presh a long time. Flower the summer until frost. For each summer until frost. For each summer until frost. For each summer glass in February or Mannet into beds of warm, dry nriched. The Snapdragon is treated and the seed sown every the part of the se | ght- xcite cut- pro- early arch, soil ated year. Pkt. 5 5 10 10 25 10 10 |

| SNAPDRAGON, TALL LARGE-FLOWERING, continu | ied |
|--|--------------|
| Orange Beauty. Very large-flowering, lovely orange-scarlet with gold tip. 78208 | |
| Queen Victoria. Pure white 78210 | 25 IO |
| Venus. Delicate pink, with white throat. 78225 | |
| White. Beautiful for cutting78230 | 15 10 |
| Yellow. A pure, soft color78240 | 10 |
| Large-flowered, Mixed. Fine | 10 |
| SEMI-DWARF VARIETIES. Plants of this | |
| tion make excellent bedders, as they ble | oom |
| extra profusely and are only about 15 inchigh. | ches Pkt. |
| Black Prince. Nearly black78310 | 10 |
| Bonfire. Lovely orange-pink78320 Cottage Maid. Pale coral - pink, white | 15 |
| throat | 15 |
| Crimson King. Bright crimson; a deeper color than Scarlet King78340 | 15 |
| Golden Beauty. Large, sturdy spikes; | _ |
| rich golden yellow | 25 25 |
| Queen of the North. Pure white; small- | |
| leaved | 10 |
| rose | 25 |
| Scarlet King. Brilliant scarlet; tall spikes of flowers | 15 |
| Fine Semi-Dwarf Mixed | 10 |
| Tom Thumb, Finest Mixed. Very dwarf strain. 6 in78410 | 10 |
| Collection of Snapdragons, including— | 10 |
| six varieties Finest Tall78450 | 30 |
| SOLANUM. gP. The Solanums are very of mental, fruit-bearing plants, and thrive bes | rna- |
| light, rich soil. Fine for winter decoration in | the |
| house or conservatory. If used in summer gare give very warm situation. I to 3 ft. | den, Pkt. |
| Capsicastrum (Jerusalem Cherry), Scarlet. | |
| globular berries; fine for pots. I to I ½ ft78480 | 10 |
| giganteum. Small, round, red berries; | |
| large, handsome variety | 10 |
| ‡Seaforthianum. Beautiful climber; egg-shaped, yellowish red fruit. 8 ft78510 | 10 |
| Warscewiczii. Pale yellow fruit; smooth and shining; handsome sort78520 | |
| STACHYS lanata (Lamb's Ears). Ornamen- | 10 |
| tal hardy perennial, with silvery white, | |
| woolly leaves; used for edgings and borders; easily grown. 1½ ft | 5 |
| STATICE (Sea Lavender). Pretty plants for | |
| summer garden in beds or borders: good | for |
| rockwork also; much valued when dried Everlastings for winter bouquets. 1 to 2 ft. | l as Pkt. |
| Bonduellii. hA. Golden yellow78630 | 5 |
| sinuata. hA. Blue; very fine 78640 | 5 |
| " candidissima. hA. White; fine for edging78650 | 5 |
| incana hybrida nana. hP. Dwarf; | |
| mixed colors | 5 5 |
| | 5 |
| STEVIA serrata. †gP. Greenhouse perennial; bears very elegant sprays of tiny white, fragrant flowers which are splendid for | |
| fragrant flowers which are splendid for cutting. 2 ft | 10 |
| | |



Snapdragon

habit, fine leaves, beautiful and fragrant flowers, a long season of bloom and adaptability to many conditions of culture. They are unsurpassed for bedding, edging, pot-culture and for cutting. For fine early flowers sow under glass in March or April, transplanting the seedlings when an inch high into other pots or boxes, or into fine soil spread over some discarded hotbed. In May transfer to garden beds of deep, rich soil, setting the plants a foot apart. Transplanting several times in the early stages of growth tends to make them more dwarf and compact. For later flowers sowings may be made in the open ground in May. If plants that begin to bloom late are carefully potted in fall they will flower finely all winter in a house that is tolerably cool and moist. Average height, I to I½ ft.

| 3 3 , | · | |
|------------------------------------|----------|------|
| TEN WEEKS. Half-hardy annuals. | | Pkt. |
| LARGE-FLOWERING DWARF PY | RAMIDA | L, |
| Finest Mixture | | 25 |
| DWARF LARGE-FLOWERING. Long | | |
| did spikes; large, double flowers. | | |
| Bright Red | 78870 | 10 |
| Blood-Red. Very rich | | 10 |
| Carmine | 78890 | IO |
| Rose. Very dainty, light color | | IO |
| Snow-White | 78950 | IO |
| Violet | | 10 |
| Mixed | | IO |
| DRESDEN PERPETUAL OR BRANC | | |
| | | Dis |
| Cut-and-Come-Again, Pri | | PKt. |
| Alice, White. Large spik | tes; ex- | |
| cellent and popular variety | for cut- | |
| | | |

ting......79000



Potted Stock for winter flowering

| STOCKS, DRESDEN PERPETUAL, continued | Pkt. |
|--|----------|
| Cut - and - Come - Again, Empress | |
| Augusta Victoria. Delicate silvery | |
| lilac flowers in magnificent trusses; | |
| of true pyramidal growth. 2 feet | |
| 79010 | 25 |
| Mixed | 25 |
| GOOD MIXED STOCKS79070 | 5 |
| AUTUMN AND LATE-FLOWERING- | Ů |
| WINTER, OR BROMPTON LARGE-FLOWERIN | 4C |
| Empress Elizabeth. Bright rose.79275 | 25 |
| White Lady79290 | 25 |
| WINTER "NICE" VARIETIES, LARGE-FLOW | _ |
| Beauty of Nice. Flesh-color; extra-large | - G |
| flowers | 25 |
| Monte Carlo. Pure yellow79330 | 25 25 |
| Pure White | 25 |
| Queen Alexandra. Rosy lilac79350 | 25 |
| Mixed79370 | 25 |
| STOKESIA (Cornflower Aster). This popular ha | |
| perennial bears, all summer, large, attraction | tive |
| flowers resembling semi-double asters; fine | for |
| cut-flowers. 2 ft. | Pkt. |
| cyanea. Lavender-blue; handsome79610 | IO |
| " Mixed79630 | 10 |
| STONECROP. See Sedum. | |
| | . 77 |
| SUMMER CYPRESS. See Kochia trichoph | ylla. |

SUNFLOWER (Helianthus). Very stately and decorative hardy annuals, with great masses of yellow flowers. Among shrubbery, and for backgrounds and screens, nothing could be finer. Their long stems and wonderful lasting qualities makes them yelveble as out flowers and the make them valuable as cut-flowers, and the seed is used for feeding birds. They are said to be good for absorbing the miasma of low grounds. Plant the seed in the open garden in spring, and thin the plants to stand 3 to 4 feet apart.

| SUNFLOWER, continued | |
|---|--------|
| argyrophyllus (Texas Silver Queen). Has | Pkt. |
| handsome silvery foliage and a profusion | |
| of small, elegant, single flowers. 4 ft79670 | 5 |
| cucumerifolius. Of pyramidal growth; | |
| small, bright orange, | |
| single flowers. 3 ft | |
| 79680 | 5 |
| " Stella. Handsome; large- | |
| flowered; primrose-yel- low79700 | τ.0 |
| " Mixed Hybrids79710 | 10 |
| " Single, Fine Mixed | 10 |
| ½0z. 25c., oz. 75c79730 | 10 |
| Double California. Dark yellow. 5 ft.79740 | 5 |
| " Dwarf. Beautiful, dahlia-like flow- | 3 |
| ers, 3 inches across79750 | 5 |
| " Dwarf Variegated-leaved. Foliage | J |
| spotted with yellow; flowers bright | |
| yellow. Very fine79760 | 5 |
| "Globe - flowered. Ball - shaped; blooms late. 3 ft | |
| blooms late. 3 ft79770 | 5 5 |
| Chrysantnemum-nowered . 79785 | 5 |
| macrophyllus giganteus. Huge leaves and | |
| yellow flowers | 5 |
| Primrose-colored. Graceful flowers of a | |
| lovely color; beautiful for cutting. 5 ft | |
| 79810 | 5 |
| Sutton's New Red. Of freely branching | |
| habit, producing numerous well-shaped, | |
| dark-centered, brilliant flowers, banded | |
| with bright chestnut-red, merging to yellow | |
| at tips of the petals | 10 |
| SWEET PEAS (<i>Lathyrus odoratus</i>). See pages 66 to | o 68. |
| SWEET SULTAN. See Centaurea moschata. | |
| | |
| SWEET WILLIAM (Dianthus barbat | us). |
| The splendid old-fashioned hardy perennial, | pro- |
| ducing large heads of beautifully colored, sw | reet- |
| scented flowers in abundance; easily grown, f | |
| · | Pkt. |
| Single Auricula-flowered oculatus mar- | |
| ginatus (Hunt's Perfection). | |
| Various shades, with white eye | _ |
| and white bordered79920 | 5 |
| rink beauty (roseus). Rosy | T ~ |
| chamois | 15 |
| very fine | 15 |
| ver y mile | 1.) |



Sweet William

| SWEET WILLIAM, continued Pkt. Single White | VENUS' LOOKING GLASS (Specularia). A pretty little hardy annual, blooming profusely in spring and summer, and desirable for edging flower-beds and borders; of easy culture. |
|--|--|
| Giant Double and Single Mixed | 9 in Pkt. |
| Annual, Finest Mixed | Blue |
| TAGETES. hA. Pretty, dwarf-growing, single-flowering Marigolds; fine for beds and especially so for edgings. Pkt. | White |
| lucida. Yellow; fragrant; good for cutting. | VENUS' NAVELWORT (Cynoglossum lini- |
| i ft | folium). An elegant hardy annual for beds or edgings; of easiest culture; glaucous green leaves and white flowers; blooms all summer. 10 in |
| TASSEL FLOWER. See Cacalia. | VERBASCUM pannosum. A stately and |
| TECOMA Smithii. gP. Splendid greenhouse shrub; winter-blooming; fine for pots; large heads of innumerable flowers, lemon with orange. 6 ft | decorative hardy perennial, with large, white, woolly leaves and splendid spikes of sulphur-yellow flowers; fine for backgrounds. 4 to 5 ft |
| THERMOPSIS Caroliniana (St. Peter's Staff). Pretty yellow Pea-shaped flowers 80135 15 | VERBENA. hhA. In rich soil, single plants of |
| ‡THUNBERGIA alata, Mixed. A very pretty | this pretty annual creeper will carpet a space 3 |
| rapidly growing, tender perennial climber that is usually grown as an annual. Prized for window-boxes, vases, hanging-baskets, trellises, etc. 6 ft | to 4 feet in diameter. For beds, borders, mounds, windowboxes, etc., it is particularly fine, and is frequently used as an undergrowth to tall plants like lilies. Plants raised from seed are |
| TOAD FLAX. See Linaria. | cheaper, more vigorous and produce more flowers than those grown from cuttings. For |
| TORENIA. Beautiful tender annuals that, started early in the spring in heat, will bloom continuously all summer until frost; fine for vases, | early spring bloom, sow under glass in Febru- ary; for later flowers sow in March or April. Soak the seed a few hours in tepid water and |
| baskets, and the summer garden. 10 in. Pkt. Fournieri. Sky-blue, with purple spots and | sow in boxes filled with light, rich soil; cover |
| yellow throat80190 25 | ¼inch deep, press down firmly and water sparingly. When the seedlings are about an |
| " alba, "White Wings." Pure | inch high, transplant into other boxes. Use a |
| white with yellow throat.80200 25 "Fine Mixed. Very choice.80210 25 | liberal amount of manure in the beds, and set out 10 to 15 inches apart each way in May in a |
| † TRACHELIUM cæruleum. hhP. An attractive late-flowering perennial suited to | sunny situation. The plants bloom from early summer until frost. Pkt. |
| culture as an annual; pale blue flowers; good in garden or greenhouse. I ft80240 10 †TRICHOSANTHES colubrina (Snake | hybrida auriculæflora. Brilliantly colored flowers of fine size, each with a large white eye80630 10 |
| Gourd; Serpent Cucumber). Rapid-grow- ing, climbing, half-hardy annual, with slen- | " candidissima. Large trusses of |
| der fruit, often 3 feet long, turning carmine when ripe. 10 ft80280 5 See, also, Cucumis and Gourds. | purest white flowers80650 10 "cærulea. Bright blue in various shades80660 10 |
| TRITOMA (Red-Hot-Poker Plant). This splendid | " Defiance. Intensely brilliant scar- |
| half-hardy perennial is also well known as Torch Lily; has gorgeous spikes cabloom; easily grown; should be largely planted. Fine in late sum- | let; fine for bedding80670 10 "italica striata. Brightly striped 80680 10 |
| mer and fall. Pkt. | " Scarlet. Different shades 80690 10 |
| Uvaria grandiflora. Fiery orange flower- | "Yellow. Primrose-color80700 10 |
| spikes; large and showy. 3 to 4 ft80330 10 TROLLIUS, Mixed Hybrids (Globe Flower). | " Finest Mixed. Extra choice 1/40z. 35c80730 10 |
| Desirable hardy perennial with large, buttercup - like blossoms; free - flowering | " Firefly. Brilliant scarlet, white eye |
| through the early summer; do well in any soil. Flowers vary from pale yellow | " Lucifer. Intense brilliant scarlet. See, also, Novelties 80745 30 |
| to deep gold, bordering on vermilion. $1\frac{1}{2}$ to 2 ft | " Mayflower. Beautiful pink80750 25 |
| TROPÆOLUM. See Nasturtium. TROPÆOLUM canariense. See Canary-Bird | " Mammoth. Plants and flowers are unusually large; extremely flori- |
| Flower. | ferous, and borne in large heads. "Blue80752 15 |
| †VALERIANA (Valerian). Very handsome hardy | " Pink80754 15 |
| perennials that have been too much neglected; bloom all summer. Fine for borders, wild gardens | " Scarlet Defiance80756 15 |
| and rockwork; of easiest culture. 2 ft. Pkt. | " Striped |
| alba. White 80460 5 rubra. Red 80470 5 | " Yellow (lutea)80759 15 |
| rubra. Red | " Mixed80760 10 |



| Mammoth verbena | |
|--|------|
| VERBENA, continued | |
| hybrida gigantea, Mixed. Florets very | Pkt. |
| large. See, also, Novelties 80762 | 25 |
| " Improved Mammoth, Mixed | · |
| Auricula-flowered. Best of all. | |
| 80770 | 25 |
| erinoides. Small; violet; heavy bloomer; | Ŭ |
| pretty80810 | 10 |
| " alba80820 | 10 |
| venosa. Blue; fine for groups and for edg- | |
| ings | 10 |
| citriodora (Lemon-scented Verbena). An | |
| attractive greenhouse shrub, grown for the | |
| delightful citron scent of its light green | |
| leaves80840 | 10 |
| VERONICA (Speedwell), Mixed Perennial | |
| Species. Splendid, hardy border plants | |
| of the easiest culture; bear bright-colored | |
| flowers all summer. I to 2 ft80890 | 10 |
| †VINCA (Madagascar Periwinkle). tP. Ha | and- |
| some, bushy bedding plants that flower li riantly and most profusely all summer f | uxu- |
| riantly and most profusely all summer f | rom |
| seed sown in February or March in heat; | fine |
| also for pot-culture. I to I ½ ft. | Pkt. |
| rosea. Red80940 | 10 |
| " alba. White, with rose center; dainty | |
| flowers | 10 |
| alba pura. Pure white; makes bril- | |
| liant contrast with the dark green, | |
| shining foliage80960 | 10 |
| Choice Mixed | 10 |
| delicata. Soft delicate shade of pink; very desirable for rockery and shrubbery | |
| borders; the plants are quite hardy80980 | 15 |
| | |
| VIOLET, Sweet-scented (Viola odorata). | hP. |
| Much prized for spring blooming. All the rieties have great beauty, are very fragrant quite hardy. 6 in. Violet seed takes a | va- |
| rieties have great beauty, are very iragrant | and |
| quite nardy. 6 in. violet seed takes a | Dist |
| time to germinate. | Pkt. |
| Blue | 10 |
| White | 10 |
| rubra. Purple-red81030 | 10 |
| idoldi l'dipic-ica | 10 |
| | |

| †VIOLA cornuta (Tufted Pansies). hhP. Spl | len- |
|--|--|
| did free-blooming plants for partially sha | ded |
| situations; with a little winter protection be permanent for years; bloom continually | will |
| | Pkt. |
| cornuta, Purple Queen81040 | 10 |
| " Mauve Queen | 10 |
| " White Perfection81060 Mixed81065 | 10 10 |
| pedunculata (California Yellow Violet) | 10 |
| 81070 | 25 |
| VIRGINIAN STOCK (Malcomia maritima). Ea | rly |
| and very free-flowering, dwarf, hardy annu | ıals |
| of easy culture; bright blossoms; most effect for edgings or beds. I ft. | |
| Crimson King. Very fine81100 | Pkt. 5 |
| Red81110 | 5 |
| White81120 | 5 |
| Mixed81130 | 5 |
| VISCARIA. Abundant-blooming, hardy annu | als, |
| flowering all summer until frost; very effect for massing in beds and borders; easily gro | tive |
| I ft. | wn. Pkt. |
| elegans picta. Rose and scarlet81150 | 5 |
| oculata. Rose | 5 |
| aiba. winte81170 | 5 |
| " candida. Pure white; fine81180 cærulea. Sky-blue, dark center | 10 |
| 81190 | 5 |
| " Mixed. Bright colors81200 | 5 |
| WALLFLOWER (Cheiranthus Cheiri). W | -11م7 |
| known, half-hardy perennials of delightful | fra- |
| grance, bearing in spring and early summer l | ong |
| spikes of bright flowers. Start the seed early | v in |
| the concen in heat protect by coldinamic of | 1,,,, |
| the season in heat, protect by coldframes of ing the following winter and plant out for the season in heat, protect by coldframes of the season in heat seas | lur- |
| ing the following winter and plant out for the ding in spring. Fine also for blooming in great statement of the statement of | lur- |
| ing the following winter and plant out for l ding in spring. Fine also for blooming in gre house. 2 ft | lur- |
| ing the following winter and plant out for bling in spring. Fine also for blooming in great house. 2 ft SINGLE-FLOWERING VARIETIES— | dur- ed- een- Pkt. |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | dur- ed- een- |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | dur- ed- een- Pkt. |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | dur- ed- een- Pkt. |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- een- Pkt. 10 |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- een- Pkt. |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- een- Pkt. 10 |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- pen- Pkt. 10 |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- ped- pen- lo lo lo lo lo lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- ped- pen- lo lo lo lo lo lo lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- ped- pen- lo lo lo lo lo lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- ped- ped- pen- lo lo lo lo lo lo lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- bed- bed- bed- lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- bed- bed- ben- lo lo lo lo lo lo lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in greehouse. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- bed- bed- bed- lo |
| ing the following winter and plant out for beding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- lur- lur- lur- lur- lur- lur- lur- |
| ing the following winter and plant out for beding in spring. Fine also for blooming in greehouse. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | fur- bed- een- Pkt. 10 10 10 10 10 10 |
| ing the following winter and plant out for beding in spring. Fine also for blooming in greehouse. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | fur- bed- een- Pkt. 10 10 10 10 10 10 |
| ing the following winter and plant out for he ding in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- lur- lur- lur- lur- lur- lur- lur- |
| ing the following winter and plant out for beding in spring. Fine also for blooming in greehouse. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | fur- bed- een- Pkt. 10 10 10 10 10 10 |
| ing the following winter and plant out for heding in spring. Fine also for blooming in greehouse. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | fur- dur- dur- ped- een- Pkt. 10 10 10 10 10 10 10 |
| ing the following winter and plant out for house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- bed- bed- ben- lo |
| ing the following winter and plant out for holing in spring. Fine also for blooming in green house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | fur- dur- dur- ped- een- Pkt. 10 10 10 10 10 10 10 |
| ing the following winter and plant out for house. 2 ft SINGLE-FLOWERING VARIETIES— Dark Blood-Red | lur- bed- bed- ben- lo |

| WHITLAVIA. Easily grown, hardy annuals of compact habit; excellent for beds or borders; | |
|--|--|
| bears in profusion all the season pretty, bell- | |
| shaped flowers. I ft. Pkt. gloxinioides. Blue, with white throat .81480 10 | |
| grandiflora. Blue | |
| *WIGANDIA. hhP. Imposing decorative plants | |
| with very large and beautifully veined leaves; prized for subtropical gardening and groups on | |
| lawns. Start the seeds very early in the season in heat to produce good plants for summer | |
| beds. 6 ft. Pkt. | |
| caracasana. Grand foliage81530 10 Vigieri. Very large-leaved81540 10 | |
| XERANTHEMUM. This well-known, hardy | |
| annual is one of the oldest and prettiest of the Everlasting flowers, and in winter bouquets | |
| retain their color and form for years. Fine for beds and borders; in bloom all the season | |
| until frost. 1½ to 2 ft. Pkt. | (A) |
| Double Purple. | No. |
| " White | Mammoth Zinnia |
| YUCCA filamentosa (Adam's Needle). One | ZINNIA, TALL MAMMOTH FLOWERING, con. Pkt. |
| of the best summer ornamental, hardy per- ennial plants, when both foliage and bloom | Orange |
| are considered; elegant spikes of creamy white, fragrant flowers; broad, sword-like | Scarlet |
| leaves. 5 to 6 ft81650 10 | Violet 81710 15 White 81720 15 |
| gloriosa | Mixed81730 15 |
| ZINNIA (Youth and Old Age). Few flowers are so easily grown from seed or bloom so abun- | Collection of six varieties81740 60 TALL DOUBLE. For borders and groups; |
| dantly and continuously as this hardy annual. Sow the seed in the open ground early in spring. | 2 ft. Pkt. |
| From July until the first hard frost Zinnias are | Crimson |
| incomparably bright; the plants grow a foot or more in height and are covered with large, | Lilac |
| double flowers. Fine for beds and borders; in fact, in any location. | Rose |
| NEW VARIETIES OF ZINNIAS— Pkt. | Striped 81830 10 |
| Double Giant Buttercup. Deep buttercup color | Violet |
| Dahlia-flowered, Dark Cerise81664 25 | Sulphur-Yellow |
| Victory (Quilled type), Choice Mixed | Mixed, Extra-selected81910 10 |
| Colors81667 25 Double Giant Picotee, Golden Pheas- | DWARF DOUBLE. More compact and of neater habit than the tall varieties. 15 in. Pkt. |
| ant. Deep gold ground, with tips maroon | Bright Scarlet |
| Double Giant Picotee, Choice Mixed | gracillima (Red Riding-Hood) 81958 10 Purple |
| Colors | Salmon < |
| A distinct and splendid class of this ever-pop- | Golden Yellow81990 10 |
| ular flower, producing extra-large double blooms. 2½ ft. Pkt. | Mixed |
| Black Knight | Mixed Pompon |
| Flesh-Color | Curled and Crested, Mixed. 2 ft82130 10 |
| MIXED ANNUAL | FLOWER SEEDS |
| Bright colored, summer-flowering, easily-grown ha | |
| Mixed Tall | A fine mixture of over 50 intermediate annuals |
| in splendid diversity of colors, especially suited and late varieties; flowers all summer | for small gardens; composed of early flowering |
| MIXED PERENNIA | L FLOWER SEEDS |
| Beautiful Mixture of Hardy Perennials, containing | ng many choice varieties82350 30 |

For Choice Collections of Flower Seeds, see page 62

PALM SEEDS

| 100 seeds | |
|--|--|
| Areca lutescens | Kentia Forsteriana15 seeds \$0 35 \$1 75 |
| Brahea robusta (Washing- | Latania borbonica |
| tonia)20 " 20 50 | oz. 15c., lb. \$1 |
| Chamærops excelsa25 " 25 50 | Musa Ensete (Abyssinian |
| Cocos australis | Banana) |
| campestris | |
| Weddelliana | Pandanus utilis (Screw |
| Corypha (Livistonia) aus- | Pine) |
| tralis (Cabbage Palm)20 " 50 I 50 | Phœnix canariensis50 " 35 50 |
| Pkt. Oz. | |
| Dracæna australis | |
| indivisa 15 75 | rupicola |
| Ioo seeds | tenuis50 " 25 40 |
| Kentia Belmoreana15 seeds, \$0 40 \$2 00 | Seaforthia elegans10 " 25 2 00 |

ORNAMENTAL GRASSES

The Ornamental Grasses are very attractive to use in mixed flower-beds or borders, and for grouping by themselves give fine effects. Many of them, if cut before they are entirely ripe, will be found very useful, when dried, in the formation of winter bouquets, in connection with the "Everlastings."

| Put up in packets and ounces only | | | | | |
|--|---|--|--|--|--|
| *AGROSTIS (Cloud Grass). hA. Very fine for vases and bouquets. Pkt. nebulosa. Very delicate and graceful. 18 in | GYMNOTHRIX. Curious and ornamental, single specimens are of striking effect. 3 ft. Pkt. latifolia. hP. Very ornamental; bears nodding spikes | | | | |
| †*ERIANTHUS Ravennæ (Plume Grass). hP. Very stately and ornamental, fine, silvery plumes, splendid in lawn groups. Resembles closely the Pampas Grass. 6 to 8 ft | *STIPA. hP. Popular and graceful species; splendid for bouquets. 2 ft. Pkt. elegantissima. Very pretty plumes83460 10 pennata (Feather Grass). Delicate, silvery white feathery plumes; a favorite sort 1/40z. 30c83470 10 ZEA gracillima variegata | | | | |

GLADIOLI

All extra-selected, large corms, no second size


If to be sent by mail, add postage at zone rates. Weight per 10, 1 lb.; 100, 8 lbs.

Gladioli are very easily grown. Any good soil suits them. Plant the corms as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches apart. By planting at intervals up to July I, these fine flowers can be had in bloom all through the summer and fall, the later flowers being the best. About the end of October, when the leaves begin to wither, the corms should be taken up, dried in the open air, and then stored in a dry place, free from frost, for planting next spring. It is a mistake to plant Gladioli without some suitable subject to hide the surrounding soil; to do this we suggest planting lower-growing plants, such as Saponaria calabrica, Nigella Miss Jekyll, Violas, and Dwarf Godetias. Those marked with an asterisk (*) are used extensively for forcing.

NOVELTIES NEW NAMED GLADIOLI

white AMERICA. White. The unopened buds are flesh-white in color, opening clear white, with slight marks of blue in throat. 30 cts. each, \$2.50 for 10, \$20 per 100.

ENCHANTRESS. Blush-white. Blush-white, slightly flaked with lake-pink toward the margins; throat encircled on the lower petals with carmine-lake blotch; a dusting of golden bronze zoning; the blotch is unique. 30 cts. each, \$2.50 for 10, \$20 per 100.



Thorburn's Extra-Fine Mixed Hybrid Gladioli

EVELYN KIRKLAND. Rosy pink. The flowers are of strong substance and a beautiful shade of rosy pink, darker at the edges, fading to shell-pink at the center, with brilliant scarlet blotches on the lower petals, the entire flower showing a glistening sparkling lustre. Very tall spike; extra fine form and color. 50 cts. each, \$4 for 10, \$35 per 100.

SULPHUR KING. Yellow. This is by all odds the most valuable yellow variety ever introduced. It produces a very long spike of the clearest sulphur-yellow flowers yet seen in Gladioli. 30 cts. each, \$2.50 for 10, \$20 per 100.

CONTRAST. Scarlet. Flowers of great substance and a beautiful compact spike of perfect form, color intense scarlet, with large, distinct pure white center, which is neither tinted nor mottled. One of the most striking and beautiful Gladioli ever introduced. 40 cts. each, \$3.50 for 10, \$30 per 100.

FINE SELECTED NAMED SORTS

| *America. A beautiful flesh-pink, tinged with lavender. Vigorous, with | 10 | 100 |
|---|----|--------|
| large, spreading blossoms on spikes 2 to 3 feet long. Extra-large corms. \$0 Baron Hulot. (Lemoine.) Without a doubt the finest blue Gladiolus. It | 50 | \$4 50 |
| is a rich, deep shade of indigo-blue. Dawn. Rose-pink; large flowers; tall | 75 | 7 00 |
| spikes | 50 | 30 00 |
| roon | 80 | 7 50 |
| with gold; yellow blotch with red spots on lower petals; fine Halley. Large flowers of a lovely salmon-pink, lower segments blotched yellow, with carmine markings. An | 60 | 5 50 |
| excellent variety; early | 50 | 4 50 |

| Glory of Holland. Very fine white, tinted rose\$ | 10 0 80 | 100 \$7 50 |
|--|------------|---------------|
| *Isaac Buchanan. Very fine yellow; large flowers | 90 | 8 50 |
| frilled edge, slightly tinted rose; large flower | 00 | 9 00 |
| Very large, graceful blossoms of lovely, bright pink, with rich carmine blotches on the lower petals; very | | 0 =0 |
| Niagara. Softprimrose-yellow, slightly tinged with rose-pink in throat | | 8 50 8 50 |
| Panama. Beautiful, deep rose self; large flowers; fine spike | | 8 50 |
| Peace. Large flower; white, with lilac blotch on lower petal | 85 | 8 00 |

| · · · · · · · · · · · · · · · · · · · | | | |
|--|----|-----|----|
| Pink Beauty. Bright carmine-rose, with darker blotch on lower petals; | 10 | 100 |) |
| early; fine cut-flower\$1 | 00 | \$9 | 00 |
| *Pink Perfection. Soft rosy pink, with | | | |
| white stripe in center of each petal; | | | |
| very beautiful | 00 | 9 (| ററ |
| Schwaben. Light yellow, deep red | | | |
| blotch | 00 | 9 (| oc |
| Taconic. Bright, lively pink, flecked | | | |
| | | | |


FINE SELECTED NAMED SORTS, continued

and striped with shades of the same

Thorburn's Extra-Fine Mixed Hybrids

(From Our Trial-Grounds)

Containing only finest named sorts in a wide range of colors and markings. 65 cts. for 10, \$4.50 per 100.



Augusta Gladioli

PRIMULINUS Hybrids. Hybrids of a South African species, with many related species and choice garden varieties. Extremely vigorous and healthy growers, blooming in July and August. Grow 3 to 5 feet high, with long spikes of richly colored blooms, varying in color from clear yellow to crimson, the latter with large, soft orange or golden throats. Selected grade, 50 cts. for 10, \$4 per 100, \$35 per 1,000.

VARIOUS MIXED GLADIOLI

25 at 100 rate, 250 at 1,000 rate

| ı | 25 at 100 rate, 250 at 1, | ,000 | rate | |
|---|---|-----------|-------------------|----------------|
| 1 | Mixed Red and Scarlet. A | 10 | 100 | 1,000 |
| 1 | splendid assortment of fine quality, large flowers\$o | 40 | \$2.50 | # 22 00 |
| | Mixed Extra White and Light | 40 | φ ₃ 50 | \$32 00 |
| | Colors. All extra-large blooms. | 50 | 4 50 | 10.00 |
| | Mixed Extra-Fine Striped and | 50 | 4 50 | 40 00 |
| | Variegated. Pleasing to the eye | | | |
| ļ | in the broadest sense. A charm- | | | |
| | ing lot | 40 | 2 50 | 22 00 |
| | Mixed Pink and Rose. Colors | 40 | 3 30 | 32 00 |
| | vary from the most delicate | | | |
| | pink to gaudy rose. Every one | | | |
| | a vigorous grower | 40 | 3 50 | 32 00 |
| | Mixed Yellow and Orange. | Τ, | 5 50 | 32 00 |
| | No color shows up more | | | |
| | charmingly either singly or in | | | |
| | contrast with the more vivid | | | |
| | shades | 50 | 4 50 | 40 00 |
| | Mixed Gandavensis. Extra-fine | | | · |
| | bulbs from the best varieties. | | | |
| | A superb mixture of the various | | | |
| | colors, in which no one color | | | |
| | plays the predominating part. | | | |
| | Large-sized corms of very fine | | | |
| | quality | 40 | 3 50 | 32 00 |
| | Mixed Groff's Hybrids. This | | | |
| | mixture is the well-known and | | | |
| | distinct race resembling the | | | |
| | Lemoine Hybrids, but showing | | | |
| | greater diversity of colors in | 10 | 2 50 | 22.00 |
| | flowers Their re- | 40 | 3 50 | 32 00 |
| | markably bright, rich colors | | • | |
| | and odd orchid-like markings | | | |
| | account, in a way, for their | | | |
| | being popularly known as the | | | |
| | Butterfly Gladioli. A desirable | | | |
| | sort. Large-sized corms | 40 | 3 50 | 32 00 |
| | Mixed Childsii. Grand flowers | | 0 0 | J |
| | of large size and beautifully | | | |
| | colored. Large-sized corms | 40 | 3 50 | 32 00 |
| | | - | | - |

| FINE NAMED HYBRID GLA | D | 0 | LI |
|--|----|-----|----|
| Attraction. A deep, rich crimson, with | 10 | 10 | 0 |
| a center that shows very prominently.\$0 | 60 | \$5 | 00 |
| *Augusta. Pure white, with a lavender- | | | |
| tinted throat. A splendid sort. Extra | | | |
| larged-sized corms | 60 | 5 | 00 |
| *Brenchleyensis. A fine old vermilion- | | | |
| scarlet variety. Extra large-sized corms. | 40 | 3 | 50 |
| Eugene Scribe. Very large and wide; | | | |
| tender rose, blazed carmine-red. Ex- | | | |
| ceptionally fine for florists' use | 75 | 7 | 00 |
| F. L. Oakley. Bright scarlet-tinted sal- | | | |
| mon, with pure white center. A very | | | |
| fine show variety | 50 | 4 | 50 |
| Glory of Brightwood. Scarlet, with | | | |
| lemon throat | 75 | 7 | 00 |

FINE NAMED HYBRID GLADIOLI, continued

| Jessie. (Lemoine.) Fine velvety red; long spike of flowers\$0 | | 10 \$7 | - | Princeps. Glowing crimson, with 10 100 white flakes on lower petals. Extra- | |
|---|----|-----------|----|---|---|
| Klondyke. Light yellow, maroon | | | | large corms\$0 90 \$8 50 | О |
| blotches in throat | 50 | 4 | 50 | Rosy Spray. White, beautifully sprayed | |
| Lamarck. (Lemoine.) Salmon, with | | | | rose; large and fine 50 4 5 | 0 |
| crimson and yellow spots | 60 | 5 | 00 | Scribe. An enormous spike; flower tinted | |
| *May. A lovely pure white, finely flaked | | | | white, freely striped carmine 60 5 5 | O |
| rosy crimson | 50 | 4 | 50 | Spot. White; freely spotted and mottled | 0 |
| Nezinscott. Bright blood-scarlet, with deep velvety crimson blotches and | | | | rose | |
| white mottlings | 75 | 7 | 00 | open flower 60 5 5 | O |
| Portland. Rosy red, penciled darker; mottled throat | 90 | 8 | 50 | Willy Wigman. Delicate rose-tinted cream, with large carmine-red blotch 50 4 5 | 0 |

CANNAS, Dwarf, Large-Flowering French

Not less than 5 of a kind at 10 rate, 25 at 100 rate. If wanted by mail, add 15 cts. per 10 for postage


Cannas do well in almost any kind of soil, but they well repay liberal treatment. For the best results they should be planted in good loam that has been well mixed with an abundant supply of well-rotted stable or other manure. The beds should be spaded 2 feet deep or more, and the soil well pulverized. Water should be applied abundantly at all times, but good drainage is essential.

should be applied abundantly at all times, but good drainage is essential.

Cannas are most effective when planted in masses, either alone or in combination with salvia (scarlet sage) and bordered with coleus or other dwarf-growing bedding plants. They are also frequently used with some of the tall-growing ornamental grasses, with which striking combinations can often be secured. They do best in sunny situations, and should be set out about 2 feet apart each way.

ALL OF THE FOLLOWING ARE DORMANT ROOTS

| GREEN-FOLIAGED CAN | NN | 45 | | VARIEGATED FLOWERING | |
|--|----------|------------|----|--|---|
| PINK FLOWERING | | | | Allemannia. 5 ft. Orchid- Each 10 100 flowering; bright scarlet, with | |
| City of Portland. 3 to 4 ft. Each Light salmon-pink\$0 15 \$1 Hungaria. 3½ ft. Pure "La France" pink with satiny sheen; | 10 10 | 10 \$10 | | broad yellow border, beautifully mottled and variegated. \$0 10 \$0 80 \$7 00 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 | ļ |
| large flowers 10 | 80 | 7 | 00 | gold | , |
| Rosea gigantea. 5 to 6 ft. Large flowers; soft rose shading to carmine-pink | 10 | 10 | 00 | with gold border; very pretty 10 80 7 00 Niagara. 3 ft. Deep crimson, with wide irregular border of golden | , |
| RED FLOWERING | | | | yellow |) |
| Alphonse Bouvier. 5 ft. Clear | | | | orange-gold | , |
| crimson flowers borne in large clusters | 80 | 7 | 00 | WHITE FLOWERING | |
| Crimson Bedder. 3½ ft. Without exception the most conspicuous and satisfactory red bed- | ь | • | i | Each 10 100 Eureka. 4 to 5 ft. Finest white.\$0 15 \$1 10 \$10 00 | , |
| ding Canna on the market 10 | 80 | 7 | 00 | BRONZE-FOLIAGED CANNAS | |
| Duke of Marlboro. 4 ft. Dark, rich, velvety crimson; fine | | | | RED AND YELLOW FLOWERING | |
| shapely flowers 10 | 80 | | 00 | Brandywine. 3½ ft. Flowers Each 10 100 red. Splendid for mass plant- | |
| Louisiana. A bright crimson - scarlet of the orchid-flowered type; grows 5 to 6 feet high, with | 10 | 10 | 00 | ing\$0 10 \$0 80 \$7 00 David Harum. 3 ft. Large-sized flowers; bright vermilion-scar- | |
| immense spikes of bloom. In- | | | | let, dotted with crimson spots. 10 80 7 00 Gladiator. 4 ft. Bright yellow; | , |
| dividual flower 5 inches across with correspondingly broad pet- | | | | bronze foliage 10 80 7 00 | , |
| als. Very showy in beds or as a center for dwarfer varieties 10 | 80 | 7 | 00 | King Humbert. 4 ft. Bears gi- gantic trusses of immense, bril- liant orange - scarlet flowers, | |
| YELLOW FLOWERING | | | | streaked with crimson. A mass- ive, sturdy grower of stately | |
| Austria. 4 ft. Bright yellow, with crimson in the throat; orchid flowered10 | 80 | 7 | 00 | habit | |
| Florence Vaughan. 4 ft. Yellow, | | • | 00 | tiful, rosy pink, borne in large clusters. The foliage is very beau- | |
| with bright red spots 10 Richard Wallace. 4 ft. Flowers large; color pure yellow. Fine | 80 | 7 | 00 | tiful, being veined and tinted, having a tropical appearance 10 80 7 00 | |
| | | | | Wabash. 4 ft. Very large flowers; | |



DAHLIAS

5 of a kind at 10 rate

If ordered to be sent by parcel post, add postage at zone rates. Weight per 10, 6 lbs. (including packing), for largest-size roots as offered below. Postage on single roots 5 cents each.

4 50

NEW AND RARE VARIETIES DECORATIVE DAHLIAS

| | 10 |
|---------------------------------------|------|
| clear light yellow Dahlia that has | |
| attracted great attention. The flow- | |
| ers which are borne on long, stiff | |
| stems are of immense size and regular | |
| form, with large shell-like petals. | |
| Fine for show\$0 50 \$ | 4 50 |
| DOPETE LAMBIA A | |

| BREEZE LAWN. A grand exhibition va- |
|--|
| riety of great promise which reaches 8 |
| inches and over in diameter when prop- |
| erly grown. Color, vivid vermilion; of |
| splendid form and full center |

CACTUS DAHLIAS

| CRYSTAL. | | | | | | Each | 1 | 0 |
|--------------|---------|-------|-----|-----|--------|-------|-----|----|
| mous size, | with | long. | nar | row | 7, in- | | | |
| curved peta | | | | | | | | |
| exhibition v | ariety. | | | | \$ | 5o 75 | \$7 | 00 |
| EDANCIC WE | | | | | | | | |


FRANCIS WHITE. A splendid new white Cactus of exquisite form and large size, on long stems. Color pure white, shading to sulphur-white at the center.... 50

PEONY-FLOWERED DAHLIA

MRS. WM. KERR. One of the very handsomest flowers. Very large, of beautiful twisted irregular formation, and a most exquisite coloring. Rich cream, suffused pink and overlaid bright carmine; the blending of shades and twists is most attractive and pleasing. Vigorous; early and free bloomer. 75 cts. each, \$7 for 10.

GENERAL LIST OF CACTUS DAHLIAS

| Bridal Robe. One of the best white Es | ch | 1 | 0 |
|---|-----|-----|-----|
| Cactus Dahlias. Large, full flowers, of | | | |
| great substance and good keeping | | | |
| qualities. Flowers 6 to 8 inches across, | | | |
| with great depth; borne on long, rigid | | | |
| stems. A strong, grower and con- | | | |
| tinuous bloomer\$0 | 50 | \$4 | 50 |
| Excelsior. Splendid for garden and exhi- | O - | | U |
| bition; rich velvety maroon | 30 | 2 | 75 |
| Electric. The color is rich, clear canary- | Ü | | • • |
| yellow, each petal heavily tipped white. | | | |
| A strong and vigorous grower | 40 | 3 | 75 |
| General Buller. Rich velvety maroon, | • | Ü | • |
| tipped white | 20 | I | 75 |
| Hamlet. Very large, rich red, shaded | | _ | , . |
| darker; very long, pointed petals | 20 | т | 75 |
| during, for , iong, pointed petalorisis. | | - | 4 . |



Cactus Dahlia

| GENERAL LIST CACTUS DAHLIAS, c | onti | nue | d |
|--|-----------|------------|----------|
| Kriemhilde. Deep rosy pink with E lighter center. A distinct and valuable | ach | 1 | 0 |
| variety as the flowers keep a long time after cutting | 20 | \$1 | 75 |
| center. It is a very rapid grower and keeps well after cutting | | 1 | 75 |
| Queen of Hearts. A beautiful pure white, with yellow at the base of petals | 20 | | 75 |
| Reine Cayeux. Rich, glowing red; early. A grand garden or cut-flower variety Success. Clear yellow, with long, pointed | 20 | I | 75 |
| petals. An early, free, and continuous bloomer | 20 | I | 75 |
| T. G. Baker. Very large, finely formed flowers on long, stiff stems; clear bright yellow | | | 25 |
| DECORATIVE DAHLIA | | | |
| Dr. Tyrrell. Color is a rich golden E | | 1 | 0 |
| bronze, with bronzy red at base of | 2011 | • | • |
| petals, giving the flower that rich bronzy effect. The plant is a very | | | |
| sturdy, healthy grower, with dark, luxuriant foliage | 40 | \$3 | 75 |
| John Wanamaker. One of the most beautiful of all pink Dahlias, having a | 7- | # О | 10 |
| formation entirely its own, in its charm- | | | |
| ing irregularity. Strong, vigorous, branching grower and the earliest, most | | | |
| constant, and profuse bloomer | 25 | 2 | 25 |
| Melody. Color, clear canary-yellow tinting to creamy white at the tip | 20 | I | 75 |
| Minnie Burgle. The best red Dahlia in the world. Flowers are of large size, perfect form, and are produced on long, stiff stems. Color is a vivid vermilion-red. This variety should be in every collec- | | | |
| Mont Blanc. A splendid large white with | | 2 | 75 |
| Old Gold. One of the richest of autumn shades, valuable for decoration. | 25 | 2 | 25 |
| Old-gold, shading to orange; splendid form on long, slender, stiff, stems Richmond. A new seedling of Jack Rose. | 20 | \$1 | 75 |
| An early, profuse bloomer with stiff | | | |
| stems; color, rich glowing crimson | 20 | Ι | 75 |
| SHOW AND FANCY DAH | LI | AS | 5 |
| A. D. Livoni. Clear bright pink; quilled E | ach | 1 | o |
| petals. The best pink Show Dahlia\$0 Emily May. Large; pure white; reliable. | 20 | | 75 75 |
| Penelope. White, flaked rosy lake Princess Victoria. The finest pure yellow | 20 | | 75 75 |
| Show Dahlia in existence. Clear, pure | | | |
| canary-yellow, without shade or blemish | | | |
| from bud to old age | | Ι | 75 |
| stems | 20 | I | 75 |
| White Swan. Large; pure white; reliable. | 20 | I | 75 |
| POMPON DAHLIAS | | | |
| Clarissa. Pale primrose\$0 | ach 20 | \$1 | 75 |
| Klein Domitea. Bright golden terra- | | | 75 |
| Madeline. Primrose, edged rosy carmine. | 20 | I | 75 |



Decorative Dahlia

| PEONY-FLOWERED DAH | LI | AS | 5 |
|--|----|-----|----|
| F. R. Austin. One of the most valuable Ead Dahlias in existence. The outer petals are very long and creamy yellow, suffused, banded, and shaded rich crimson; the inner petals are yellow at base, tinting lighter, and suffused pink and crimson. Vigorous grower; early | | 1 | |
| and free bloomer\$0 Canary, Duplex Form. Pure yellow, of | 40 | \$3 | 75 |
| very large size. An early, free, and con- | | | |
| tinuous bloomer | 20 | I | 75 |
| where a bronzy effect is wanted | 20 | I | 75 |
| | | | |
| CENTURY DAHLIAS | | | |
| colored giant flower. Color a rich cream, which suggested the name. The plants are 5 feet high and bloom early, profusely, and continuously until frost Geisha Century. The inner half of the petal is a rich yellow, the outer half is an intensely rich scarlet—the Geisha colors—hence the name. The giant flowers are | 20 | I | 75 |
| of perfect form and borne on long, stiff stems | 25 | 2 | 25 |
| Josephine. Flowers snow-white, very large and regular. The long, wiry stems hold the flowers erect, making them long keepers and valuable for all cut-flower | 23 | 2 | -3 |
| | 40 | 3 | 75 |
| stems; sure and continuous bloomer Wildfire Century. Century size, with | 15 | I | 25 |
| | 15 | I | 25 |

MIXED DAHLIAS

| | | Colors Each | | 100 |
|---|------|-------------|--------|---------|
| M | ixed | \$o 15 | \$1 25 | \$10 00 |

PEONIES

If to be sent by mail, add postage at zone rates

Double Peonies are too well known to require description. Their present popularity is due to the great improvement in them in recent years, their easy culture, the handsome appearance of the plant, and the brilliant and striking effect of their massive, finely formed and richly colored flowers. The attention given to them in Europe and in America has resulted in the production of many notably fine new varieties. Among hardy, herbaceous perennials, the Chinese Peonies rank about first for lawn or flower-border, or shrubbery decoration.



Herbaceous Peony

Our assortment includes some of the best and most distinct sorts, new and old. There are many kinds, including varieties showing but trifling variations, which we omit.

HERBACEOUS CHINESE **PEONIES**

Mailing rate, 1 lb. each

| Delache | i. An | naranth-pui | ple-red; | fra- E | ach | 1 | 0 |
|----------|----------|--------------|----------------|---------|-----|-----|----|
| grant. | | | | \$o | 45 | \$4 | 00 |
| | | Pelicate pin | | | 45 | 4 | 00 |
| | | Nemours. | | | | | |
| phury | white. | | | | 45 | 4 | 00 |
| Eduliss | uperba | • Color, a b | eautiful l | oright, | | · | |
| clear p | ink, wi | th silvery r | eflex | | 60 | 5 | 50 |
| Eugene | Verdie | r. Pink an | d salmor | 1 | 90 | 8 | 00 |
| Felix Cr | ousse. | Brilliant r | ${ m ed}\dots$ | | 75 | 7 | 00 |
| Festiva | maxim | ıa. White. | | | 45 | 4 | 00 |
| Mme. d | e Vern | eville. Sil- | very whi | te; ex- | | | |
| tra fine | e | | | | 60 | 5 | 50 |
| Marie L | .emoir | ie. Full, | double, | white, | | _ | - |
| creamy | z center | r; splendid | flower | | 75 | | |
| Mons. J | ules E | lie. Satiny | / pink; e | arly | 75 | 7 | 00 |
| Double, | Mixed | , White | | | 45 | 4 | 00 |
| " | " | Crimson | | | 45 | 4 | 00 |
| " | " | Rose | | | 45 | 4 | 00 |
| 44 | 44 | Pink | | | 45 | | 00 |
| 44 | 4.6 | Carmine | | | 45 | • | 00 |
| 4.6 | " | Red | | | 45 | | 00 |
| | | | | | . • | | |

LILIES

If to be sent by mail, add postage at zone rates

Lilies are easily grown and require little care. They do best in a light, well-drained soil. Some peat or leaf-mold may be used to advantage. They also prefer partial shade, and the taller sorts must have protection from high winds.


LILIUM LONGIFLORUM White Trumpet Lily

This is among the most beautiful and valuable of garden Lilies. It grows from 1 to 4 feet high, and

| bears many trumpet-shaped, swee white flowers of great substance. | A | w | ell-c | drain | eď, |
|---|------------|-------------|-------|-------|------|
| light loam, enriched with leaf-me | oia, | su | its | it be | est. |
| Formosum. Pure white flow- Ea | ch | 1 | 0 | 10 | 0 |
| ers, larger than L. Harrisii. | | | | | |
| Grows 2½ to 4 feet high. | | | | | |
| 7 to 9-in. circum., black | | | | | |
| | | | | | |
| stem. (10 bulbs weigh | | # | | # | |
| 3 lbs.)\$0 | 50 | <i>\$</i> 4 | 50 | \$40 | 00 |
| 9 to 10-in. circum., black | | | | | |
| stem (10 bulbs weigh 5 lbs.) | 65 | 6 | 00 | 55 | 00 |
| Multiflorum. | · | | | 00 | |
| 7 to 9-in. circum., (10 bulbs | | | | | |
| | 2 = | _ | 00 | 0.5 | 00 |
| weigh 3 lbs.) | 35 | 3 | 00 | 25 | 00 |
| 9 to 10-in. circum. (10 bulbs | | | | | |
| weigh 4 lbs.) | 45 | 4 | 00 | 35 | 00 |
| Multiflorum giganteum. | | | | | |
| 7 to 9-in. circum., black | | | | | |
| stem (10 bulbs weigh 3 lbs.) | 45 | 4 | 00 | 35 | 00 |
| 9 to 10-in. circum., black | T U | 7 | - | 33 | - 0 |
| | 60 | _ | 50 | 50 | 00 |
| stem (10 bulbs weigh 4 lbs.) | 00 | 5 | 50 | 50 | 00 |

JAPAN AND OTHER LILIES

| Auratum (Gold-banded Lily). The Each grandest of all hardy Lilies, 3 to 6 feet high. Flowers white, spotted maroon, having a bright yellow band through the center of each petal. 8- to 9-in. circum. (10 bulbs weigh 3 lbs.) \$25 per 100\$0 35 \$3 00 9 to II in. in circum. (10 bulbs weigh 5 lbs.)\$40 per 100 50 4 50 II to I3 in. in circum. (10 bulbs weigh 7 lbs.)\$50 per 100 60 5 50 Bolanderi. Bell-shaped, deep crimson flowers, dotted with purple. Grows 1 to 3 feet high. Rare. (10 bulbs weigh 1 lb.) 60 5 00 Brownii. Most beautiful flowers of immense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only of 100 each, \$25. |
|---|
| 9 to II in. in circum. (10 bulbs weigh 5 lbs.)\$40 per 100 50 4 50 II to I3 in. in circum. (10 bulbs weigh 7 lbs.)\$50 per 100 60 5 50 Bolanderi. Bell-shaped, deep crimson flowers, dotted with purple. Grows I to 3 feet high. Rare. (10 bulbs weigh I lb.) 60 5 00 Brownii. Most beautiful flowers of immense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only |
| II to I3 in. in circum. (10 bulbs weigh 7 lbs.) \$50 per 100 60 5 50 Bolanderi. Bell-shaped, deep crimson flowers, dotted with purple. Grows I to 3 feet high. Rare. (10 bulbs weigh I lb.) 60 5 00 Brownii. Most beautiful flowers of immense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only |
| weigh 7 lbs.) \$50 per 100 60 5 50 Bolanderi. Bell-shaped, deep crimson flowers, dotted with purple. Grows 1 to 3 feet high. Rare. (10 bulbs weigh 1 lb.) 60 5 00 Brownii. Most beautiful flowers of immense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only |
| flowers, dotted with purple. Grows I to 3 feet high. Rare. (10 bulbs weigh I lb.) 60 5 00 Brownii. Most beautiful flowers of immense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only |
| mense size; inside creamy white, outside white with purple midribs. A splendid pot plant. 2½ to 3½ ft. (10 bulbs weigh 2 lbs.). From cold storage—cases only |
| or roo each; #25. |
| Canadense (Meadow Lily). Graceful, drooping, yellow flowers, spotted red. 2 to 5 ft. (10 bulbs weigh 4 ozs.) 15 1 25 |



Lilium auratum (see page 114)

JAPAN AND OTHER LILIES, continued

| Columbianum (Oregon Lily). Orange Ea | ch | 1 | 0 |
|--|-----|-------------|----|
| flowers, dotted maroon; fragrant. (10 | | # | |
| bulbs weigh I lb.) Largest size bulbs. \$0 Elegans Batemanniæ. Unspotted, | 60 | \$ 5 | 00 |
| Elegans Batemanniæ. Unspotted, bright apricot flowers; beautiful variety. | | | |
| 3 to 4 ft. high (10 bulbs weigh 1 lb.) | 25 | 2 | 00 |
| Elegans Incomparable. Deep red, | -0 | | |
| spotted black (10 bulbs weigh 2 lbs.) Krameri. White, slightly tinged with | 25 | 2 | 00 |
| Krameri. White, slightly tinged with | | | |
| red; sweet-scented (10 bulbs weigh 1 lb.). | 2 = | 2 | ~ |
| \$25 per 100 Leichtlinii. Bright red spotted purple- | 35 | 3 | 00 |
| black. 2 to 4 feet high (10 bulbs weigh | | | |
| 8 ozs.)\$20 per 100 | 30 | 2 | 50 |
| Henryi. Very tall-growing variety; bright | | | |
| orange-yellow flowers, spotted reddish | | | |
| brown, with green band at the base of each segment; one of the very best of all | | | |
| Lilies for general culture; hardy, robust, | | | |
| long-lived and easily grown in almost | | | |
| any soil or situation. 4 to 8 ft. (10 bulbs | | | |
| weigh 3 lbs.)\$30 per 100 | 40 | 3 | 50 |
| Humboldtii type. A grand Lily. Orange-red flowers, with small maroon | | | |
| | 60 | 5 | 00 |
| Kelloggii. Slender stems bearingfrom 3 to | • | J | • |
| 15 flowers, with pink, revolute petals; | | | |
| fragrant. 3 to 4 ft. (10 bulbs weigh | | | , |
| 8 ozs.) | 60 | 5 | 00 |
| colored and spotted. One half of each | | | |
| flower at the base is bright yellow, spot- | | | |
| ted brownish purple, while the remain- | | | |
| der at the end is bright orange-scarlet. | | | |
| 4 ft. (10 bulbs weigh 1 lb.) | 25 | 2 | 00 |
| Parviflorum. Large bulbs; flowers of same color as Pardalinum, but smaller, | | | |
| and are solitary; very charming (10 bulbs | | | |
| weigh 8 ozs.) | 50 | 4 | 00 |


| Philadelphicum. Bright orange-red, Ea with black spots. 2 ft. (10 bulbs weigh | ch | 1 | 0 |
|---|-------|------|------|
| 8 ozs.)\$10 per 100\$0 | 15 | \$1 | 25 |
| Speciosum album. Beautiful pure white | | | |
| flowers of large size; 2 to 4 feet high; one of the handsomest and easiest-grown | | | |
| Lilies we have. 7 to 9 in. (10 bulbs weigh | | | |
| 4 lbs.)\$20 per 100 9 to 11 in. (10 bulbs weigh 5 lbs.) | 25 | 2 | 25 |
| \$32 per 100 | 40 | 3 | 50 |
| Speciosum rubrum magnificum. Very dark crimson-spotted flowers of large | | | |
| size and striking appearance. Grows 2 | | | |
| to 4 feet high and blooms profusely. 7 to 9 in. (10 bulbs weigh 4 lbs.) | | | |
| \$20 per 100 | 25 | 2 | 25 |
| 9 to 11 in. (10 bulbs weigh 5 lbs.) | | | |
| \$32 per 100 Superbum (Turk's-Cap Lily) Deep | 40 | 3 | 50 |
| Superbum (Turk's-Cap Lily). Deep orange-red, thickly spotted purplish brown. 4 ft. (10 bulbs weigh 8 ozs.) | | | |
| | 15 | Ι | 25 |
| Tenuifolium (Siberian Coral Lily). Rich scarlet. 1½ ft. (10 bulbs weigh 8 ozs.). | | | |
| \$10 per 100 | 15 | I | 25 |
| Thunbergianum aureum, Kikak. Apricot-yellow, spotted black. 3 ft. (10 bulbs | | | |
| weigh 8 ozs.) | 20 | I | 50 |
| Thunbergianum elegans biligulatum | | | |
| (Feu-Kwam). Deep chestnut-red spotted flowers (10 bulbs weigh 8 ozs.). | 20 | I | 50 |
| Thunbergianum, Prince of Orange. | | | J - |
| Soft buff flowers, spotted purple-black. I ft. (10 bulbs weigh 8 ozs.) | 25 | 2 | 00 |
| Tigrinum splendens (Tiger Lily). Larg- | 25 | 2 | 00 |
| er and stronger than the Common Tiger | | | |
| Lily. Rich scarlet, with black spots; large roots (10 bulbs weigh 2 lbs.) | | | |
| \$7.50 per 100. | ю | | 80 |
| Tigrinum flore-pleno (Double Tiger Lily). Orange-red, black spots. The | | | |
| only desirable double-flowered Lily in | | | |
| cultivation (10 bulbs weigh 2 lbs.) \$8 per 100 | 10 | | Q = |
| Umbellatum erectum. Orange-red, | 10 | | 85 |
| slightly spotted with purplish black, | | | |
| tinged yellow in center (10 bulbs weigh 4 lbs.) | 15 | т | 25 |
| Umbellatum grandiflorum. Orange- | - 3 | - | -3 |
| red. Similar in all respects to Erectum, except that flowers are larger (10 bulbs | | | |
| weigh 3 lbs.) | 15 | I | 25 |
| Umbellatum, Mixed. (10 bulbs weigh | | | |
| 3 lbs.) | 15 | I | 00 |
| late; easily grown, and deserving of more | | | |
| general culture, both for pots and open ground. I to 2 ft. (10 bulbs weigh 8 | | | |
| ozs.) | 50 | 4 | 50 |
| Washingtonianum. A lovely native va- | | | |
| riety of very stately habit; large, trum- pet-shaped flowers; pure white, tinged | | | |
| purple or lilac; very fragrant. 4 to 7 ft. | 40 | • | 50 |
| (10 bulbs weigh 2 lbs.) | 40 | 3 | 50 |
| LILY-OF-THE-VALLE | Y | | |
| If ordered sent by mail, add postage at 20 | | rate | S |
| Pips for Forcing. Each bundle of 25 we | igh | s 2 | lbs. |
| Per bundle of 25 \$1.50, per 100 \$ 1,000 \$50. | \$5.5 | ο, | per |

JAPAN IRIS (Iris Kaempferi)

If ordered sent by mail, add postage at zone rates (10 bulbs weigh 3 lbs.)

These Iris are most valuable for cut-flowers and table decorations—as handsome as Orchids. Supply water liberally when growing. Cut in the early morning or after sunset.

| water liberally when growing. Cu | C 111 | CII | . ca | .11y 1. | 11011 |
|---|-------|-----|------------|---------|-------|
| Apollo. Single; white, pink Ea | ch | . 1 | 0 | _ 10 | 0 |
| center\$0 Blue Wing. Single; blue-white, | 45 | \$4 | 00 | \$35 | 00 |
| Blue Wing. Single; blue-white, | 4 5 | 4 | 00 | 2.5 | 00 |
| shaded purple Delice. Double; lavender and yel- | 45 | 4 | 00 | 35 | 00 |
| low | 45 | 4 | 00 | 35 | 00 |
| Distinction. Single; lavender and | 10 | • | | | |
| pink Dominator. Single; indigo-blue. | 40 | | 50 | | |
| Dominator. Single; indigo-blue. | 45 | 4 | 00 | 35 | 00 |
| Frate. Double; silvery white, veined and shaded lilac white, | | | | | |
| lilac center | 55 | 5 | oo | 45 | 00 |
| lilac center | 00 | U | | | |
| One of the best H. Von Sieboldt. Single, reddish | 40 | 3 | 50 | 30 | 00 |
| H. Von Sieboldt. Single, reddish | | | | | |
| veined, white center Mars. Single; reddish veined, | 40 | 3 | 50 | 30 | 00 |
| purple striped and blotched | | | | | |
| white | 55 | 5 | 00 | 45 | 00 |
| white | - | | | | |
| shaded darker, bright orange | | | | | |
| center Ondine. Single; white shaded | 40 | 3 | 50 | 30 | 00 |
| light blue toward center; very | | | | | |
| large. 9 to 10 in | 55 | 5 | 00 | 45 | 00 |
| large. 9 to 10 in | | Ü | | | |
| purple, shaded violet; center | | | | | |
| dark purple Pyramid. Double; light blue, | 40 | 3 | 50 | 30 | 00 |
| veined white center each petal. | 30 | 2 | 50 | 20 | 00 |
| Red Riding Hood. Single; fine | 30 | _ | 50 | 2.0 | 00 |
| amaranth, veined and suffused | | | | | |
| white | 40 | 3 | 50 | 30 | 00 |
| Robert Craig. Double; French | | | - ^ | | |
| gray, veined violet | 40 | 3 | 50 | 30 | 00 |
| Spotted Beauty. Double; large size; wavy; double; silky | | | | | |
| white; freely and fillery spot- | | | | | |
| ted with violet-crimson | 55 | 5 | 00 | 45 | 00 |
| | 1 | | | | |



| table decorations—as handsome as ing or after sunset. | Oro | chic | ls. | Supp | oly |
|--|----------|-------------|----------------|---------|----------|
| Templeton. Double; violet, Ea pink and white; often triple. \$0 T. S. Ware. Double; reddish violet, veined white | 40 45 | \$3 | 10 50 00 | _ | 00 |
| Venus. Single; pure white Victor. Double white, veined purple; violet-purple center | 45 | 4 | 00 50 | | |
| Double and Single Mixed | | | 50 | _ | |
| IRIS PALLID | A ch | 1 | 0 | 10 | n |
| Pallida dalmatica\$0 Pallida speciosa | 40 | \$3 | 50 | \$30 | 00 |
| GARDEN IRI | | | | | |
| (Iris Germanica Will thrive in almost any good g | • | en : | soil | . exce | ent |
| one that is wet. | | | | | |
| Admiral Togo. White, faintly Eatinged lavender; falls and | ch | 1 | 0 | 10 | 0 |
| standard lightly bordered pur- ple. Extra-fine clear color\$0 | 15 | \$ 1 | 25 | \$10 | 00 |
| Brooklyn. Standards lavender, yellow at base; falls pale blue; base veined brown on a white ground, edged yellow, splashed | - | | | | |
| with dark blue; beautiful Flavescens. Self-color, canary- | 15 | I | 25 | 10 | 00 |
| yellow | 15 | I | 25 | ю | 00 |
| Florentina alba. An excellent variety for cutting and an early bloomer. Flowers ivory-white tinged with lilac. The orris-root variety of commerce | 15 | I | 25 | 10 | 00 |
| Florentina, Blue. Tall and vigorous; deep dark blue | | | 25 | 10 | 00 |
| Gracchus. Standards clear yellow; falls marked red, reticulated white. A very conspicuous va- | | | | | |
| Herant. Standards bright blue; falls much darker. A beautiful broad-leaved sort; early flower- | 25 | 2 | 00 | 18 | 00 |
| ing L'Africain. Standards rosy purple; falls darker veined, white | 15 | Ι | 25 | 10 | 00 |
| at base, dwarf | 20 | I | 75 | 15 | СО |
| falls dark, bronzy crimson Mme. Chereau. Pure white, edged with azure-blue; falls deep | 15 | I | 25 | 10 | 00 |
| white with blue penciling Mrs. H. Darwin. Pure white; falls slightly reticulated violet at base; very beautiful and free | 15 | I | 25 | 10 | 00 |
| flowering; early Pauline. Standards bright blue; | 25 | 2 | 00 | 18 | 00 |
| falls a little darker Queen of May. This is a very satisfactory variety and well adapted everywhere. It is soft, rosy lilac, almost pink. A color | 15 | I | 25 | 10 | 00 |
| rare among Irises | 30 | 2 | 75 75 | 24 6 | 00 00 |
| , • • • • • • • • • • • • • • • • • | | | , 5 | | |

MISCELLANEOUS BULBS

| AMARYLLIS formosissima (Jaco- Each 10 bean Lily). Dark crimson\$0 25 \$2 00 Reginæ (Hippeastrum Reginæ). Soft light scarlet, with white center on | OXALIS, Yellow Buttercup\$\sqrt{50} 30 \\$2 50 grandiflora, Grande Duchesse. Pink. 25 2 00 White 25 2 00 |
|---|---|
| throat | ender 25 2 00 |
| Scarlet, White, Yellow | HARDY PHLOX (Decussata). A flower of more than usual beauty that will succeed in almost any kind of soil or climate. May be planted in the spring |
| of-the-Nile). Large, white, trumpet-shaped flowers\$30 per 100 40 3 50 Elliottiana, Yellow, Spotted Leaf. Dark green leaves, spotted silvery | or fall. Miss Lingard. Pure white |
| white\$30 per 100 40 3 50 CINNAMON VINE\$5 per 100 10 60 | R. P. Struthers. Rosy carmine |
| CRINUM Powellii. Produces long stems, bearing at the top five to eight large, bell-shaped flowers | TRILLIUM erectum. Dark purple; erect habit\$4.50 per 100 10 50 grandiflora (Giant American Wood Lily or "Wake Robin"). Large, white flowers, easily grown in shaded posi- |
| FUNKIA variegata | tion\$4 per 100 10 50 |
| Lily) | TRITOMA Pfitzeri. Large spikes of flame-colored flowers |
| Pure white | greenish base. |

Insecticides and Remedies for Plant Diseases

ALL SUBJECT TO CHANGE IN PRICE WITHOUT NOTICE

Postage, express or freight charges to be paid by purchaser

| ANT-DESTROYER. Will positively destroy ants. |
|--|
| 1/4-lb. tins\$0 20 1-lb. tins\$0 60 |
| ½-lb. tins 2 75 |
| APHINE. Has no equal for the destruction of green, black, or white fly, thrips, red spider, mealy bug, etc. Use one part to 40 of water. Does not injure the most tender plants. 14pt. \$\\$0 25 \ Pt. \$\\$0 65 12pt. 40 \ Qt. I 00 Gal. 3 00 |
| APHIS PUNK. Paper saturated with nicotine for |
| fumigating in greenhouses. Per box, 12 sheets |
| ARSENATE OF LEAD, PASTE. Adheres well to |
| foliage and does not readily wash off. It remains well suspended in solution, insuring even distribution. It is white, and shows just where it has been applied. It does not injure tender foliage. Lb. \$0.35 25 lbs. \$6.50 5 lbs. \$1.50 50 lbs. \$12.50 10 lbs. \$2.75 100 lbs. \$24.00 |
| ARSENATE OF LEAD, POWDER. One to 11/2 |
| pounds to 50 gallons of water. Lb. 60 cts. |
| BORDEAUX MIXTURE, or FUNGIROID. For |
| all fungous diseases. Dry— |
| I-lb. can \$0 50 5 lbs \$2 00 |
| 50 lbs |
| Liquid— |
| Qt\$0 50 Gal\$1 50 5-gal. keg |

| riges to be puta by purchaser |
|--|
| BORDEAUX PASTE. |
| ı lb\$0 30 5 lbs\$1 30 |
| BORDEAUX ARSENATE LEAD, PASTE. |
| Lb\$0 35 10 lbs\$2 50 |
| 5 lbs |
| BUG DEATH. This is a fungicide, insecticide, and |
| plant food combined, and contains neither paris green, or arsenic. |
| Lb\$0 20 5 lbs\$0 75 |
| 3 lbs 50 12½ lbs 1 50 |
| BLACK-LEAF 40. For spraying vegetables, fruits, |
| and flowers to destroy sucking insects. |
| 1-oz. bottle\$0 25 2-lb. tin\$3 25 |
| ½-lb. tin 1 00 10-lb. can13 75 |
| CATTLE COMFORT. A protection from flies, etc., |
| for live-stock. |
| Gal\$1 75 5 gals\$8 00 |
| COPPER SOLUTION, Ammoniated. Prevents |
| black and brown rot, mildew and other grape diseases, pear and apple scab, leaf blight, tomato |
| rot, potato blight, melon blight, etc. Dilute one |
| part to 100 parts of water; spray lightly. |
| Qt\$1 25 Gal\$3 25 |
| CUTWORM KILLER. Kills the worms; simple |
| and easy to use; specially prepared for bringing |
| young plants through the critical period. |
| 1-lb. pkg\$0 35 5-lb. pkg\$1 25 |
| Cutworms will not infest soil mixed with this prep- |
| aration. 5-lb. can\$0 75 10-lb. can\$1 40 |

INSECTICIDES AND REMEDIES FOR PLANT DISEASES, continued

| "ELECTRIC" WORM ERADICATOR. For kill- | LIME-SULPHUR SOLUTION, California Wash. |
|---|--|
| ing all grubs, insects and worms that do their | For San José scale. One gallon makes 15 by add- |
| destructive work at the roots of plants and trees, | ing water. Qt\$0 50 ½bbl. (25 gals.)\$9 50 |
| and infest lawns, golf-courses, etc. For most pests, 4 ounces to each 4 gallons of water; for cutworms, | Gal |
| 4 ounces to 2 gallons of water. | 5 gals 3 50 |
| 8-oz. bottle\$0 50 Gal\$4 00 | LIME-SULPHUR. Dry, B. T. S. Make your own |
| 24-oz. bottle I oo 5 gals | solution. One pound makes 4 gallons of spray. |
| Io gals34 00 | Lb\$0 35 5 lbs\$1 25 100 lbs16 00 |
| FIR-TREE OIL. Dilute I pint to 20 gallons of water. Apply with vaporizer or syringe. | NICO-FUME LIQUID. For fumigating or spray- |
| | ing. Effective against green fly, mealy bug, etc. |
| ½pt\$0 75 Qt\$2 25 Pt1 25 ½gal4 00 | Does not stain or injure blooms, and leaves no |
| Gal 7 00 | disagreeable odor. For spraying, one to two teaspoonfuls to a gallon of water. Lamps, 6oc. each. |
| FIR-TREE OIL SOAP. Mix at the rate of I ounce | |
| to a gallon of water, and apply with a bellows or | ½1b |
| syringe. ½-lb. tin\$0 30 2-lb. tin\$0 85 | Fumigators, 60 cts. each. |
| | NICO-FUME TOBACCO PAPER. For fumigating. Does not injure blooms. In tins. |
| FISH-OIL SOAP. (Formerly called Whale-Oil-Soap.) For washing trees and destroying all in- | 24 sheets\$1 25 144 sheets\$5 00 |
| sects on the bark. | 288 sheets |
| Lb\$0 25 10 lbs\$2 20 | NIKOTEEN, Liquid. Lb. \$2. |
| 5 lbs | PARIS GREEN. Mix at rate of 1 pound to 200 |
| FUNGINE. For mildew, rust, and all other blights, | gallons of water. Effective against all chewing insects. |
| does not stain foliage. | 1/4-lb. can \$0 25 1/2-lb. can \$0 40 |
| Pt\$0 65 Qt\$1 00 Gal3 50 | I-lb. can (All subject to change) |
| GRAPE DUST, Hammond's. For the prevention | PYROX. The best and safest all-round spray for all |
| of mildew on roses, grapes, gooseberries, etc. Apply | insects, blights and fungus troubles. Kills potato |
| with bellows. | bugs. Sticks like paint. Lb\$0 40 25 lbs\$6 25 |
| 5 lbs\$0 90 10 lbs\$1 40 | 5 lbs 1 75 50 lbs |
| 100 lbs | 10 lbs 3 00 100 lbs20 00 |
| HELLEBORE. Apply dry or mix in water—I ounce to 3 gallons. | READEANA. Rose bug exterminator in liquid |
| Lb\$0 60 2 lbs\$1 10 | form. 8-oz. can\$0 50 Qt\$1 35 |
| HERBICIDE. The weed exterminator. Dilute with | Gal |
| from 20 to 40 parts of water. | SCALECIDE. For San José scale. Petroleum oil |
| ½gal\$1 00 5 gals\$7 00 | that mixes at once with cold water and stays |
| Gal | mixed. No hot water necessary. Add I gallon for every 15 to 20 gallons of water. |
| IMP SOAP SPRAY. Contains no mineral poisons; used on all kinds trees and plants. | Ot\$6 80 |
| Pt\$0 50 Gal\$2 25 | Ot |
| Qt 75 5 gals | SLUG-SHOT, Hammond's. Excellent for de- |
| KEROSENE EMULSION. For cabbage worms, | stroying cabbage, turnip and beet flies, potato |
| scale on trees, caterpillars, melon lice, rose bugs, | bugs, currant worms, etc. Lb\$0 20 10 lbs\$1 25 |
| etc. Dilute 25 to 50 parts. Qt\$1 50 | 5 lbs |
| ½gal 1 00 5 gals 6 50 | SULPHO-TOBACCO SOAP. Dissolve in propor- |
| KILM WEED ERADICATOR. A patented tube | tion of 2 ounces to a gallon of water, and apply |
| containing a powerful weed-killer. Will extermin- | with a syringe or atomizer. It will destroy rose slugs, aphides, green fly, bark lice, etc. |
| ate dandelion from lawns. Easy to use. 50 cts. | 3-oz. box\$0 10 8-oz. box\$0 20 |
| each. Extra tubes of powder for recharging, 25 cts. each. | SULPHUR, POWDERED. Valuable for protecting |
| LAWN COMPOUND, Sterlingworth. A non- | against mildew on grapes, roses, etc. |
| poisonous powder to destroy plantain, dandelion, | Lb\$0 15 10 lbs\$1 00 100 lbs8 00 |
| chickweed, and most other weeds having a broad, hairy surface, without killing the grass. Five | TOBACCO DUST— |
| pounds will dress 500 to 1,000 square feet, accord- | Regular Kind. Highest grade for dusting. |
| ing to condition of the lawn. | Lb\$0 IO IO lbs\$0 60 |
| 5-lb. can \$0 75 50-lb. keg \$5 00 | 5 lbs |
| 10-lb. can 1 25 100-lb. keg 9 00 | 25 lbs\$1 75 50 lbs\$3 00 |
| LEMON OIL. For destroying scale, caterpillar, | 100 lbs 5 50 |
| mealy bug, etc. Directions on can. | Stoothoff's "Fumigating Kind." (Aphicide Powder.) For burning. |
| ½pt\$0 30 Qt\$0 90 Pt50 ½gal1 50 | 25 lbs\$1 75 50 lbs\$3 00 |
| Gal 2 50 | 100 lbs 5 50 |
| | |

INSECTICIDES AND REMEDIES FOR PLANT DISEASES, continued

TOBACCO STEMS. For fumigating. In bales of about 150 lbs., at \$2.75 per 100 lbs.

TREE TANGLEFOOT. A sticky substance applied directly to the bark to protect trees against climbing insect pests. One application remains sticky, fully exposed to weather, three months. One pound will make a band 7 to 8 feet long and about 6 inches wide.

 I-lb. tin.
 \$0 50 | 10-lb. tin.
 \$4 50

 3-lb. tin.
 I 45 | 20-lb. tin.
 8 75

VERMINE. A soil-sterilizer and germicide for all soil vermin, such as cut, eel, wire and grub worms, slugs, maggots, ants, etc.

 WEED-KILLER, Pino-Lyptol. This fluid absolutely destroys all the weeds and other growth wherever applied. Mix one part Pino-Lyptol with 10 to 15 parts of water.

WEED KILLER, Sterlingworth. A powerful powder for destroying vegetation of all sorts on gravel walks. Also excellent for destroying poison ivy.

Lb........\$0 50 | 5 lbs.........\$2 25 **X-L-ALL LIQUID INSECTICIDE.** An efficient preparation for spraying. Purely nicotine; harmless to very delicate plants; kills mealy bugs, red spider and all insect pests.

Pt. . . . \$1 25 | ½gal. can \$3 50 Qt. 2 00 | 1-gal. can 6 00

High-Grade Fertilizers

ALL NET CASH-PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Complete Manure

Guaranteed to contain ammonia, 2 per cent; available phosphoric acid, 9 per cent; actual potash I per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, peas, etc., and is especially suited for grain crops. Use 1,200 to 1,500 pounds to the acre.

| | Bag of 100 lbs\$3 50 |
|----------------------------|----------------------|
| Half-ton | 50 lbs 2 00 |
| Quarter-ton 15 75 | 25 lbs I 25 |
| Single bag of 200 lbs 6 50 | 10 lbs |

Lawn Fertilizer

Guaranteed to contain ammonia, 43/4 per cent.; available phosphoric acid, all soluble, 5 per cent; actual potash, I per cent; lime, sulphate of magnesia, soda, sulphuric acids, etc. Specially prepared for lawns and meadows as a top-dressing. Apply broadcast at rate of 1,000 to 1,500 lbs. to the acre.

| · · | | |
|-------------|-------------------------------------|-----|
| Ton | | 00 |
| Half-ton | | 50 |
| Quarter-ton | | 00 |
| | | |
| | | |
| | | |
| | I | |
| | • • • • • • • • • • • • • • • • • • | |
| | | , 0 |

Golden Potato Manure

Guaranteed to contain ammonia, 4 per cent; available phosphoric acid, 9 per cent; actual potash, I per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the Potato crop, and is also adapted to Sweet Potatoes, Vines, Fruit Trees, etc. Use broadcast, about 1,500 pounds to the acre.

| 1011 | 00 |
|--------------------------|----|
| Half-ton | 50 |
| Quarter-ton 20 | 50 |
| Single bags of 200 lbs 8 | 50 |
| Bag of 100 lbs 4 | 50 |
| 50 lbs 2 | 50 |
| 25 lbs I | 50 |
| 10 lbs | 80 |
| | |

Potomac Potato Manure

Guaranteed to contain ammonia, 4 per cent; available phosphoric acid, 8 per cent; actual potash, 3 per cent.

| Ton\$82 | 00 |
|--------------------------|----|
| Half-ton | 00 |
| Quarter-ton | 00 |
| Single bags of 200 lbs 9 | 75 |
| Bag of 100 lbs 5 | |
| 50 lbs 3 | |
| 25 lbs I | |
| 10 lbs | 90 |

Agricultural Salt

Prices very changeable

For asparagus beds, etc. In bags of about 200 pounds.

Bag......\$3 50 | Ton, about.....\$30 00

Not less than one bag sold.

Bowker's Ammoniated Food for Flowers

Excellent for use on house plants, being entirely odorless.

Small pkg......\$0 25 | Large pkg......\$0 50

Hardwood Ashes

Highest grade unleached. For top-dressing lawns, especially if the soil is stiff or sour, 1½ to 2 tons to the acre.

| Per 100 lbs\$2 50 ½ton | \$21 | 00 |
|--|------|----|
| Ton | | |
| (In barrels of 175 to 200 lbs., barrels we | | |

HIGH-GRADE FERTILIZERS, continued

Clay's Celebrated Fertilizer

Prices in bags (subject to change)

One of the best manures for all horticultural purposes, either in greenhouse or garden. Splendid for mixing with potting soil and as a top-dressing. Notwithstanding its apparently high price, it is quite economical.

| ½/4 cwt. (28 lbs.)\$4 | 50 |
|-----------------------|----|
| ½cwt. (56 lbs.) 8 | 00 |
| Cwt. (112 lbs.) | 00 |

Thomson's Vine Manure

Unrivaled for vines, tomatoes, cucumbers, fruit trees and all foliage, flowering and fruit-bearing plants, also for vegetables and outdoor plants of every description. The result of many years' practical experience.

| ½cwt. (56 lbs.) | .\$5 | 00 |
|-----------------|----------|----|
| Cwt. (112 lbs.) | . 9 | 00 |

Thomson's Special Chrysanthemum Manure

½cwt. (56 lbs.).....\$8 **oo**

Pulverized Sheep Manure Sheepshead Brand

A rich, pure, natural manure. Excellent as a top-dressing for lawns. Its effect is immediate and lasting. Apply at the rate of 1,500 pounds to the acre. It makes a rich and safe liquid manure—one pound to five gallons of water.

| I-lb. pkg\$0 15 | 100 lbs\$3 00 |
|-----------------|---------------|
| | ¼ton13 50 |
| | ½ton26 00 |
| 50 lbs 2 00 | Ton50 00 |

Nitro-Fertile

The odorless liquid fertilizer for use on vegetableand flower-garden, lawns, shrubbery, etc., to force growth.

| ½pt\$0 | 35 | Qt\$1 | 05 |
|--------|----|--------|----|
| Pt | 60 | ½gal 1 | 70 |
| Gal | | | 00 |

One gallon is sufficient for one season for the average garden or lawn allowing for three or four applications.

Pulverized Limestone

A product that has an exceedingly wide sale among intelligent agriculturists, with the best of results. As a crop-producer we hardly believe it has an equal. It is made from the purest crystalline white limestone obtainable, and analyzes about 97 per cent carbonate.

| Bag of 100 lbs\$1 | 50 | ½ton\$11 | 00 |
|-------------------|----|----------|----|
| Ton | | 20 | 00 |

Lawn (Evergreen) Lime The Grass and Garden Tonic

Will cure the acidity of the soil, renovate old lawns, and is a sanitary and healthful fertilizer.

50-lb. bags......\$1 oo | 25-lb. bags......\$0 60

Bone Fertilizers, Etc.

Prices subject to change

Pure Ground Bone Meal No. 1. Finely pulverized; excellent for rose-culture. It decomposes very rapidly, and is more quickly effective than the coarser grades. It is excellent for mixing with the soil for potting.

| 5 lbs\$0 50 | 100 lbs\$4 50 1/4ton20 00 |
|-------------|------------------------------|
| 10 lbs 80 | ½ton20 00 |
| 25 lbs 1 30 | ½ton38 00 |
| 50 lbs 2 40 | ½ton |

Ground Bone No. 2. Coarser than the above; for top-dressing for lawns, and for garden and field crops.

| 100 lbs | \$5 25 | ½ton\$41 50 |
|----------------|--------|----------------------------|
| ¼ton | 21 75 | Ton 81 00 |
| Ground Bone No | 3. A | little coarser than No. 2. |
| 100 lbs | \$5 00 | ½ton\$39 00 |
| ¼ton | 20 50 | Ton 76 00 |

Leaf-Mold. Indispensable for azaleas, rhododendrons, etc. Bbl. \$2.50.

Moss, Sphagnum. For filling orchid baskets, etc., and for mixing with potting soil to conserve moisture. In bales (35 to 40 lbs.) at 15 cts. per lb.

Peat, Orchid. For potting orchids, etc. Barrel, \$2.50.

Peat, Rotted. Fine for mixing with soil for potted plants such as azaleas, palms, etc. Barrel, \$2.50.

Other Fertilizers

Prices very variable, all subject to change without notice

| ACID PHOSPHATE. Sixteen per cent available phosphoric acid200-lb. bag \$4.00 | |
|--|----------------|
| TANKAGE (Blood and Bone Fertilizer) | Prices subject |
| IMPORTED SCOTCH SOOT | to change |
| NITRATE OF SODA | |
| | |

FARMOGERM. See page 58. Price, garden size, 50 cts.; 1-acre bottle, \$2; 5-acre bottle, \$8.

MULFORD CULTURES. See page 58. Price, garden size, 25 cts.; 1/4-acre size, 50 cts.; 1-acre size bottle, \$1.50; 5-acre size bottle, \$5.

MULFORD CULTURES greatly increase the yield of Alfalfa, Clover, Cowpeas, Soy Beans, Vetches, and other Legumes and these crops add humus and nitrogen to the soil, thus increasing the crops of Wheat, Cotton, Corn, and the like. Why waste time and labor in producing half a crop when Mulford Cultures will double the yield? See page 58 for full information.

Horticultural Implements and Garden Requisites


ALL NET CASH

POSTAGE, EXPRESS OR FREIGHT CHARGES TO BE PAID BY PURCHASER Prices not guaranteed, subject to change

holds

purpose


nized.



ASPARAGUS BUNCHER.

Acme. The most popular make. \$3.25.

ASPARAGUS KNIVES.





Granite State. 40 cts.



It's easy to

put on the

Bleaching tubes

ATOMIZER. Large, \$3.50. Small, \$3.

CORN with the Ball Lightning 25 cts.,(See, Celery Handler also, Grass

BLEACHER



point, 75 cts.; iron

point, 50 cts.

BALL LIGHTNING CELERY BLEACHERS. Used for bleaching celery without banking up with earth or boards. Great labor-saver.

> 100 6 x 12 in.....\$2 20 \$18 00 6½ x 13 in.... 2 50 21 00 7 x 14 in.... 2 80 24 00 Brass Celery handlers \$3.50 each.



BELLOWS. Woodason's Double - Cone, Powder. \$5.25.



Single-Cone, Large. \$3.50.



DANDELION PUL-LER. Hall's. 50 cts. each.

EDGING KNIVES. Grass, English.

| 8-in\$2 | |
|--------------------------|----|
| 9-in 2 | 75 |
| Io-in 3 | 00 |
| Without handle. | |
| Handles, 60 cts., extra. | |

FLOWER-POTS. See page 126.

JUMBO POWDER GUN. It is Digging or Spading.

inches in diameter, WSECT POWDER ounces of JUMBO powder, and serves its well. 40c.

BILL AND BRUSH HOOKS.

For heavy pruning. **English.** S-handle. \$2.75. American. Long handle. \$1.

BORDER SHEARS. See p. 124.

Worthing-

ton, No. 2.

Doz.

CARNATION SUP-PORTS. Made of wire, galva-100 2-Ring.\$0 75 \$5 00 3-Ring. I 00 5 50 KNIFE.

Ladies' Weeding. American short-handle.... Boy's Spading. 4-tine... FRUIT-PICKERS. **Perfect.** Galvanized steel wire,

attaches to pole of any length. Price, without pole, 60 cts. **Poles,** for above, 60 cts. each.

quality, spear point, diamond-back tines. Strapped handle,

3-tine..... 1 25

handle. 4-tine..... I 40

5-tine..... 2 00

Long or D.

4-tine.....

Hay. First-quality oval

tines. Extra-long strap-


ped handle. 2-tine.....

Manure, Long. Strapped

Manure, D-handle.

FUMIGATING LAMP.
"Defiance." For all vaporizing liquids. No glass. Burns kerosene. 60 cts.

FUMIGATOR, reka." For fumigating with tobacco Very best stems. quality, heavy gal-vanized tin.






40

GARDEN LINES. Finest Braided. 96 feet, \$1.

GARDEN REELS. For garden lines. Wrought-iron. Holds 100 feet, \$1; larger size, \$1.50.

GARDEN TOOLS for Ladies. Set of 3 pieces (spade, hoe and rake). \$1.75.




GLAZING POINTS, The Tiger. No. 2, 65 cts. per 1,000. No. 2½, 70 cts. per 1,000. Pincers, for above. 55 cts.

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES, continued

GLASS CUTTER, "Red Devil." Hand-honed wheels. Standard of the world. 10, 15 and 25 cts. each.

GLOVES, Gardeners', Goatskin. For men only. \$2. Pig-skin. \$1.50.

| GRAFTING WAX. | |
|-----------------|------------|
| grade. ¼lb. pkg | \$ 0 20 |
| ½-lb. pkg | 25 |
| 1-lb. pkg | 40 |



GRASS HOOK or Corn Knife, Crescent. Adjustable. 50c.

GRASS HOOKS (Sickle), English Riveted Back. Thin,

sharp blades. 65 cts. With Trowel Shank. handle is raised from the blade, making it possible to cut close without bruising the knuckles. 60 cts.


HOES, Garden. Draw, or Corn. 5-in. 70 cts., 6-in. 80 cts., 7-in. 90 cts.

English Scuffle, Finest quality steel. 5-in......\$1 15 6-in.... I 30 7-in..... I 40 8 in.... 1 50 9-in.... 1 65 Handles 60 cts. each extra.

Crescent Shape Scuffle Hoes.

Handled. 50 cts. each. Warren. Short handle. 45c. ea. Long handle. \$1. Used in drilling seed.





HOSE, Rubber. 3/4-in. Electric. In 25- and 50-ft. lengths, 23 cts. per ft.

Thorburn Standard.

X, 6-ply, 18 cts. per ft. XXX, 7-ply, 20 cts. per ft. Our hose is carefully selec-

ted, made of first-class material and coupled at both ends. In 25- or 50-ft. lengths.

HOSE END, No. 1. For connecting hose with ordinary faucets. 50 cts. each.

| HOSE | | | | | | | |
|-------|---|------|------|---|------|------|----|
| | | | | | | .\$o | |
| 3/4-i | n | | | | | | 35 |
| I-in | l | | | • | | • | 40 |

HOSE NOZZLES, Graduating Lawn Hose Nozzle. Will throw coarse or fine spray, or solid stream. 34-in. 75 cts. ea. **Boston Hose Nozzle.** For

3/4-in. hose. 80 cts.

Fountain Brass Hose Nozzle. 25 cts.

"Bordeaux" Spraying Nozzle. For 1/4-in. pipe. \$1.25.



Shower Spray Nozzle. A perfect spray nozzle made of brass; non-corrosive—will not clog. Has both fine and coarse sprays. \$1.35 each.



Stott Spray Nozzle. Gives an exceptionally fine spray. Impossible for it to get out of order. Single Spray, for 3/4-in. connection. \$1.75 each.

Double Spray. \$2.25 each. Vermorel Spray Nozzle. 85c

HOSE BANDS, for couplings. To fit $\frac{1}{2}$ -in. hose, 75c. per doz. To fit 3/4-in. hose, 85c. per doz. To fit 1-in. hose, \$2 per doz.

MENDERS, Cooper's. Brass; will not rust or wear. No fastening required. For hose with ½-in. bore, 10 cts. each, \$1 per doz.

For hose with 3/4-in. bore, 12 cts. each, \$1.25 per doz.

HOSE REELS, Tubular Iron. Never break or wear out. No. 10 will hold 100 ft. of 3/4-in. hose, \$5. No. 20 will hold 150 ft. of 3/4-in. hose, \$6. No. 30 will hold 500 ft. of 3/4-in. hose, \$9.

HOTBED SASH. Best quality. Packing at cost.

Unglazed. 3×6 ft. for 10×12 glass.

Glazed and Painted. 3 x 6 ft., 10 x 12 glass.

Glazed and Painted. 3×6 ft., 10 x 12 double thick glass. Prices on application



HOTBED MATS for Covering Sashes. Padded, stitched and hemmed. Size, 76 in. by 76 in.; one mat covers two sashes. \$4 each, \$42 per doz.

KNIVES, Saynor's Celebrated English. Best make.

No. 196. Buckhorn handle \$4 00 **No. 343.** Ivory handle... 3 00 No. 400. Ivory handle... 3 25 No. 401. Ivory handle... 3 00 No. 403. Ivory handle... 3 25 No. 80. Wood Handle Pruner, American. \$1.


H. B. Budders. 2 blades. \$1.50.

LABELS, Wooden, Pot and Garden.

100 Plain Painted 100 1,000 100 1,000 4-in...\$0 15 \$0 90 \$0 15 \$1 20 4½-in. 15 I oo 20 I 35 5-in... I 60 20 I 15 25 6-in... 25 I 45 30 I 90 8-in... 55 4 55 60 5 60 12-in... I 00 8 00 I IO 8 80 24-in... 2 50

Wooden, Notched Tree.

 $3\frac{1}{2}$ -in. copper wire 35 2 25 40 3 00 no wire. 35 3 00 45 3 30



Simplex Weatherproof Plant **Labels.** No. 1. 3½ x½ in. 25 cts. per doz., \$2 per 100. No. 2. 4 x 3/4 in. 50 cts. per doz., \$4 per 100.




MASTICA GLAZ-ING MA-CHINE. \$2.40.

MASTICA. For use in the above machine. Gal. \$2.40.

MOLE TRAPS, Olmsted's Improved. short trap, suitable for lawns or coldframes. Made from good quality steel. Practisteel. cally indestructible. \$1.50 ea.



HORTICULTURAL IM **EQUISITES**, continued



PENCILS. For writing garden labels. Black, 5 cts. each, 50 cts. per doz.

Wolf's Indelible. Imported from England. 15 cts. each, \$1.50 per doz.

ing dry powders. 75 cts.

PLANT DUS-TERS, Dickey Duster, for applying dry insecticides, 50 cts. B-D SIF-

for apply-



domestic animals. \$1 ea., \$9.50 per doz.

| PLANT STAKE | s. | Rou | nd. |
|---|---|---|------------------------------------|
| Painted Green | | | 00 |
| 2 ft | | | 50 |
| 3 ft | | 70 5 | 50 |
| 4 ft | τć | 00 7 | 50 |
| 5 ft | | | 00 |
| 5 ft., ex. heavy. | | | 00 |
| 6 ft., ex. heavy. | | | 00 |
| Heavy Square | | | |
| Painted Green. | | | |
| 2 ft | | | 25 |
| 3 ft | | | 00 |
| 4 ft | 1 2 | 25 8 | 50 |
| 5 ft., ex. heavy. | 2 2 | 2 5 16 | oo |
| | | | 00 |
| o it., ex. neavy. | 2 : | 0 10 | 00 |
| 6 ft., ex. heavy. Dahlia Poles, Pai | | | |
| Dahlia Poles, Pai White Tops. | nte | d Gre | en, |
| Dahlia Poles, Pai White Tops. | nte Doz | d Gre | en, |
| Dahlia Poles, Pai White Tops. 2 ft | nte Doz \$0 7 | d Gre | en, 00 50 |
| Dahlia Poles, Pai White Tops. 2 ft | Doz \$0 7 | d Gre 70 \$4 90 6 | en, 00 50 50 |
| Dahlia Poles, Pai White Tops. 2 ft. 3 ft. 4 ft. 5 ft. | Doz Doz \$0 7 I 2 I 5 | d Gre 70 \$4 90 6 80 9 50 11 | en, 50 50 00 |
| Dahlia Poles, Pai White Tops. 2 ft. 5 2 ft. 5 5 3 ft. 6 ft. 6 | Doz Doz O 7 I 2 I 3 I 8 | d Gre 50 \$4 90 6 80 9 50 11 80 13 | en, 50 50 00 00 |
| Dahlia Poles, Pai White Tops. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft. Plant Stakes, | Doz Doz BO 7 I 2 I 3 I 3 Gal | d Gre 5. 1. 70 \$4,00 6 80 9 50 11 80 13 | en, 50 50 00 00 |
| Dahlia Poles, Pai White Tops. 2 ft. 5 2 ft. 5 5 3 ft. 6 ft. 6 | Doz Doz I Z I S Gal | d Gre 20 \$4 90 6 20 9 50 11 30 13 vaniz | en, 50 50 00 00 00 |
| Dahlia Poles, Pai White Tops. 2 ft | Doz | d Gre . 1. 70 \$4 90 6 80 9 50 11 80 13 1vaniz | en, 50 50 00 00 00 2ed |
| Dahlia Poles, Pai White Tops. 2 ft | Doz O 7 I 2 I 3 I 3 Gal S, et | d Gre 5. 1. 50 \$4,00 6 60 9 60 11 80 13 1vaniz tc. 5. \$1 | en, 50 50 00 00 00 ed |
| Dahlia Poles, Pai White Tops. 2 ft. 3 ft. 3 ft. 4 ft. 5 ft. 6 ft. Plant Stakes, Wire, for Roses 2 ft. 3 ft. 3 ft. 3 ft. | nte Doz O 7 I 2 I 5 Gal S, et Doz \$ 0 2 | d Gre 5. 1. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. | en, 50 50 00 00 00 2ed |
| Dahlia Poles, Pai White Tops. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft. 6 ft. Plant Stakes, Wire, for Roses 2 ft. 3 ft. 4 ft. 4 ft. | Doz 50 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | d Gre 5. 1. 70 \$4, 90 6 90 9 60 11 80 13 1vaniz tc. 5. \$1 65 2 45 2 | en, 50 50 00 00 00 2ed |
| Dahlia Poles, Pai White Tops. 2 ft. 3 ft. 3 ft. 4 ft. 5 ft. 6 ft. Plant Stakes, Wire, for Roses 2 ft. 3 ft. 3 ft. 3 ft. | Doz 50 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | d Gre 2. 1. 20 \$4, 20 6 20 9 30 11 30 13 30 13 40 12 40 2 50 2 | en, 50 50 00 00 00 2ed 50 00 50 75 |

100 only. 6 ft., \$1.75.

| OF IMPLEMENTS AND |
|---|
| PLEMENTS AND GARDEN RI |
| PRUNERS. |
| Waters' Long-handled Tree. 4 ft\$0 75 8 ft\$1 65 6 ft 1 50 10 ft 1 75 12 ft 1 85 Extra Blades 25 |
| |
| |
| PRUNING KNIFE, Kansas. Automatic, strong, durable and a good time-saver. Has compound leverage, which greatly increases the power. \$2.50 each. |
| PUTTY FOR GLAZING. Twemlow's Old English. Can |
| be used with machine or bulb. \$2 per gal. 5- and 10-gal. buckets. |



RAFFIA, very best brand for tying. Lb. 50 cts., 5 lbs. 45 cts. per lb., 10 lbs. 40 cts. per lb.




| 100000 | | |
|--------------------------|----|------------|
| RAKES, English or Daisy. | | |
| 16 teeth | 53 | 00 |
| 18-teeth | 3 | 25 |
| 20 teeth | 3 | 50 |
| Hay Rake, 3-bow. Wood. | J | 85 |
| The "Lawn" King Rake. | | |
| Wood. Teeth very close. | | |
| Will not tear sod. | | |
| 24-tooth size | | 50 |
| 38-tooth size | | 60 |
| Automatic Self-Clean- | | 00 |
| ing Lawn Rake. Back- | | |
| ward motion clears the | | |
| | | |
| teeth Steel Garden Rake. | | 75 |
| | _ | - - |
| 10-teeth \$1 00 14-teeth | | 15 |
| 12-teeth 1 05 16-teeth | | 25 |
| 18-teeth | Ι | 45 |
| Wire Lawn Rakes. Will | | |
| not scratch the lawn. | | |
| With handle | | 90 |
| Wooden Lawn Rake. 3- | | |
| bow | | 90 |
| G. | | |
| | | |




SAWS. Little Giant Saw and Pruner, Combined. The knife is operated with a cord, and is thrown back automatically with a spring. Without pole, \$2.65.

| Narrow blade; gets among close branches; upper edge smooth, does not cut the upper limb. 16-in |
|---|
| 18-in. I 20 20-in. I 30 |
| Adjustable - Blade Pruning. Can be adjusted and used at any angle; cuts cleanly and rapidly; light and strong. \$2. |





saucers, Flower-Pot, Indurated Wood-Fiber. Light and durable. Not porous; Light will protect tables on which plants stand. Each Doz. 6-in.....\$0 40 \$4 25 4 80 8-in.... 45 5 50 6 60 10-in..... 50 12-in..... 60 8 50 14-in..... 75



SEEDERS, Cahoon. With practically a minimum of labor will sow all kinds of grass and grain seeds. Will throw heavy seeds 20 feet each side of operator. \$4.50 each.

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES, continued




SEEDER, Little Giant No. 3. A smoothrunning, well-made, machine. \$1.75

| SCYTHES. |
|-------------------------------|
| English Lawn, Riveted Back. |
| Light and thin, broad blades. |
| 30-in |
| 32-in 3 50 |
| 34-in 3 75 |

SCYTHE-SNATH, or Handle. Patent Loop Heel. \$1 50

SCYTHE STONE. Norton's Emery. 15 cts. each.



SCISSORS, Grape-Thinning, **English.** 8-in\$1 75

Flower-gathering. Will cut and hold the flower. 8in., \$2.50.



SHEARS. Pruning, Imported Watch-




| Wiss Solid Steel Prun- | | |
|---------------------------|---|----|
| ing. Best American | | |
| shear. Detachable | | |
| blades. 9-in | | |
| IO-in | 3 | 75 |
| Swedish Pruning. No. | | |
| 538 | 2 | 25 |
| American, Japanned | | · |
| Handle | | 75 |
| Ladies'. Nickel - plated. | | |
| Pruning | I | 25 |
| A | | |




English Hedge. Plain Notch 8-in..........\$3 oo \$3 50 4 00 9-in..... 3 50 10-in..... 4 00 4 75



Grass "Trowel-Shank." American, full-polished, excellent Trowel-like handles keep your knuckles out of the dirt. 95 cts. each.







English Lopping. For lopping off limbs and branches of trees, not over 11/4 inches in

| No. 3\$6 | 75 |
|-------------------------|----|
| No. 4 7 | |
| Double Cut Tree Trim- | |
| mer (Swedish). 23-in. 2 | 25 |
| 30-in 2 | 75 |



SHOVELS, Square Point.

No. 2. Regulation long or D-handle......\$1 60 Ames No. 2. Long or D-handle..... 1 85 Boy's. D-handle..... I 25



Round Point.

No. 2. Long or Dhandle............\$1 60 Ames No. 2. Long or D-handle..... 1 85



SPADES, Square Point No. 2. Regulation long or D-

handle......\$1 60 Ames No. 2. Long or Dhandle..... I 85 Boy's Spade. D-handle. I 50



SCOOP, Vegetable. The best shovel for handling potatoes, apples, etc. Will not cut; dirt sifts out. Light weight. \$2.75.

SPRAY PUMPS. See pp. 126-127.




SPRINKLERS, Rubber Plant. With large opening in neck; fills quickly; made of best white rubber.




| WIIICC TUDDCI: | |
|------------------------|----|
| Straightneck. 6 ozs\$0 | 80 |
| IO ozs I | IO |
| Angleneck. 6 ozs | 90 |
| IO ozs I | 25 |

Peck's Im-≈ proved Lawn Sprinkler. May be attached to the hose and placed anywhere on the Stands 4 lawn. feet high and distributes water over an area from 60 to 100 feet. 4-arm, \$4.50 each; 8-arm, \$5.25 each.



Water Witch No. 4. Similar to No. 3, but having a stand instead of spike for holding it upright. \$1.20.



Ring Sprinkler. Has no revolving parts. The simplest Lawn Sprinkler. Made of good-quality brass. \$1 each.

Hotchkiss Lawn Sprinkler The most popular No. 55. 3-arm Sprinkler on the market; made of brass, nickel-plated with malle-

able iron runners. Will cover an area 30 feet in diameter. \$1.75.



HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES, continued



SPRINKLERS, Hotchkiss Lawn, No. 65. This combina-tion Sprinkler and fountain is beautiful as well as useful. Brass and nickel-

plated, with malleable iron runners. Will cover an area 40 feet in diameter. \$2.75 each.

Shower Sprinkler. Mountedon holder for sprinkling lawnsorcan be attached directly to garden hose for washing



sidewalks, etc. Cannot clog or get out of order; will not rust. Standard 3/4-inch hose connection. 10 inches high. Holder and nozzle complete. \$3.

SYRINGES. See page 126.



TROWELS, Solid Steel. Cheapest trowel in the long run; light, strong, durable, and perfect "hang;" handle cannot come off.

| 5-in. | blade | | | | | .\$o | 60 |
|-------|-------|--|--|--|---|------|----|
| | blade | | | | | | |
| 7-in. | blade | | | | | | 70 |
| | | | | | _ | | - |

Transplanting. A perfect trowel for transplanting and putting in bulbs; solid steel. 6-in.....\$0 20 7-in....



White Enameled Wood Plate, Nickel Trimmings. No. 110, 7 ½-in.... No. 50 No. 111, 9½in..... I 00

Self-Registering, Polished Back. indoor use; will register extremes of heat and cold; made of hardwood. A magnet is used to draw back the indicating points. 12-in,..... 2 50



THERMOMETERS, Self-Registering, The panned Case. same as preceding with tin case for outside use. Enameled case and porcelain scale. 12-in....\$6 50



Japanned Tin Case. A cheap thermometer for greenhouse use; all metal. 10-in..... 60

Mercury Bath or Hotbed. New. Quick-acting; all of metal. Cannot rust or break..... 2 25


Hotbed and Mushroom Bed. Brass-tipped point incloses the temperature bulb; it is simply thrust into the soil or bed. Best grade (made of boxwood)..... 2 25



TOMATO SUPPORTS, Wood. 36 inches high, 16 inches wide. Solidly made of clear, straight wood. Can be taken apart and stored when not in use. Will last for years. 30 cts.

each, \$3 per doz.

TORCH, Asbestos. Very useful and simple. The only sure way to get rid of caterpillar nests on trees. Large size 50 cts. each.



BRUSH, Wire. For older trees; can be used with long handle. Complete, \$2.25.

TREE SCRAPER. For scraping diseased bark from trees, removing insect eggs, etc. 75 cts. each.

TREE-TUBS, New York Style. Made of cedar timber, painted green.



| | O | | |
|----------------|---------------------|----------|------|
| No. | Diam. | Height | Each |
| I | 12 in. | 105/8 in | |
| 2 | 13 in. | 123/4 in | |
| 3 | 14½ in. | 143/4 in | |
| $3\frac{1}{2}$ | $16\frac{1}{2}$ in. | 153/4 in | 4 55 |
| 4 | 19½ in. | 165/8 in | 4 90 |
| 5 | 22½ in. | 18½ in | 6 40 |
| | | | · · |

TWINE, Green Smilax. In balls 18 cts. each; box of 8 balls, \$1.30.

Florists' Linen (Silkaline), Green or Gray.

18 cts. per spool; box of I doz. spools, \$1.75.


VASES, Flower. Indurated wood fiber; for cut flowers.

Diam. Depth In. Each
6. ...\$1 10 \$11 50 In. 4 3 41/2 2 9..... I 35 I4 00 10.... 1 50 16 00 13.... 1 85 20 00 I For receptacles for holding above, see Saucers, page 123

WATERING-POT.

French Model. Long spout, with brass joints, fitted with coarse and fine nozzles. Made of heavy galvanized iron reinforced with steel rim.

6-qt.. \$3 75 8-qt.. 4 25 10-qt.. 4 50 12-qt.. 5 00



Postage, Express or Freight Charges to be paid by Purchaser.

HORTICULTURAL IMPLEMENTS AND CARDEN REQUISITES, continued



WHEELBARROW, Thorburn's Garden. None better made. Iron braced and bolted. Steel or wood wheel. No. 3 made with steel wheel only.

No. 3, Small \$5 75 No. 4, Medium 6 50 No. 5, Large 7 00

Chisel blade; trigger holds weeds so they can be pulled out. 85 cts. each.


Excelsior Finger. Useful for loosening and pulverizing the soil. 15 cts. each.

Lang's Hand. A strap over the finger keeps the tool in the hand while operator's fingers are left free. 20 cts. each, \$2.25 per doz.

Eureka Hand. The prongs of solid forged steel are thin and long; fine for loosening soil. Short handle. 50 cts each.




Fingers of tempered steel. The hoe is useful in loosening hard ground. 45 cts. each.



Norcross Adjustable Cultivator. Made

of first class material, teeth forged from solid steel. Can be entirely taken apart, every piece being detachable. Works between the rows, or center tooth can be removed to straddle row.

| 3-prong | | | | | | | | \$1 | 00 |
|---------|---|---|---|--|--|--|--|-----|----|
| 5-prong | • | • | • | | | | | 1 | 25 |



WEEDERS, Pull Easy Cultiva- tor. A very handy implement.
5-prong, adjustable, \$1.25.

Flower Pots

Prices subject to change without notice



Best made. Of sizes 2½ to 8 inches we do not sell less than 100; of larger sizes not less than a dozen. We pack carefully in the best manner, but will not be responsible for breakage in transit. Packing and

| | Doz. | |
|-----------------------------|------|--|
| 12-in15 00 9 | 8 00 | |
| 10-in\$7 00 5 | 0 00 | |
| | 4 00 | |
| 7-in I | 6 50 | |
| | 0 50 | |
| | 6 75 | |
| | 3 75 | |
| 3-in | 2 50 | |
| | 2 40 | |
| crating extra at cost. Doz. | 100 | |

NEPONSET WATERPROOF PAPER FLOWER POTS.

| | Doz. | | 1,000 |
|--------|---------|---------------|--------------|
| 2 ½-in | .\$o IO | \$0 60 | \$3 60 |
| 3-in | | 75 | 5 20 |
| 3½-in | . 20 | I 25 | 7 10 |
| 4-in | . 25 | I 40 | 8 60 |
| 5-in | . 30 | 1 6o | 14 60 |
| 6-in | . 50 | 2 25 | 19 25 |



SPRAY PUMP, BUCKET, continued

sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 90 cts. extra. This pump is also valuable for washing windows. \$4.75.

Syringes

No. A. One spray rose and one jet. Length of barrel, 12 inches; diameter, 1 inch. \$2.75 each.



No. G. One spray rose and one stream jet, side attachment and elbow-joint for sprinkling under foliage. Length of barrel 16 inches; diameter, 1½ inches. \$5.25 each.



No. H. Sheet brass with fixed spray rose; length of barrel 16 inches, diameter, 1½ inches. \$3.25 each.



No. 2. One coarse and one fine spray rose, and one jet, side attachment. \$4.75 each.




No. 3. Large size. Has one stream and two spray roses, with side pieces on barrel. Length of barrel, 18 inches; diameter, 1½ inches. \$7 each.

No. 6. Large size. Has one spray rose and gooseneck angle joint, turning in all directions for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length of barrel, 18 inches; diameter, 1½ inches. \$8.50 each.

TARRED FELT DISKS STER-LINGWORTH. For protecting cabbage and cauliflower plants, when first set out, against the root maggot; fits around the stems of the plants. 50 cts. per 100, \$2.50 per 1,000.


Postage, Express or Freight Charges to be paid by Purchaser. Prices not guaranteed, subject to change

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES, continued



Easily operated, requiring half the labor of ordinary sprayers.

Galvanized Tank.....\$1 25 Brass Tank..... 2 00



Auto Sprayer

Operates continuously on both the up and down

Vaporizing Spray Pump, Hand

A very useful Sprayer for a small garden. Simple and effective; no valves to get out of order. Made of tin. 50 cts. each.

> "Pomona" Spray Pump

Of large capacity and exceptionally powerful. It is easily operated by one person when necessary, but is especially built for spraying with two leads of hose. The airchamber is rather large, and enough air is stored up for a continuous spray for some time. Plunger, valves and all working parts are made of very good quality brass. It can be quickly inserted or removed from the barrel. Its paddle agi-

tator is far superior to the old return-discharge Adjustable to different-sized method of stirring.

barrels. Pump only, with agitator, \$23.50.

Outfit C. Pump, Agitator, 15 feet of Discharge Hose and Spray Nozzle, \$30; fitted to Barrel, \$35. Outfit D. Pump, Agitator, two leads of Discharge Hose and two Spray Nozzles, \$34.50; fitted to Barrel, \$40.50.

"Fruitall" Spray Pump

Same as Pomona, but smaller. Pump with Agitator and one lead of 15 feet of 3/8-in. Discharge Hose, with Spray Nozzle, \$20; fitted to Barrel, \$25.

Prices subject to change

Knapsack Spray Pump

FOR VINEYARD, ORCHARD AND FIELD SERVICE TO BE CARRIED ON BACK

Made entirely of brass and copper, with ball valves and metal plunger all easily accessible. Capacity about 5 gallons.

Galvanized, \$23; Copper, \$28.

Compressed-Air Spray Pump


A self-operating Sprayer of simple construction, durable, easy to carry and to work. Made of galvanized iron or solid brass, with 4-ply rubber hose. For spraying trees, cleaning windows, etc. A perfect pump.

With Brass Tank, Auto-Pop Nozzle, Hose and Fit-

tings, \$11. With Galvanized Iron Tank, Auto-Pop Nozzle, Hose and Fittings, \$8.

Brass Extension Pipes, 2

feet long, 70 cts. Auto-Pop Nozzle, if sold alone, \$2.





Bottle Sprayer

A small, nickel-plated syringe or sprayer, to be placed in a bottle; used for spraying with any kind of fumigating liquid or insecticide, \$1.35.

Water-Barrel, Truck and Barrel

CAN BE MADE INTO SPRINKLER, LEAF-RACK AND HAND-CART

The barrel is easily disconnected from the truck, either while full or empty. The following extra attachments can be furnished if required: (1) Box with trunnions and spring catch, forming a dump-(2) Sprinkler for watering walks ing hand-cart. and lawns. (3) Leaf-rack.

Prices on application







Used as a Leaf-Rack

Truck, and Barrel, Wooden Wheels, 3-in. Tires. Truck and Barrel, Steel Wheels, 3-in. Tires.

Sprinkler Attachment, extra.

Hand-Cart Box, extra.

Leaf-Rack, extra.

Extra Trunnions, per pair.

Truck and Trunnions, Wooden Wheels, without

Truck and Trunnions, Steel Wheels, without Barrel.

HORTICULTURAL IMPLEMENTS AND CARDEN REQUISITES, continued

The Thorburn Century Ball-Bearing Lawn Mower

Thorburn's Century Ball-Bearing Lawn

Mower is a marvel of simplicity, as one screw adjusts both bearings. It has a simple, self-adjusting device, which keeps the bearings properly adjusted for a long time, and a double interchangeable ratchet. By shifting handle bails from the front to the rear lugs on the side frame, the Mower can be made to cut terraces and steep banks.

While cheaper Mowers are sold everywhere, they will be found far dearer in the end. It pays to get a good Mower.

| | Net Prices | Eac | h |
|--------|------------|-------|----|
| 14-in. | cut | .\$14 | 50 |
| 16-in. | cut | . 15 | 50 |
| 18-in. | cut | . 16 | 50 |
| 20-in. | cut | . 18 | 00 |

Lawn Trimmer

8-in.....\$8 oo

All prices subject to change without notice


Net prices


12-in. cut .\$15 00

14-in. cut . 17 00 16-in. cut . 19 00 18-in. cut . 21 00

The Best for Putting-Greens


4 blades





Chain Roller or Golf Mower

This Mower is made to meet the demand for a machine that will more perfectly cut borders, verges, etc., and yet retain all the other features necessary in a Mower for general work. Its great advantage is the substitution of a bicycle chain for the gears generally used in this style of Mower. This reduces the friction to a minimum. The machine is highly recommended for work on putting-greens.



Grass-Catcher


| 12-in. cut\$2 | 00 | 18-in. cut\$2 | 75 |
|---------------|----|---------------|----|
| | | 20-in. cut 3 | 00 |
| 16-in. cut 2 | 50 | | |

Improved Horse Lawn Mower

This well-known standard Mower has side-draft attachment, to enable the horse to walk on the cut grass only, and caster-rollers which will not mark the lawn. Evenness of cut is assured by an adjustment which raises or lowers the two sides at the same time by means of a simple lever movement; the same lever serves the purpose of raising the knives from the ground when driving over gravel walks or roads.

Net Prices, free on board, New York

| 25-in. cut, no shafts, 4 blades\$59 oo | 35-in. cut, complete, 4 blades\$108 00 |
|--|--|
| | 40-in. cut, complete, 4 blades 136 00 |



Coldwell's Combination Roller and Motor Lawn Mower

This machine cuts a swath 30 and 35 inches wide, is equipped with a two-horse power motor capable of propelling the mower through almost any height of lawn grass, and up steep grades. Price on application.

The "Velvetlawn" Grass Seeder

18 inches wide

The use of a machine in the seeding of new lawns or grass plots, the re-seeding of old lawns, the drilling of grass seeds into putting-greens, and the renewing of grass plots every month or so has proved a decided success wherever it has been tried. The machine to do this work is the "Velvetlawn" Grass Seeder. Price \$25 net cash, subject to change.

HORTICULTURAL IMPLEMENTS AND CARDEN REQUISITES, continued

Horse Boots

Prevent cutting up of the turf

Made to order only of very strong, heavy leather, closely riveted. Present price per set of four, \$14; subject to change.

Water-Ballast Roller

Roller-Bearing. Can be filled without turning on end, with either water or sand. (Patented) Suitable for Lawns, Tennis-Courts and Putting-Greens; seams are electric welded, not riveted

One- or two-section "Water Weight" Rollers without counter-balancing handle-weights.

| | Diam. | Length | Sec- | Weight empty | Weight filled with | Weight filled with | |
|-----|-------|---------|--------------|-----------------|--------------------|-----------------------|---------|
| No. | in. | in. | tions | lbs. | water, 1bs. | sand, 50% heavier | Price |
| WB3 | 14 | 20 | I | 60 | I 75 | | \$13 00 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | If hand | le-weight is | s desired a | dd \$1.50 to abo | ove prices | |

The Makegood Garden Plow Haywood No. 1

A Single-Wheel Cultivator, Plow, Rake and Hoe, \$5 complete

Tools



Illustrated catalogue describing fully many other "Planet Jr." tools mailed on application. Prices are quoted net f.o.b. New York.

"Planet Jr." No. 16.

Single-Wheel Hoe, Cultivator, Rake and Plow

This Single-Wheel hoe has a very full set of tools, several of them being of new design, such as have been found to work in the very best manner. It has II-inch wheel, with broad face; is very light, strong and easy running. It has adjustable handles and quick-change frame.

Equipment: Two 6-inch Hoes, 3 Cultivator Teeth, 1 7-inch Rake, 1 4-inch Rake, 1 Large Garden Plow, 1 Leaf-Guard. Weight, 27 lbs. Price \$10.50.

"Planet Jr." No. 17. Single-Wheel Hoe

This Wheel-Hoe is equipped with 2 6-inch Hoes, 3 Steel Cultivator Teeth, 1 Leaf-Lifter. Weight, 22 lbs. Price \$8.75

| The ψ_0 , γ_0 . |
|--|
| "Planet Jr." No. 3. Hill and Drill Seeder. Efficient hill-dropping outfit. Complete\$18 50 |
| "Planet Jr." No. 4. Seeder, Wheel Hoe, Cultivator and Plow. Complete |
| "Planet Jr." No. 11. Double-Wheel Hoe, Cultivator and Plow. Invaluable for use on all |
| small crops 16 00 |
| "Planet Jr." No. 12. Double-Wheel Hoe, Cultivator and Plow. Identical with No. 11, except |
| fewer attachments |
| "Planet Jr." No. 13. Double-Wheel Hoe. Same as No. 12, but Hoe only 9 00 |
| "Planet Jr." No. 18. Single-Wheel Hoe. Equipped with Hoes only |
| "Planet Jr." No. 25. Combined Hill and Drill Seeder, Double-Wheel Hoe, Cultivator and |
| Plow. Large enough for field use |
| "Planet Jr." No. 31. Combined Drill Seeder and Single-Wheel Hoe. Complete |
| "Planet Jr." No. 33. Single-Wheel Hoe (without seeder) |



A Section of Our Trial-Grounds

INDEX

| Page | PAGE | PAGE | Pag |
|----------------------|-------------------------|-----------------------|--------------------------|
| Abies59 | Antigonon71 | Bean, Velvet56 | Calampelis |
| Abronia | Antirrhinum 7, 102, 103 | Bear's Breech69 | Calandrinia7 |
| Abutilon69 | Apple, Balsam90 | Beech61 | Calceolaria |
| Acacia69 | Apricot Pits61 | Beet13 | Calendula |
| Acanthus60 | Aquilegia71 | Beggarweed56 | Calla11 |
| Acer60 | Arabis71 | Begonia72, 117 | Calliopsis7, 73 , 74 |
| Achillea69 | Araliaóo | Bellflower74, 97 | Calycanthus6 |
| Aconitum69 | Arborvitæ60 | Bellis80 | Camellia6 |
| Acroclinium69 | Arbutus59 | Benincasa72 | Campanula7 |
| Adam's Needle60, 107 | Arctostaphylos59 | Berberis60 | Campion, Rose7 |
| Adlumia69 | Arctotis71 | Berseem54 | Canary-Bird Flower7. |
| Adonis | Argemone72 | Bidens72 | Candytuft74, 7 |
| Agapanthus69 | Aristolochia60, 72 | Bird Seed44 | Canna |
| Agathæa70 | Artichoke9, 44 | Bitternut60 | Canterbury Bells7 |
| Ageratum70 | Asclepias72 | Bittersweet60 | Cantaloup 28, 29 |
| Agrostemma70 | Ash61 | Blanket Flower83 | Caper Tree50 |
| Alfalfa54 | Asimina60 | Blue Bonnet102 | Cardinal Climber8 |
| Allegheny Vine69 | Asparagus9, 10, 44, 72 | Blue Bottle77 | Cardinal Flower8 |
| Allspice, Carolina60 | Asperula72 | Bocconia72 | Cardiospermum7 |
| Alonsoa70 | Aster7, 64, 65, 104 | Bokhara54 | Cardoon |
| Alsike54 | Aubrietia72 | Books45, 46 | Carnation |
| Alstrœmeria70 | Auricula72 | Borage14 | Carpinus6 |
| Althæa85, 86 | | Borecole24 | CarrotI |
| Alyssum70 | Baby's Breath85 | Box59 | Carya60 |
| Amaranth, Globe84 | Bachelor's Button76, 77 | Brachycome73 | Cassia |
| Amaranthus71 | Balloon Vine | Broccoli14 | Castanea60 |
| Amaryllis117 | Balm81 | Broom Corn56 | Castor-Oil Plant 100 |
| Amethyst73 | Balsam72 | Broom, Dyer's61 | Catalpa60 |
| Ammobium71 | Baptisia72 | Browallia73 | Catchfly102 |
| Ampelopsis60 | Barberry61 | Brussels Sprouts6, 14 | Cauliflower 6, 14, 15 |
| Anagallis71 | Barley55 | Buckwheat55 | Cedar59 |
| Anchusa71 | Bartonia72 | Buxus59 | Cedrus59 |
| Anemone | Bean, Hyacinth81 | | Celastrus60 |
| Angelica Tree60 | Beans6, 10–12, | Cabbage6, 15–17 | Celeriac |
| Animated Oats108 | Bean, Castor57 | Cacalia73 | Celery |
| Anthemis71 | Bean, Soja56 | Cactus | Celosia75, 76 |
| | | | |

INDEX, continued

| FAGE | FAGE | PAGE | PAGI |
|---|--|--|---|
| Centaurea76, 77 | Datura80 | Gaillardia83 | Incarvillea86 |
| | | C-1 | I. J Cl |
| Centauridium87 | Deciduous Tree and | Galega83 | Indian Shot75 |
| Centranthus77 | Shrub Seeds60, 61 | Galtonia117 | Indigo, False7 |
| | | | |
| Cerastium77 | Delphinium7, 80, 81 | Gas Plant81 | Ionopsidium86 |
| Cereals55 | Dhoura58 | Gaura83 | Ipomœa86, 8 |
| | | | |
| Cheiranthus106 | Diamond Flower86 | Genista61, 84 | Ipomopsis8 |
| Chelone | Dianthus | Gentiana84 | Insecticides and |
| | | | |
| Cherry61 | 75, 96, 97, 104, 105 | Gentian, Blue84 | Remedies for Plant |
| | | | |
| Cherry, Indian61 | Dictamnus81 | Geranium84 | Diseases117-11 |
| Cherry, Jerusalem 103 | Digitalis83 | Gerbera84 | Iris87, II |
| | | | |
| Chervil | Dimorphotheca81 | Geum84 | Iron Bush, Australian6 |
| | | | |
| Chestnut60 | Dockmackie61 | Gilia84 | Ivy8 |
| Chicory 20, 22, 23, 44 | Dogwood60 | Gladioli | |
| | | | |
| Chinese Bellflower . 69, 97 | Dolichos81 | Glaucium84 | Jacobæa8 |
| Chionanthus60 | Downingia78 | Globe Flower105 | |
| | Downingia | | Jacob's Ladder8 |
| Chive44 | Dracæna81 | Cloxinia84 | Japanese Morning- |
| | | | Japanese worming- |
| Chrysanthemum.7, 77, 78 | Dracocephalum81 | Godetia84 | Glory7 |
| Cigar Plant79 | Dusty Miller78 | Golden Bells, California | I-1 C |
| | | | Johnson Grass5 |
| Cineraria78 | Dutchman's Pipe60, 72 | 82 | Joseph's Coat7 |
| Cinnamon Vine117 | • | Golden Feather100 | |
| Cimiamon vine | | | Job's Tears |
| Clarkia | | Gomphrena84 | |
| | Echeveria81 | | Juglans6 |
| Clary78 | | Good Night86 | Juniperus5 |
| Clematis78 | Echinocystis82 | Gooseberry61 | |
| | Echinops82 | | Jute5 |
| Cleome78 | | Gorse61 | , |
| | Eggplant23 | | |
| Clianthus78 | | Gourd 79, 84, 85, 105 | Kale2 |
| Clintonia78 | Elder61 | Grape61 | Kale2 |
| | Emmenanthe82 | | Kalmia6 |
| Cloud Grass108 | | Grasses, Ornamental18 | TZ = -1f ' |
| | Emmer57 | | Kaulfussia8 |
| Clovers54 | Endive22, 23 | Grass Seed 47–53 | Kochia8 |
| Cobæa79 | | Creat Reed Grass108 | 1x0Cma |
| | Enkianthus82 | | Kohlrabi2 |
| Cockscomb75, 76 | | Grevillea85 | |
| Coleus79 | Erica82 | Gum60, 61 | Kudzu Vine8 |
| | Erodium82 | | |
| Collards21 | | Gumbo30 | |
| | Eryngium82 | | Lady's Eardrops8 |
| Collections of Flower | | Gunnera85 | Lady S Eardrops |
| Seeds62 | Erysimum82 | Gypsophila85 | Lady's Slipper7 |
| | Eschscholtzia7, 82 | Gypsopinia | Lamb's Ears |
| Collections of Vegetable | | | |
| Seeds4, 5 | Esculent Plants and | | Lantana8 |
| | Roots44 | Halesia61 | Tt D1t |
| Collinsia | | | Lantern Plant9 |
| | Esparsette57 | Hare's Tail Grass108 | Larch6 |
| Collomia79 | | Haw, Black61 | |
| Columbine71 | Eternal Flowers85 | Traw, Diack | Larix6 |
| Columbine | Eucalyptus60, 61 | Heartsease93, 94 | |
| Commelina79 | | II and h | Larkspur80, 8 |
| Coneflower | Eucharidium82 | Heath82 | Lathyrus8 |
| | Eupatorium82 | Hedge Plant Seeds61 | T |
| Convolvulus79 | Eupatomum | | Lavatera8 |
| | Euphorbia82 | Hedysarum85 | Lavender, Sea10 |
| Coreopsis74 | Est-se 92 | Helenium85 | |
| Corn, Field55 | Eutoca82 | 1161611111111 | Lawn Grass Seed 47, 4 |
| | Evening Glory86 | Helianthus104 | |
| Cornflower77 | Evening Glory | II - 1: -1 0 - | Layia8 |
| Cornflower Aster104 | Evergreen Tree and | Helichrysum85 | Leek2 |
| | Shrub Seeds59, 60 | Heliopsis85 | T . '1 |
| Corn, Jerusalem58 | | | Lentils5 |
| | Exochorda61 | Heliotrope85 | Leptosiphon8 |
| Corn, Kaffir58 | | Holiotropium &r | |
| Corn Salad21 | | Heliotropium85 | Leptosyne8 |
| | - | Helleborus85 | |
| Corn, Sweet6, 19, 20 | Fagus61 | | Lettuce6, 25–2 |
| | | Hemerocallis117 | Libocedrus5 |
| Cornus60 | Farmogerm58 | Hemlock, Cal59 | |
| Cosmos | Feather Grass108 | | Ligustrum 6 |
| | | Hemlock Spruce59 | Lilies.69, 70, 114, 115, 11 |
| Cotton57 | Fennel23 | Hemp44 | Lines.09, 70, 114, 115, 11 |
| Cowpeas57 | Fenzlia82 | 11cmp44 | Lilium114, 11 |
| | | Herbs43 | Tilry of the Wellers TT |
| Cowslip79 | Ferns82 | Hoggaria Too | Lily-of-the-Valley 11 |
| Cratægus | Fertilizers119, 120 | Hesperis100 | Lily-of-the-Nile11 |
| | | Heuchera85 | |
| Cress | Feterita57 | | Limnanthes8 |
| | | | |
| Trees Rock | Fetticus 37 | Hibiscus61, 85 | Linaria 8 |
| Cress, Rock71 | Fetticus21 | | Linaria8 |
| | | Hickory, Shellbark60 | Linaria8 Linum8 |
| Crinums | Feverfew89 | | Linum8 |
| Crinums | Feverfew89 Fir59 | Hickory, Shellbark60 Hippeastrum117 | Linum8 Liriodendron6 |
| Crinums | Feverfew89 Fir59 | Hickory, Shellbark60 Hippeastrum117 Holly61 | Linum |
| Crinums | Feverfew | Hickory, Shellbark60 Hippeastrum117 Holly61 | Linum |
| Crinums | Feverfew | Hickory, Shellbark60 Hippeastrum117 Holly61 Hollyhocks85, 86 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 | Hickory, Shellbark .60 Hippeastrum .17 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 Flower of Jove 70 | Hickory, Shellbark .60 Hippeastrum .117 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 Flower of Jove 70 Flower Seed Novelties | Hickory, Shellbark .60 Hippeastrum .117 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 | Linum |
| Crinums | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 Flower of Jove 70 Flower Seed Novelties | Hickory, Shellbark .60 Hippeastrum .17 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 Horned Poppy .84 | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 Flower of Jove 70 Flower Seed Novelties and Specialties 7, 8 | Hickory, Shellbark .60 Hippeastrum .17 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 Horned Poppy .84 Horse-radish .44 | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 | Feverfew 89 Fir 59 Fire Plant, Mexican 82 Flame Flower 95, 96 Flax 88 Flower of Jove 70 Flower Seed Novelties | Hickory, Shellbark .60 Hippeastrum .17 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 Horned Poppy .84 Horse-radish .44 | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horse-radish44 Horticultural Books | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horse-radish44 Horticultural Books | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 | Feverfew | Hickory, Shellbark .60 Hippeastrum .17 Holly .61 Hollyhocks .85, 86 Honesty .86 Hop .86 Horn of Plenty .80 Horned Poppy .84 Horse-radish .44 Horticultural Books 45, 46 | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Imple- | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Imple- | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Implements and Garden | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Imple- | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy 84 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites 121–129 | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites121-129 Humea86 | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites121-129 Humea86 | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 Madeira Vine 11 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 Cynoglossum 105 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites121-129 Humea86 Humulus86 | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 Madeira Vine 11 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 Cynoglossum 105 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 Madeira Vine 11 Madrona Tree 5 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Cyclamen 80 Cynoglossum 105 Cyperus 80 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Cyclamen 80 Cynoglossum 105 Cyperus 80 | Feverfew | Hickory, Shellbark60 Hippeastrum17 Holly61 Hollyhocks85, 86 Honesty86 Hop86 Horn of Plenty80 Horned Poppy84 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites121-129 Humea86 Humulus86 | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 Madeira Vine 11 Madrona Tree 5 Magnolia 6 Maize, Milo 5 Malcomia 10 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again Stocks Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 | Feverfew | Hickory, Shellbark60 Hippeastrum117 Holly | Linum 8 Liriodendron 6 Lobelia 8 Lophospermum 8 Lotus 5 Love Grass 10 Love-in-a-Mist 8 Love-Lies-Bleeding 7 Lunaria 8 Lupine 57, 88, 8 Lupinus 7, 88, 8 Lychnis 8 Maclura 57, 6 Madeira Vine 11 Madrona Tree 5 Magnolia 6 Maize, Milo 5 Malcomia 10 |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 Cypress, Summer 87 | Feverfew | Hickory, Shellbark | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 Cypress, Summer 87 Cypress Vine 87 | Feverfew | Hickory, Shellbark60 Hippeastrum117 Holly | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 Cypress, Summer 87 Cypress Vine 87 | Feverfew | Hickory, Shellbark | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 Cypress, Summer 87 Cypress Vine 87 Dahlia 7, 80, 112, 113 | Feverfew | Hickory, Shellbark 60 Hippeastrum 117 Holly 61 Hollyhocks 85, 86 Honesty 86 Hop 86 Horn of Plenty 80 Horned Poppy 84 Horse-radish 44 Horticultural Books 45, 46 Horticultural Implements and Garden Requisites 121–129 Humea 86 Humulus 86 Hunnemannia 86 Hyacinthus 117 Iberis 74, 75 Ice Plant 86 Ilex 61 | Linum |
| Crinums 117 Cucumber 6, 21, 22 Cucumber, Serpent 105 Cucumber, Squirting 90 Cucumber Tree 61 Cucumber, Snake 79 Cucumber, Wild 82 Cucumis 79 Cup-and-Saucer 74 Cuphea 79 Cupressus 59 Currant 61 Cut-and-Come Again 80 Stocks 103 Cyclamen 80 Cynoglossum 105 Cyperus 80 Cypress 59 Cypress, Deciduous 61 Cypress, Summer 87 Cypress Vine 87 | Feverfew | Hickory, Shellbark | Linum |

INDEX, continued

| Mangel-Wire 359 Peach 501 Rutabaga 421 Teosinte 567 Marguel Wire 135 Manzanita 578 Marguel Mire 578 Margu | Page | PAGE | Page | Dian |
|--|-------------------------|-------------------------|---|---------------------------|
| Mangality Mang | | | | Teosinte PAGE |
| Manjok Flowering | | | Rve FF | Thermoneis 707 |
| Maple, Flowering | Manzanita 50 | | 10,000000000000000000000000000000000000 | Thietle 82 |
| Maple, Sugar 60 Peas, Canada Field 57 Sainfoin 57 Thuja 60 Thunbergia 105 Marigold 77 36 Peal Perennial 87 Sainfoin 57 Sainfoin 105 Sain | Maple Flowering 60 | | Sage Flowering Tot | Thorn 60 |
| Margold | Maple Sugar 60 | | Sainfoin 57 | Thuis 60 |
| Marjoid. 73, 89 Pelargonium 94 Salipijossis 107 Salisty 74 Salisty 75 Sali | Marguerite 77 | Pea Perenrial 87 | | |
| Marytuila. | Marigold 72 80 | Pelargonium 04 | | Tobacco Seed |
| Mary Peru | Martynia 80 | Penicillaria 57 | | Tomato 6 40 47 |
| Mask Flower | | Pentstemon 04 | | Tools 121-120 |
| Matricaria 8.9 Pepper 3.3 34 Sambucus 51 Sanvitalia 101 Sanvitalia | Mask Flower 70 | Peonies 02 TI4 | | Toronio |
| Matthiola | | Penner 22 24 | | Touch-Me-Not 86 |
| Maurandya | | Pennermint Tree 60 | | |
| Meliotuta | | | Saponaria | |
| Mesembryanthemum | | | | |
| Mesembryanthemum | | | | |
| Mignonette. 90 | Mesembryanthemum | | | Trichosanthes |
| Mignonette | | | | Trillium 117 |
| Millelt 55, 57, 58 Millows 59 Picca 59 Picc | | | | Tritoma Tos 117 |
| Mimulus 90 | Millet EE E7 E8 | Physostegia 06 | Scorzonera 27 | Trolling 105 |
| Minulus | | | Sedum 102 | Troppedim 74 of 02 |
| Mina 90 Mirabilis 83 Nirelland 175 | | | Senecio 87 | Teura 60 |
| Mirabilis 83 Miscellaneous Bulba and Roots 117 Pine 59, 60 Sensitive Plant 90 Udo Salad 60 Obx 60 Ular Scapiola 60 Uldo Salad 60 Obx 60 Charles 60 Charle | Mina | | | Turnin 6 42 |
| Miscellaneous Bulbs and Roots 117 Nomordica 90 Pink 96, 97 Sequida 60 Monkey Flower 90 Platycodon 97 Shallu 58 Silene 102 Silene 102 Silene 102 Silene 102 Silene 103 Silene 104 Silene 104 Silene 105 Silene 104 Silene 105 | | | | 1 di inp, 42 |
| Pinus 50,60 Shallu 58 Shepberry 61 Siene 102 Shepberry 61 | Miscellaneous Bulbs and | | | Udo Salad 60 |
| Momordica | | | Shallu r8 | |
| Monkey Flower | | | | Limbrella Plant |
| Moniflower 86, 87 Plum, Wild 61 Smilax 102 Moniflower 86, 87 Morning-Glory 79, 86, 87 Morning-Glory 79, 86, 87 Morning-Brice 102 Day and the standard of the standar | | | | |
| Moonflower 86, 87 Mourning Brice 102 Mourning Brice 102 Mourning Brice 102 Mulford Cultures 58 Mushroom Spawn 27 Mourning Brice 102 Muskmelon 6, 28 29 Muskmelon 6, | | | | Ombrena Tree |
| Morning Brice 102 103 104 105 105 | | | | |
| Mourning Brice 102 | | | | Valerian105 |
| Mulford Cultures 58 Poppy 8, 57, 81, 82, 97, 98, 109 Snow-in-Summer 77 Wuskmelon 6, 28, 29 Musk Plant 90 Portulaca 9, 88, 99 Portulaca 9, 88, 99 Snow-in-Summer 77 Yegetable Oyster 37 Yegetable Oyster | | | | Valeriana |
| Mushroom Spawn .27 84, 97, 98, 100 Mushmelon 62, 82, 29 Mushmelon 62, 82, 29 Mushmelon 62, 82, 29 Mushmelon 62, 82, 29 Mushmelon Spown-nthe-Mountain 77 Snow-nn-the-Mountain 78 78 79 100 10 | Mulford Cultures 58 | | Snowball 61 | Vegetable Marrow39 |
| Muskmelon 6, 28, 29 Musk Plant Opotatoes 35 Solanum 103 Sorbus 103 Sorbus 4 Vegetable Seeds 9-42 Vegetable Seeds | | | Snow-in-Summer 77 | Vegetable Oyster37 |
| Musk Plant .90 Potatoes .35 Solanum 103 Vegetable Seed Specialties .94 | | | | Vegetable Plants44 |
| Mustard. 30 Myosotis. 8.8 2.8 3 Myrica. Primorose. 99 100 Primorose. Sorbus. 61 Myrsiphyllum. 102 Primorose. 99 100 Primula 72, 79, 97, 99, 100 Primula 72, 79, 97, 100 Primula 72, 90, 100 Primula 72, 79, 97, 100 Primula 72, 79, 97, 100 Primula 72, 79, 97, 100 Primula 72, 79, 100 Primula | | | | Vegetable Seeds9-42 |
| Myrosotis 8, 82, 83 Primorose 99, 100 Sorghum 56, 58 Whyrica 61 Myrisiphyllum 102 Primola 72, 79, 97, 99, 100 Primola 72, 79, 97, 99, 100 Sorel 37 Specularia 105 Venus' Looking Glass. 105 Venus' Navelwort 105 Verbascum 105 Verbascum 105 Verbascum 106 Verbascum 105 Verbascum 106 Verbascum 106 Verbena 8, 69, 105, 106 Verbena 8, 69, 105 | | Potentilla | | Vegetable Seed Special- |
| Myrica | | | | |
| Myrsiphyllum | | Primula 72 70 07 00 100 | | Venus' Looking Glass. 105 |
| Prunus | | Prince's Feather 71 | | Venus' Navelwort 105 |
| Nasturtium 30, 91, 92 Pueraria 87 Spider Flower, Giant 78 Veronica 106 Vetches 54, 58 Spinach 38 Spruce 59 Spruce Hemlock 59 Stack 50 Stack 50 Stack 50 | Wrytsiphrymum102 | | | Verbascum105 |
| Nemophila 92 Nemophila 92 Nemophila 92 Nemophila 92 Nicotiana 93 Nolana 94 Nolana 94 Nolana 95 Nicotiana 9 | Nasturtium 20 OI 02 | | | Verbena8, 69, 105, 106 |
| Nemophila 92 Nicotiana 92 Nyeterinia 92 Nyeterinia 92 Nyeterinia 92 Nyesa 61 Raged Sailor 77 Rape 57 Raspberry (seed) 61 Reana 57 Statice 103 Stevia 103 Stevia 104 Virgin's Bower 78 Viscaria 106 Virgin's Bower 78 Viscaria | Namesia 02 | | | |
| Nicotiana 92 Nicembergia 92 Nigella 88 Quince 61 Spurce, Hemlock 59 Spurry 58 Quince 101 106 Viola 93, 94, 106 Viola 94, 106 Viola 94, 106 Viola 94, 106 | | | | Vetches54, 58 |
| Nicemebergia 92 Quaking Grass 108 Spurry 58 Viola 93, 94, 106 Nigella 88 Nolama 92 Squince 61 Squash 38 Squirrel-Tail Grass 108 Violet 101, 106 Violet 102 Violet 102 <td>Nicotiana 02</td> <td>1 yredinum</td> <td></td> <td></td> | Nicotiana 02 | 1 yredinum | | |
| Nigella | | Quaking Grass TOS | | |
| Nolana 92 Radish 36 Squirrel-Tail Grass 108 Virgin's Bower 78 108 Virgin's Bower 78 | | | Squash 28 | Viola 93, 94, 106 |
| Nycterinia 92 Radish 36 Stachys 103 Virgin's Bower 78 Nyssa 61 Ragged Sailor 77 Rape 57 Statice 103 Virgin's Bower 78 Oak, Silk 85 Raspberry (seed) 61 Stevia 103 Virgin's Bower 78 Oats 55 Rape 57 Statice 103 Virgin's Bower 78 Obedient Plant 96 Red-Hot-Poker Plant 50 Stevia 105 Vitis< | | Quinec | | Violet |
| Nyssa. | | Radish 26 | | |
| Rape 57 Raspberry (seed) 61 Statice 103 Stevia 104 Stocks 8, 103, 104, 106 Stokesia 104 Stokesia 104 Stokesia 104 Stokesia 104 Stokesia 104 Stringy-bark Tree 61 Stringy-bark Tree 61 Sugar Cane 58 Stevia 104 Stringy-bark Tree 61 Sugar Cane 58 Stevia 104 Stringy-bark Tree 61 Sugar Cane 58 Stevia 104 Stokesia 104 Stringy-bark Tree 61 Sugar Cane 58 Sufflower 59 Sufflower 58 Sufflower 59 Sufflower 59 Sufflower 58 Sufflower 59 Sufflower 58 Sufflower 59 Sufflower 59 Sufflower 59 Sufflower 58 Sufflower | | | Star Flower 87 | |
| Oak, Silk. .85 Raspberry (seed) .61 Stevia .103 Value Value .103 Value Value .103 Value Value .104 Value .105 Value .104 Valu | 14y55a | | | |
| Oats 55 Rean 57 Red-Hot-Poker Plant 105 St. Peter's Staff 105 Wahlenbergia 97 Chothera 100 Okra 30 Rehmannia 100 Stokes 8, 103, 104, 106 Wallenbergia 97 Okra 30 Rehmannia 100 Stokesia 104 Wallenbergia 97 Onion 6, 31 Reseda 90 Strawberry 61 Wallflower 8, 106 Orange, Osage 57, 61 Rhodanthe 100 Strawberry 61 Watermelon 29, 30 Ox-eye 69 Rhubarb 37, 44 Stringy-bark Tree 61 Watermelon 29, 30 Paonia 92, 114 Rhododendron 100 Sweat Sulfower 58, 104 Wheat, Winter 55 Whitlavia 107 Painted Tongue 101 Ricinus 57, 100 Sweet Peas 8, 66-8 Windflower 71 Wisteria 107 Pansies, Tufted 106 Rose 61, 100 Rose 61 | Oak, Silk 85 | | | V1t1861 |
| Obedient Plant .96 Red-Hot-Poker Plant .105 Stocks .8, 103, 104, 106 Wanlenbergia .97 Cenothera 100 Redwood, California .60 Stokesia 104 Waldmeister .72 Ohrange .63 Rehmannia 100 Strawberry .61 Waldmeister .72 Onobrychis .57 Rhamnus .61 Stringy-bark Tree .61 Waldmeister .72 Orange, Osage .57, 61 Rhodanthe 100 Sugar Cane .58 Wheat .81 104 Waldmeister .72 Walflower .8 104 Walnut .61 .62 .62 .62 .62 .62 .62 .62 .62 .62 .62 .62 .62 .62 .6 | Oats | Reana E7 | | |
| Enothera 100 Redwood, California 50 Stokesia 104 Waldmeister 72 Okra 30 Rehmannia 100 Stonecrop 102 Wallflower 8, 106 Onion 6, 31 Reseda 90 Strawberry 61 Wallflower 8, 106 Orange, Osage 57, 61 Rhodanthe 100 Stringy-bark Tree 61 Watermelon 29, 30 Oxalis 117 Rhododendron 100 Sugar Cane 58 Wheat, Winter 55 Ox-eye 69 Rhubarb 37, 44 Sweet Bay 61 Wigandia 107 Paonia 92, 114 Ricinus 57, 100 Sweet Bay 61 Windflower 71 Palm Seeds 108 Rocket, Sweet 100 Sweet Sultan 70 Windflower 71 Pansies, Tufted 106 Rosa 61, 100 Sweet William 104, 105 Woolflower, Chinese 76 Parsnip 32 Rose of Heaven | Obedient Plant 06 | | | Wahlenbergia97 |
| Okra. 30 Rehmannia 100 Stonecrop 102 Wallflower 8, 106 Onion 6, 31 Reseda 90 Strawberry 61 Walnut 61 Onobrychis 57 Rhamnus 61 Stringy-bark Tree 61 Watermelon 29, 30 Orange, Osage 57, 61 Rhodanthe 100 Sugar Cane 58 80 104 Walflower 93 Wheat, Winter 59 Whin 61 61 Whin 61 61 Whin 61 42 61 80 61 60 60 61 60 60 60 60 60 60 60 60 60 | | | | Waldmeister72 |
| Onion 6, 31 Reseda 90 Strawberry 61 Walnut 61 Onobrychis 57 Rhamnus 61 Stringy-bark Tree 61 Watermelon 29, 30 Orange, Osage 57, 61 Rhodanthe 100 Sugar Cane 58 Whitalwia 55 Ox-eye 69 Rhubarb 37, 44 Swallow-wort 72 Whitlavia 107 Pæonia 92, 114 Rhubarb, Chilian 85 Sweet Bay 61 Whitlavia 107 Painted Tongue 101 Ricinus 57, 100 Sweet Peas 8, 66-68 Windflower 71 Palm Seeds 108 Rocket, Sweet 100 Sweet William 104, 105 Wisteria 61 Pansies, Tufted 106 Rosa 61, 100 Sweet Woodruff 72 Swiss Chard 13, 38 Parseley 32 Rose 61, 100 Tagretes 89, 105 Youth and Old Age 107 Passiflora 94 Rose of Sharon | | | | |
| Onobrychis .57 Rhamnus 61 Stringy-bark Tree 61 Watermelon 29, 30 Orange, Osage .57, 61 Rhodanthe 100 Sugar Cane .58 Wheat, Winter .55 Oxalis .117 Rhododendron 100 Rhubarb .57, 61 Sugar Cane .58 Wheat, Winter .55 Pawonia .92, 114 Rhubarb .61 Swellow-wort .72 Rowallow-wort .72 Wigandia 107 Painted Tongue .101 Ricinus .57, 100 Sweet Bay .61 Wigandia .107 Palm Seeds .108 Rocket, Sweet .100 Sweet Sultan .76 Wisteria .61 Pansy .8, 93, 94 Rosa .61, 100 Swest Woodruff .72 Swiss Chard .13, 38 Xeranthemum .107 Parseley .32 Rose, Christmas .85 Tarragon .44 Youth and Old Age .107 Passiflora .94 Rose of Sharon .61 Tass | | | | Walnut61 |
| Orange, Osage 57, 61 Rhodanthe 100 Sugar Cane 58 Wheat, Winter 55 Oxalis 117 Rhododendron 100 Sunflower 58, 104 Whin 61 Ox-eye 69 Rhubarb 37, 44 Swallow-wort 72 Whitlavia 107 Pæonia 92, 114 Rice 57 Sweet Bay 61 Whitlavia 107 Painted Tongue 101 Ricinus 57, 100 Sweet Peas 8, 66-68 Wiindflower 71 Palm Seeds 108 Rocket, Sweet 100 Sweet William 104, 105 Wisteria 61 Pansies, Tufted 106 Rosa 61, 100 Swiss Chard 13, 38 Xeranthemum 107 Parsley 32 Rose Christmas 85 Tarragon 44 Youth and Old Age 107 Passiflora 94 Rose of Sharon 61 Tassel Flower 73 Zebra Grass 108 Passiflora 94 Rudb | | | | Watermelon29, 30 |
| Oxalis 117 Rhododendron 100 Sunflower 58, 104 Whitlavia 107 Ox-eye 69 Rhubarb 37, 44 Swallow-wort 72 Whitlavia 107 Pæonia 92, 114 Rice 57 Sweet Bay 61 Wigandia 107 Painted Tongue 101 Ricinus 57, 100 Sweet Peas 8, 66-68 Windflower 71 Palm Seeds 108 Rocket, Sweet 100 Sweet William 104, 105 Wisteria 61 Pampas Grass 106 Roquette 36 Sweet Woodruff 72 Swiss Chard 13, 38 Xeranthemum 107 Pansy 8, 93, 94 Rose 61, 100 Tagetes 89, 105 Youth and Old Age 107 Parsley 32 Rose of Heaven 70 Tassel Flower 73 Tassel Flower 73 Tassel Flower 73 Tassel Flower Zebra Grass 108 Passion Flower 94 Rose of Sharon 61 | | | | |
| Ox-eye .69 Rhubarb .37, 44 Swallow-wort .72 Wintlavia 107 Pæonia .92, 114 Rice .57 Sweet Bay .61 Wigandia 107 Painted Tongue 101 Ricinus .57, 100 Sweet Peas .8, 66-68 Windflower .71 Palm Seeds 108 Rocket, Sweet 100 Rocket, Sweet William 104, 105 Sweet Woodruff .72 Swiss Chard .13, 38 Woolflower, Chinese .76 Pansies, Tufted 106 Rosa .61, 100 Swiss Chard .13, 38 Xeranthemum 107 Papaver .8, 57, 97, 98 Rose .61, 100 Tagetes .89, 105 Youth and Old Age Youth and Old Age 107 Parsnip .32 Rose of Heaven .70 Tassel Flower .73 Tassel Tree .69 Zebra Grass .108 Passiflora .94 Rudbeckia 101 Taxodium .61 Taxodium .61 | | | Sunflower 58, 104 | |
| Pæonia. 92, 114 Rhubarb, Chilian. 85 Sweet Bay. 61 Wigandia. 107 Painted Tongue. 101 Rice. 57 100 Sweet Peas. 8, 66-68 Windflower. 71 Palm Seeds. 108 Rocket, Sweet. 100 Sweet William. 104, 105 Wisteria. 61 Pampas Grass. 108 Romneya. 100 Sweet Woodruff. 72 Swiss Chard. 13, 38 Xeranthemum. 107 Pansy. 8, 93, 94 Rose. 61, 100 Rose. 61, 100 Tagetes. 89, 105 Youth and Old Age. 107 Parsley. 32 Rose of Heaven. 70 Tassel Flower. 73 Zebra Grass. 108 Passiflora. 94 Rose of Sharon. 61 Taxodium. 61 Zephyranthes. 117 | | | | |
| Pæonia 92, 114 Rice 57 Sweet Peas 8, 66-68 Windhower 71 Painted Tongue 101 Ricinus 57, 100 Sweet Sultan 76 Wisteria 61 Palm Seeds 108 Rocket, Sweet 100 Roweet William 104, 105 Woolflower, Chinese 76 Pampas Grass 108 Romneya 100 Sweet Woodruff 72 Swiss Chard 13, 38 Xeranthemum 107 Pansy 8, 57, 97, 98 Rose 61, 100 Rose Tarragon 44 Youth and Old Age Youca 50, 107 Parsnip 32 Rose of Heaven 70 Tassel Flower 73 Zebra Grass 108 Passiflora 94 Rudbeckia 101 Taxodium 61 Zephyranthes 117 | | | | |
| Painted Tongue 101 Ricinus 57, 100 Sweet Sultan 76 Wisteria 61 Palm Seeds 108 Rocket, Sweet 100 Sweet William 104, 105 Woolflower, Chinese 76 Pansies, Tufted 106 Romneya 100 Sweet Woodruff 72 Swiss Chard 13, 38 Xeranthemum 107 Pansy 8, 57, 97, 98 Rose 61, 100 Rose Targetes 89, 105 Youth and Old Age Youca 50, 107 Parsnip 32 Rose of Heaven 70 Rose of Sharon 61 Tassel Flower 73 Zebra Grass 108 Passion Flower 94 Rudbeckia 101 Taxodium 61 Zephyranthes 117 | Pæonia | | | |
| Palm Seeds 108 Rocket, Sweet 100 Sweet William 104, 105 Woolnower, Chinese 70 Pampas Grass 108 Romneya 100 Sweet Woodruff 72 Sweet Woodruff 72 Swiss Chard 113, 38 Xeranthemum 107 Pansy 8, 93, 94 Rosa 61, 100 Rose 61, 100 Tagetes 89, 105 Youth and Old Age 107 Parsley 32 Rose of Heaven 70 Tassel Flower 73 Tassel Flower 73 Passiflora 94 Rose of Sharon 61 Tassel Tree 69 Zebra Grass 108 Passion Flower 94 Rudbeckia 101 Taxodium 61 Zephyranthes 117 | Painted Tongue101 | | | |
| Pampas Grass 108 Romneya 100 Sweet Woodruff 72 Xeranthemum Xeranthemum 107 Pansies, Tufted 106 Roguette 36 Swiss Chard 13, 38 Xeranthemum 107 Pansy 8, 93, 94 Rosa 61, 100 Rose 61, 100 Tagetes 89, 105 Youth and Old Age 107 Parsley 32 Rose of Heaven 70 Tassel Flower 73 Tassel Flower 73 Passiflora 94 Rose of Sharon 61 Tassel Tree 69 Zebra Grass 108 Passion Flower 94 Rudbeckia 101 Taxodium 61 Zephyranthes 117 | | | | Woolflower, Chinese76 |
| Pansies, Tufted | | | | 37 (1 |
| Pansy | | | | Xeranthemum107 |
| Papaver | | | 5., 5 | X (1 1 011) |
| Parsley 32 Rose, Christmas 85 Tarragon 44 Yucca 00, 107 Parsnip 32 Rose of Heaven 70 Tassel Flower 73 Passiflora 94 Rose of Sharon 61 Tassel Tree 69 Zebra Grass 108 Passion Flower 94 Rudbeckia 101 Taxodium 61 Zephyranthes 117 | | | Tagetes89, 105 | |
| Parsnip | | | | Yucca |
| Passiflora | | | | |
| Passion Flower94 Rudbeckia101 Taxodium61 Zephyranthes117 | | | Tassel Tree69 | |
| | | | | |
| | | | Tecoma105 | |
| | | | | |

We are publishing handy leaflets upon the culture of all kinds of vegetables, which we will be pleased to mail to any of our customers indicating the particular variety, or varieties, they are interested in. Any additional advice will be gladly given our customers who will write us of their needs in regard to the care of their gardens.

ORDER SHEET FOR SEEDS, ETC.

J. M. THORBURN & COMPANY, 53 Barclay St., New York

We Prepay Postage or Express Charges on All Garden Seeds Bought by the Ounce, Packet, and ¼ pound. For Postage Rates on Larger Quantities, See Page 2 of Our Catalogue

| Name | | |
|----------------------------|-----------------------------------|--|
| Post Office | County | ······································ |
| Express Office | | |
| | (If different from Post Office) | |
| Ship via (State here if wa | State | |
| (State here if wa | nted by Express, Freight or Mail) | |
| AMOUNT ENCLOSED & | Date | 1020 |

J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs, or plants they send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

It will be well to state, when ordering, whether we are at liberty to substitute or not. Customers can depend upon our using our best judgment in substituting other equally good sorts for those ordered which we may not be able to supply, as, owing to transportation difficulties, some varieties may be late in reaching us.

UNITED STATES FOOD ADMINISTRATION LICENSE NUMBER G-23974

VEGETABLE SEEDS

| Quantity VARIETIES | Price | Quantity VARIETIES | Price | Quantity VARIETIES | Price |
|--|--------|--|---------|---|--------|
| ARTICHOKE | \$ Cts | Brought forward | \$ Cts. | Brought forward | \$ Cts |
| French Green Globe, Seed " Purple Globe | (| Beans—Dwarf Green-Pod- ded, continued | | BEANS—DWARF LIMA and DWARF WHITE | |
| Jerusalem Artichoke, Roots | | Refugee Late (1000-to-1) "Thorburn's Extra-Early | | Thorburn's Dwarf Lima Burpee's Bush Lima | - |
| ASPARAGUS | | " Stringless | | Burpee's Imp'd Bush Lima | |
| Colossal, Seed | | Six Weeks, Long Yellow Round Yellow | | Henderson Bush Lima | |
| " " 3-yrold | | Stringless Green-Pod " Green-Pod, Giant | | New Wonder Bush Lima Wood's Prolific Bush Lima | . ! |
| " "4-yrold Barr's Mammoth, Roots, 2- | 1 | Valentine, Extra-Early | | Red Kidney | - A |
| yrold | | Black | | White Kidney | 1 |
| "Roots, 2-yrold Columbian Mam., Seed | | BEANS—ENGLISH, DWARF | | " Marrow | |
| "Roots, 2-yrold | | Broad Windsor Sword Long-Pod | | BEANS—POLE | |
| Bonvalette's Giant, Seed Giant Argenteuil, Seed | L L | Mazagan | | Lima Thorburn's Challenger | |
| " Roots, 2-yrold " " 3-yrold | 1 | BEANS—DWARF WAX | | " Carpinteria Pole " Early Jersey | |
| , and the second | | Black Wax, Improved Prolific. " " Pencil-Pod | 1 | " King of the Garden " Large White | |
| BEANS—DWARF GREEN- PODDED | | " Currie's Rust- | : | " Leviathan | |
| Bountiful Dwarf Horticultural | | Davis Kidney Wax | | Dutch Case-Knife | |
| Thorburn's Earliest of All. Crop doubtful | | Golden Wax, Improved | 1 | Golden Cluster Improved Wax Horticultural Pole | |
| Full Measure | | Golden-Eye Wax Hodson Wax | | Kentucky Wonder (Old Home- stead) | |
| Flageolet, Green-Seeded (Shell Bean) | | Refugee Wax, Thorburn's Stringless | | Kentucky Wonder, White- Seeded | |
| Longfellow Low's Champion Low | | Round - Pod Kidney Wax (Brittle Wax) | | Kentucky Wonder, Golden Wax | |
| Masterpiece (Sutton's) Marvel of Paris | | Valentine Wax, Thorburn's Wardwell's Kidney Wax | | Southern Creaseback Scarlet Runner | |
| Mohawk | | Webber Wax | | Yard-long French | |
| Forward | | Forward | | Forward | |

Early Giant of Naples.....

Forward.....

London.....

White Nocera.....

Extra-Early Adams.....

Stabler's Early Pedigree.....

Premo, Extra-Early.....

Forward.....

Short stem.....

Ballhead, Winter.

Roundhead.....

Forward.....

Long stem.....

Price

Cts.

VEGETABLE SEEDS, continued

| Quantity | VARIETIES | Pric | e | Quantity VAI | RIETIES | Price | | Quantity | VARIETIES | Þ | Price |
|----------|-----------------------------|------|------|--------------|-------------------|--|------|-------------|-----------------------------|----|-------|
| | Decoualt formand | \$ | Cts. | Daniel I f | vard | \$ 0 | cts. | | Parallel farman | \$ | |
| | Brought forward | | | | | | Į | | Brought forward | | |
| C | ORN—SECOND-EARLY | | | CUCUMBER | | | | | Lettuce—continued | | |
| | Early Champion | | | For Frame | | | | | Grand Rapids Forcing | | |
| | Thorburn's Early White Per- | | | | narch | | | | Hanson Improved | | |
| | fection | | | | Market | | | | Hubbard Market | | |
| | Crosby | | | Telegraph. | | a de la companie de l | | | Iceberg | | |
| | Golden Cream | | | Veitch's Ser | nsation | | | | Mammoth BS. Butter | | |
| | Howling Mob | | | | | 1 | | | Market-Gardeners' Private | | |
| | Potter Excelsior (Squantum) | | | EGGPLANT | | | | | Stock. | | |
| | Early Adams | | | Imp. N. Y. | Spineless | | | | Maximum | | |
| | Long Island Beauty | | | | ty | | | | May King | | |
| | Early Evergreen | | } | | 1 | | | | Mignonette | | |
| | Early Mammoth | | | | h Bush | | | | New York Cabbage | | |
| | | | 1 | _ | f Purple | | - 1 | | Orchid | | |
| C | ORN—GENERAL CROP | | | | e | | - 1 | | Philadelphia Dutch Speckled | Į. | |
| | Hickox Improved | | | | China | | | • • • • • | Butter | | |
| | Stowell's Evergreen | - | | | | | Į. | | Prize Head | | |
| | White Evergreen | 1 | | Large Rour | d Purple | | | | Salamander Improved | 1 | |
| | _ | | | | | | | | Shotwell Brownhead | | |
| • • • • | Golden Evergreen | | | ENDIVE or (| | | | | Simpson, Early Curled | | |
| C | ORN—LATE | | | Green Curl | ed Winter | 1 | | | "Black-seeded | | |
| | Black Mexican | | | Moss Curle | d | - 1 | | | | | |
| | | | | Large Green | Curled (deRuffec) | 1 | | • • • • • • | Tennisball White-seeded | | |
| | Late Mammoth | | | Giant Fring | ged (Oyster) | | | • • • • • • | " Black-seeded | | |
| • • • • | Country Gentleman | i | | White Curl | ed | | | • • • • • | Wayahead | | |
| C | RESS | { | | Broad-leave | ed (Escarolle) | | | • • • • • | White Summer Cabbage | | |
| | | | | | ed Batavian | 1 | | | Wonderful | 1 | |
| | Curled (Pepper Grass) | | | | | | | | Balloon Cos | 1 | |
| | Common (Plain-leaved) | | | KALE, or BO | ORECOLE | | | | Bath Cos | | |
| | True Water-Cress | | | Curled Dwa | arf Green Scotch | | | | Trianon Cos | | |
| • • • • | Upland (Winter Improved) | | | | Green Scotch | | | | White Paris Cos | | |
| Ci. | ICHADED | | | | erian, Thorburn's | | | | | | |
| | UCUMBER | | | | aproved | | - | Th./ | IUSHROOM SPAWN | | |
| | Chicago Pickling | | | | eaded | | | 14. | | | |
| | Cool and Crisp | | | | | | | | American Pure-Culture | | |
| | Cornichon de Paris | | | KOHLRABI | | | | | English | | |
| | Cumberland | | | | e Vienna | | | | French, in 2-lb. boxes | | |
| | Davis Perfect | | | " " | | | | | | | |
| | Early Green Cluster | | | | " (frames). | | | 10/ | IELON—MUSK | | |
| | " Short Green | | | " Purp | | | | 14. | | | |
| | Everbearing, Thorburn's | | | | e White Goliath | | | | Banana Citron | 1 | |
| | Fordhook Famous | | | Imperial G | een | | | • • • • • • | Baltimore Market | | |
| | Giant Pera | | | * ****** | | | | | Banquet | i | |
| | Green Prolific Pickling | ł | | LEEK | | | | | Bay View Hybrid | | |
| | Jersey Pickling | | | Thorburn's | Best Large Flag | | | | Brockway's Sport | | |
| | Long Green Improved | | | Large Care | ntan | 1 | | | Burrell's Gem | | |
| • • • • | " Extra Smooth | | | Musselburg | h | | | | Davis' White-seeded | | |
| • • • • | | | _ | Large Roue | n | | | | Defender | | |
| • • • • | rurkey | | | | | - | | | Eden Gem | 1 | |
| | Nichol Medium Green | | | LETTUCE | | | | | Emerald Gem | | |
| | White Spine Improved | | | American C | athering | | | | Egyptian Deity (Persian De- | | |
| | Kiondyke | | | | Gathering | | | | light) | | |
| | " Hill's Forcing | | | | | | | | Gold-lined Rocky Ford | | |
| | " Arlington | | | | ch | | | | Golden Eagle | | |
| | " Extra-Long | | | | CII | | | | Hackensack | | |
| | " "Thorburn's Nor- | | | - | | | | | " Extra-Early | | |
| | oton Selected | | | | Cream Butter | | | • • • • • | | | |
| | " Long Green | | | | | | | | Hybrid Cassaba | | |
| | Japan Climbing | | | | _ | | | | Honey Dew | | |
| | Lemon Cucumber (Garden | | | | rket | | | | Jenny Lind | | |
| | Lemon) | | | Giant Crys | tal Head | | | | Long Island Beauty | | |
| | West Indian Gherkin | | | | | | | | Long Yellow Cantaloup | | |

VEGETABLE SEEDS, continued Page 4 VARIETIES Price Quantity VARIETIES Price Quantity VARIETIES Price Ouantity S Cts. Cts. Cts. Brought forward..... Brought forward..... Brought forward..... Melon-Musk-continued ONION SETS Melon-Water--continued Phinney Early..... Mango Melon (Vine Orange)... Yellow.... Montreal Green..... Pride of Georgia.... White.... Netted Gem, Round..... Rattlesnake, Southern..... Red..... " Oblong..... Sugar Stick..... Rock.... Sweetheart, Oval..... OKRA, or GUMBO Tom Watson..... Nutmeg..... Tip-Top..... Dwarf Green Prolific..... MUSTARD Thorburn's Orange Christiana Long Green..... Black Osage..... Perkins' Mammoth..... White London..... Paul Rose..... White Velvet.... Giant Southern Curled..... Rocky Ford..... Tall Green.... Ostrich Plume..... Skillman's Netted Gem..... Fordhook Fancy..... Winter Pineapple..... Chinese Broad-leaved..... Vine Peach.... PARSNIP NASTURTIUM Thorburn's Hollow-Crown... Tall Mixed..... Guernsey..... Dwarf Mixed..... MELON-MUSK IMPORTED Frame Sorts ONION PARSLEY Delight of the Table..... White Early Barletta..... Thorburn's Extra Curled... Eclipse..... Bermuda.... Thorburn's Champion Moss Gunton Scarlet..... (True Wax Curled.... Little Heath Crystal).. Plain.... Tours Sugar..... Bunching (Italian Hamburg, Rooted..... Silverskin)..... Queen..... Pearl, Very.... PEAS-EXTRA-EARLY Large Portugal..... MELON-WATER Globe.... Thorburn Ex.-Ey. Market . . . Alabama Sweet..... First-of-All.... Paris Silverskin..... Angel's Kiss.... Daniel O'Rourke, Improved. . Maggiajola. Early; flat Black Diamond..... Alaska.... Mammoth Garganus Black Spanish..... (Silver King)..... Gradus (Prosperity)..... Boss.... Marvel of Pompeii..... Phila. Silverskin..... Bradford.... Thomas Laxton Citron, Green Seed..... Tripoli.... The Leader..... Red Seed..... Vaugirard Flat American Wonder.... Cole's Early..... Victoria.... Little Gem..... Cuban Queen.... Welsh..... Premium Gem.... Dixie..... Yellow Danvers.... Laxtonian.... Early Fordhook..... Denia..... Nott's Excelsior..... Florida Favorite..... Rocca Giant, Pale.... Pedigree..... Globe, Australian.... Golden Honey..... Sutton's Excelsion..... Halbert's Honey..... Danvers..... World's Record..... Michigan..... Hungarian Honey..... Ice Cream (Peerless)..... Large..... PEAS-EARLY AND Icing, Dark..... Prizetaker..... **MEDIUM** Strasburg (Dutch).... Light..... Advancer..... Irish Grey Ailsa Craig..... Jordan Gray Monarch..... Red Wethersfield, Large. ... Everbearing..... Kleckley Sweets..... Globe, Early..... Abundance..... Kolb Gem..... Horsford's Market-Garden... Early Flat..... Pride of the Market..... Mammoth Ironclad..... Globe, Large..... Mammoth Santiago..... Champion of England Australian Brown..... Dwarf Champion (Juno).... McIver's Wonderful Sugar... Bermuda..... Mountain Sweet.... Duke of Albany.... Italian Tripoli..... Forward.... Forward..... Forward.....

VEGETABLE SEEDS, continued

| Quantity | VARIETIES | Pric | e | Quantity | VARIETIES | Pri | ce | Quantity VARIETIES | Pr | ice |
|-----------|-----------------------------|------|------|---|---|-----|--|-------------------------------|----|-----|
| | | \$ | Cts. | *************************************** | | \$ | Cts. | | \$ | (|
| | D 716 7 | | | | D 24.6 | | | D | | |
| | Brought forward | | | | Brought forward | | | Brought forward | | |
| | | | | | | | | | | |
| F | PEAS—MAIN AND LATE | | | | | | | D14470 470 | | |
| | DAG WARIN AND DATE | | | Jt. | PUMPKIN | | | RHUBARB | | 7 |
| | Admiral Dewey | | | | 77 7 0 | | | Victoria | | 1 |
| | Boston Unrivalled | | | • • • • • • | Early Sugar | | | Victoria, Roots | | 5 |
| | Potlatch | | | | Large Cheese | | | | | |
| | Stratagem | | | | Connecticut Field | | | | | |
| | Telephone | | | | Cushaw Striped | | | ROQUETTE | | |
| | | | | | " Mammoth Golden | | | | | |
| | Telegraph. | | | | " White | | | SALSIFY | | |
| • • • • | Late White Marrowfat | | | | Golden Oblong | | | | | |
| | Late Black-eyed Marrowfat | | | | Japanese Pie | | | Long White French | | |
| | | | | | Mammoth King | | | Mam. Sandwich Island | | |
| | | | | | " Tours | | | | | |
| P | EAS-SUGAR (Edible Pods) | • | | | Quaker Pie | | | SCOLYMUS | | |
| | | | | | Red Etampes | | | | | |
| | Mammoth Melting | | | | Tennessee Sweet Potato | | | | | |
| | Mammoth-podded Sugar | | | | Winter Luxury | | | SCORZONERA | | |
| | | | | | Winter Educary | | | | | |
| | | | | | | | | SORREL | | |
| P | EPPER | | | | | | | | | |
| | | | | В | ADISH | | | Garden Golden-leaved Lyons. | | |
| | Bell, Large. | | | | | | | Garden Large French | | ľ |
| | Cayenne Long Red | | | | Turnip Scarlet | | | Garden Mammoth Lyons, | | |
| | Chinese Giant. | | | | " Scarlet Forcing | | | White | | |
| | Crimson Giant. | | | | " Scarlet White Tipped. | | | | | |
| • • • | Golden Dawn. | | | | " Scarlet White Tipped | | | SPINACH | | |
| | Monstrous Sweet. | | | | Forcing Rosy Gem | | | SILIVISMI | | |
| | | | | | " Scarlet Cooper's Spark- | | | Round Viroflay | | |
| • • • • ; | Neapolitan | | | | ler, White Tip | | | Long Season, Thorburn's | | |
| | Perfection Sweet | | | | Crimson Giant Forc | | | Round-leaved Flanders | | |
| • • • | Red Cherry | | | | Deep Scarret | | | Curled - leaved Savoy or | | |
| • • • | " Chili | | | | " Extra-Early Scarlet Forcing, Ne Plus | | | Bloomsdale | | |
| • • • | Royal King | | | | Ultra | | | Long-standing | | |
| | Ruby Giant | | | | " Scarlet Globe-shaped. | | | Victoria | | |
| | Ruby King | | | | " Early White | | | Prickly Winter | | |
| | Squash, Large (Tomato) | | | | " " Round White | | | New Zealand Summer | | |
| | Sweet Spanish | | | | Forc. (Box) | | | Triumph | | |
| | | | | | " Early Yellow | | | | | ı |
| | | | | | " Large White Summer | | | | | l |
| P | OTATOES, SEED—EARLY | | | | French Breakfast | | | SWISS CHARD or SILVER | | |
| | | | | | Olive-shaped Scarlet | | | BEET | | |
| | Thorburn's Beauty of Hebron | | | | Half-long Deep Scarlet (Paris | | | C'1 T A / 1 | | |
| | Bovee | | | | Beauty) | | | Silver-Leaf (see also page 2) | | |
| | Early Rose. | 3 | | | Long Scarlet Short-Top | | | Giant Lucullus (see also page | | 1 |
| • : • | Irish Cobbler | | | | " " Chartier | | | 2) | | |
| | Tradit Condict | | | | " Cincinnati Market | | | | | 1 |
| | | | | | "White Vienna (Lady | | | SQUASH—Bush Varieties | | - |
| | om . mon = === | | | | Finger) | | and the state of t | | | |
| P | OTATOES, SEED—INTER- | | | | " Icicle | | | Cocozelle Bush | | 1 |
| | MEDIATE AND LATE | | | | "White Strasburg | | | Early Golden Bush | | - |
| | | | | | Summer | | | Golden Custard | | - |
| | Carman No. 1 | | | | Winter Rose, Chinese Half- | | | Early White Scallop Bush | | |
| | Rural New Yorker | | | | long | | | Mam. White Scallop Bush | | - |
| | Sir Walter Raleigh | | | | " Celestial | | | Long Island White Bush | | |
| | Green Mountain | | | | " Long Black Spanish | | | Fordhook White Bush | | |
| | Gold Coin | | | | " Round Bl'k Spanish | | | Summer Crookneck | | - |
| | Dibble's Russet | | | | Winter California Mammoth. | | | " " Giant | | |
| | otato Seed-From Seed Balls | , | | | Sakurajima (Mam. Japan) | | | " White-fruited | | |
| | | | | | (taban) | | | | | |

VEGETABLE SEEDS, continued Page 6 Price Quantity VARIETIES Price Quantity **VARIETIES** Quantity VARIETIES Cts. Cts. Cts. Brought forward..... Brought forward...... Brought forward..... Rutabaga-continued Tomato-continued SOUASH—Running Varieties Champion Purple-Top..... Poston Marrow... Mikado..... Laing's Improved Strap-Leaf. Delicata.... Noroton Forcing..... Sweet German or Russian . . . Optimus..... Delicious.... Thorburn's Family..... Early Prolific Marrow..... Paragon..... White..... Fordhook Running..... Perfection.... Ponderosa..... Hubbard.... Mam. Warted..... Red Cherry..... Golden or Red..... Currant..... HERBS, ETC. Lagenaria leucantha longis-Peach.... Pear..... Agrimony..... Mammoth Chili..... Plum..... Angelica..... Whale.... Rock.... Anise..... Marblehead..... Ruby Early..... Balm.... Orange Marrow.... Stirling Castle..... Basil, Sweet.... Turban..... Stone, Thorburn's.... " Bush..... Italian Vegetable (Cocozelle) " Dwarf..... Belladonna..... Marrow Strawberry (Husk Tomato)... Borage..... English Vegetable Marrow, Success..... Caraway..... Cream-color..... Trophy..... English Vegetable Marrow, Coriander..... Trucker's Favorite..... Green..... Dill, Common...... English Vegetable Marrow, Yellow Cherry..... " Mammoth..... White..... Peach.... Elecampane..... Pear.... Fennel, Sweet..... Plum..... Florence..... Fumitory..... **TOMATO** Hemlock.... TURNIP Henbane.... Acme... Atlantic Prize..... Amber Globe..... Horehound..... Hyssop..... Cow Horn.... Beauty..... Early Snowball..... Lavender (Spica)..... Bonny Best..... True..... Buckeye State..... Globe, Pomeranian White.... Carter's Sunrise..... Jersey Lily (White Model).... Marigold, Pot..... Cluster, Thorburn's Improved Kashmyr Scarlet..... Marjoram, Pot..... Milan Early Purple-Crown... Crimson Cushion..... Sweet..... Milan Early Pure White..... Chalk's Early Jewel..... Mint, Curled (Mentha crispa). Dwarf Champion..... Red-Top, Globe-shaped..... " Peppermint..... Pennyroyal..... " Giant..... Strap-Leaf..... Earliana..... White Egg..... Rue.... Favorite..... Strap-Leaf..... Sage, Broad-leaved..... Freedom.... Yellow Aberdeen.... Savory, Summer..... Winter.... Frogmore Selected..... Golden Ball.... Golden Queen..... Tansy.... Livingston's Coreless..... Tarragon..... RUTABAGA Globe..... Thyme, English.... Lorillard..... French.... American Purple-Top..... Matchless.... Winter.... Budlong White Rock Wormwood..... Michigan Early..... Bangholm..... Forward..... Forward.....

Page 7


FLOWER SEEDS

Flower Seeds may be ordered by the numbers prefixed to each sort in our catalogue. It is necessary only to write down the quantity required—packet, ounce, or pound—and the number of the variety.

| Quantity | Number | Pı | ice | Quantity | Number | Price | | Quantity | Number | Pri | ce | Quantity | Number | Price | | |
|----------|---------|--|------|----------|----------|-------|------|----------|---------|-----|------|----------|---------|-------|-----|--|
| | | \$ | Cts. | | Forward | \$ | Cts. | | Forward | \$ | Cts. | | Forward | \$ | Cı | |
| | | | + | | | | | | | | | | | | | |
| | | | | | | | 1 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | -,- | |
| | | | | | | | | | | | | | | | | |
| | | | - | | | | | | | | | • | | | | |
| | | | | | | | | | | | | | | | | |
| | | * A minimum Anna | | | | | | | | | | | | | | |
| | | | , | | | | | | | | | | | | | |
| | | | | 1 | | | | | | | | | | | | |
| | | | | | | | | 2 | | | | | | | | |
| | | | | | | • | | | | | | | | | | |
| | | The state of the s | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Forward | | | | Forward. | | | | Forward | | | | Total | | | |

| Page 8 | NOVELTIES, ETC. | | | | | | | | | | S | Cts | | |
|----------|---------------------------------|-------|------|---|-------------|-----------------|---|-----------|--|-----------------|----|------|--|--|
| | | \$ | Cts. | | Total Veg | getables | • | | • • • • • | • • • • • • • • | | | | |
| | | | | | Total Flo | wer Seeds | | ••••• | | • • • • • • • • | | | | |
| | | 1 | | | Total No | velties, Etc | | | | | | | | |
| | | - | | | Total Gra | iss Seeds, To | ols. Etc | | | | | | | |
| | | | | | | otal | | | | | 1 | | | |
| | | | | = | Grana 10 | · | | <u> </u> | | | | | | |
| p | | | | | | | o not wri | te in the | se spa | ices. | | | | |
| | | | | | Date | | | Filled by | y | | | | | |
| | | i | | | No. Pkgs. | <u> </u> | · | Checked | by | | | | | |
| , | | | | | Postage | in Trans 2 | | Weight | PLE STOCK ENGINEERING | | | | | |
| | | | | | | Pkgs. | | | | | | Lbs. | | |
| | Total | | ; | | | Boxes | | • | | | | | | |
| Grass | Seeds and Miscellaneous Seeds, | | | - | Bbls. | | | | | | 66 | | | |
| 01200 | Fertilizers, Insecticides, Etc. | 1 001 | .5, | | | Bags | | | | | | | | |
| Quantity | ARTICLES | Pri | ice | | - | Bdls. | | | | | | | | |
| | | \$ | Cts. | | DOME | Crates | COUT S SHAFT HATBURGEN STONEY OF FRINCE SHAFT VISIBLE | | P processor and the second | | | | | |
| | | | | | ROUT | | | | | | | | | |
| | | | | | Date Shippe | | | | | | | | | |
| | | | | | Charges | Prepaid Collect | | | | \$ | | | | |
| | | | | | Shipped | | | | | | | | | |
| | | | | | | ½ bus. Ba | gs | | Seam | ıless | | | | |
| | | | | | | 1/2 " " | | | Sacks | S | | | | |
| | | | | | | 1 " " | | | Boxe | s | | | | |
| | | | | | | | | | | | | , | | |
| | · | - | | | | | | | | | | | | |
| | - | | | | | | | | | | | | | |
| | , | 1 | | | | | | | | | | | | |
| | | 1 | | | · ' | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | • | | | | | | | | | | | | |
| | Total | | | | | | | | | | | | | |

| Please notice that | our prices are quoted at the lowest New York figures, and do not incende the payment of expressers, except for seeds, in packets, onness or % lbs. on which we pay postage and expressage. If large quantities are ordered to be sent by mail, add postage at some rates. | s charges or postage |
|--|---|---------------------------|
| | | |
| A COUNTY OF THE PARTY OF THE PA | J. M. THORBURN & | CO. |
| F. G S TE | 53 BARCLAY STREET, through to 54 PARK PLACE, | NEW YORK |
| Name | | |
| Please forv | vard by (State here if wanted by Express, Freight or Mail.) | |
| | ffice (if different from P O.) | |
| • | Cara | |
| Amount E | nclosed, \$ | |
| Mesors. J. M. 7 | horburn & Co. give no warranty, express or implied, as to description, quality, productiveness, any seeds, bulbs or plants they send out, and they will not be in any way responsible for the If the purchaser does not accept the goods on these terms, they are at once to be returned. J. M. 7 | or any other matter crop. |
| YTITNAUG | ARTICLES WANTED | PRICE |
| 4 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 3 |
| | | |
| | | |
| TT 112 TO 12 | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| FROM | |
|------|--|
| | |

J. M. THORBURN & CO.

53 BARCLAY STREET through to 54 PARK PLACE,

P. O. BOX 49 CITY HALL STATION NEW YORK, N. Y.



THORBURN'S LIST OF VEGETABLE SEEDS

That may be sown in each month from February to September in the climate of New York

| Wakefield Cabbage | Jersey | Early | Thorburn's | | | | Tomato | Namen | Dadich | Penner | Parsley | Early Lettuce | Eggplant | CHCHTTDCT | Curimhar | Early Celery | Forcing Carrot | Early Cabbage | TOCCOTT | Decool: | Karly Reans | SOW IN HOTBED | FEBRUARY |
|--|---------------|---------|--------------------|------------|-------------------|------------|-------------|------------|---------------|------------------|------------|---------------|---------------|-----------|------------------|------------------|----------------|------------------|------------------|-------------------|-------------|---|-----------|
| Radish Spinach Early Turnip Lawn Grass | Peas | Onion | Carrot Leek | Beets | Beans, B. Windsor | GROUND | IN OPEN | Tomato | Radish | Pepper | Parsley | Lettuce | Kohlrabi | Eggplant | Celery | Cauliflower | Forcing Carrot | Early Cabbage | Brussels Sprouts | Early Beets | Early Beans | SOW IN HOTBED SOW IN HOTBED SOW IN HOTBED | MARCH |
| Potatoes Radish Spinach Early Turnip | Parsnip | Parsley | Lettuce Onion | Kohlrabi | Cress | Celery | Cauliflower | Carrot | Early Cabbage | Brussels Sprouts | Beets | English Beans | Asparagus | GROUND | IN OPEN | | Tomato | Pepper | Melon | Eggplant | Cucumber | SOW IN HOTBED | APRIL |
| Salsify Spinach Early Turnips All Herbs | Potatoes | Peas | Parsley Parsnio | Onion | Melon | Lettuce | Leek | Kohlrabi | Cucumber | Cress | Sweet Corn | Celery | Cauliflower | Carrot | Brussels Sprouts | Beets | Running | Beans, Bush and | Asparagus | Artichoke | GROUND | IN OPEN | MAY |
| Salsify Spinach Squash Herbs | Pumpkin | | Early Peas | Nasturtium | Melon | Lettuce | Kohlrabi | Kale | Endive | Cucumber | Cress | Sweet Com | Cauliflower | Carrot | Late Cabbage | Brussels Sprouts | Broccoli | Beets | all other sorts | Beans, Lima and | GROUND | IN OPEN | TUNE |
| Thorburn's Improved Big Boston Lettuce | Rutabaga | Turnip | Spinach | Radish | Pumpkin | Early Peas | Okra | Nasturtium | Lettuce | Kohlrabi | Kale | Gherkin | Endive | Cucumber | Cress | Corn Salad | Sweet Corn | Carrot | Beets | Beans | GROUND | IN OPEN | ATOL |
| Cauliflower | Edeo | Calle | Thorburn's | | The second second | | dam | Turnin | Spinach | Radish, Winter | Early Peas | Weisn Omon | W7-1-t Onion | Lethuce | Endive | Cucumber | Corn Salag | Tubotone Ouctain | Tuberous Chervil | Beans, Bush | GROUND | IN OPEN | AUGUST |
| Polo-Grounds Golf-Links Meadow and Pasture | Tennis-Courts | Lawns | for | CRASS SEED | | Sweet Peas | Turnip | Spinach | Radish | Parsley | Mustard | Lettuce | Siberian Kale | Cress | Corn Salad | Tuberous Chervil | coldframes | Cauliflower for | frames | Cabbage for cold- | GROUND | IN OPEN | SEPTEMBER |

J. M. THORBURN & CO., Seedsmen, NEW YORK

53 Barclay Street, through to 54 Park Place



J.M. Thorburn & Co.

53 BARCLAY STREET
THROUGH TO 54 PARK PLACE

New York City